Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

BoxWave bw-863-59183-0

BoxWave ClearTouch Crystal Screen Protector User Manual

For Eonon UX6K-PRO-MAX Android Car Stereo (10.1 in)

1. Introduction

The BoxWave ClearTouch Crystal Screen Protector is designed to provide a transparent protective layer for your Eonon UX6K-PRO-MAX Android Car Stereo (10.1 in). This high-quality film shields your device's screen from scratches, dust, and minor impacts while maintaining optimal visual clarity and touch sensitivity. It offers up to 99% visual transparency for a clear and vibrant viewing experience.



Image 1.1: Packaging of the BoxWave ClearTouch Crystal Screen Protector. The packaging highlights features such as color brilliance, clarity, precision, and reusability.



Image 1.2: Visual representation of the screen protector's high transparency, ensuring the device's display remains clear and vibrant.

2. Package Contents

Please verify that all items are present in the package:

- Two (2) BoxWave ClearTouch Crystal Screen Protectors
- One (1) Applicator Card
- One (1) Microfiber Cleaning Cloth



Image 2.1: The essential accessories included for a clean and smooth installation: an applicator card, a microfiber cleaning cloth, and a dust-removing sticker.



Image 2.2: A complete view of the package contents, showing the two screen protectors, applicator card, and microfiber cleaning cloth.

3. Setup and Installation Guide

For best results, perform the installation in a dust-free environment.

1. **Clean the Screen:** Use the provided microfiber cleaning cloth to thoroughly clean the surface of your Eonon UX6K-PRO-MAX Android Car Stereo screen. Ensure there are no dust particles, smudges, or fingerprints. For stubborn marks, a screen cleaner (not included) can be used, followed by drying with the microfiber cloth.
2. **Remove Dust:** Use the dust-removing sticker (if included, or any adhesive tape) to gently dab the screen surface to pick up any remaining dust particles. This step is crucial for preventing bubbles.
3. **Peel Back Layer 1:** Carefully peel back a small portion (about 1 inch) of the protective film labeled 'Layer 1' or 'Back' from one end of the screen protector. Avoid touching the adhesive side.
4. **Align the Protector:** Align the exposed adhesive edge of the screen protector with one edge of your device's screen. Ensure precise alignment with all cutouts (if any) and edges.

5. **Apply and Smooth:** Slowly and steadily peel off the rest of 'Layer 1' while simultaneously using the applicator card to smooth the screen protector onto the screen. Start from the aligned edge and work your way across, pushing out any air bubbles towards the edges.
6. **Remove Air Bubbles:** If small air bubbles remain, gently push them towards the nearest edge using the applicator card. For persistent bubbles, you may carefully lift the nearest edge of the protector slightly and reapply, smoothing it down. Note: The low-tack adhesive may take up to 48 hours to fully settle along the edges, and any initial small air bubbles typically clear with regular use.
7. **Remove Layer 2:** Once the screen protector is fully applied and smoothed, carefully peel off the top protective film labeled 'Layer 2' or 'Front'.
8. **Final Wipe:** Use the microfiber cloth to gently wipe the newly installed screen protector to remove any smudges.

4. Operating and Care

Once installed, the ClearTouch Crystal Screen Protector requires no special operation. It is designed to be virtually invisible, preserving the original touch sensitivity and display clarity of your Eonon UX6K-PRO-MAX Android Car Stereo.

- **Touch Sensitivity:** The protector does not interfere with the touch screen's responsiveness.
- **Clarity:** Enjoy the full clarity and vibrant colors of your device's display.
- **Protection:** The film provides a durable barrier against daily wear and tear.




Image 4.1: The screen protector maintains high definition clarity, allowing for an unobstructed view of the device's display.

5. Maintenance

To keep your screen protector clean and clear:

- **Cleaning:** Use the provided microfiber cleaning cloth to gently wipe away dust, fingerprints, and smudges.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the screen protector's surface.
- **Gentle Pressure:** When cleaning, apply light pressure to avoid dislodging the protector or scratching its surface.

6. Troubleshooting

Here are solutions to common issues you might encounter:

- **Air Bubbles:** Most small air bubbles will dissipate within 24-48 hours as the adhesive fully cures. For larger bubbles, try gently pushing them towards the nearest edge with the applicator card. If a bubble is caused by a dust

particle, carefully lift the nearest edge of the protector with a piece of tape, use another piece of tape to remove the dust, and then reapply.

- **Dust Under Protector:** This is usually the cause of persistent bubbles. If dust is trapped, carefully lift the edge of the protector closest to the dust particle using a piece of tape. Use another piece of tape to gently lift the dust off the screen or the adhesive side of the protector. Reapply the protector slowly.
- **Misalignment:** If the protector is significantly misaligned, it's best to carefully peel it off entirely (if done shortly after application) and reapply, ensuring proper alignment from the start. If it's been on for a while, it might be difficult to remove without damage.
- **Edges Not Sticking:** Ensure the screen edges were thoroughly cleaned before application. Sometimes, a slight lift can occur if the screen is curved or if there's residual dust/oil. Gently press down on the edges for a few minutes. The adhesive may take up to 48 hours to fully settle.

7. Specifications

Brand	BoxWave
Model Name	ClearTouch Crystal
Compatibility	Eonon UX6K-PRO-MAX Android Car Stereo (10.1 in)
Material	Polyethylene Terephthalate (PET)
Screen Surface Description	Glossy
Transparency	Up to 99%
Adhesive Type	Glueless (low-tack)
Part Number	bw-863-59183-0




Image 7.1: Illustration of the precision engineering ensuring a perfect fit for your device.

8. Warranty and Support

For warranty information or technical support regarding your BoxWave ClearTouch Crystal Screen Protector, please refer to the product packaging or visit the official BoxWave website. You may also contact BoxWave customer service directly for assistance with product issues or installation queries.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F25C427Q

More documents and user manuals: **https://manuals.plus/**