

[Manuals.plus](#) /

› [SERBNOPG](#) /

› SERBNOPG RC Car Repair Kit Instruction Manual

SERBNOPG caoxv

RC Car Repair Kit Instruction Manual

Brand: SERBNOPG | **Model:** caoxv (Compatible with HS 14321-14432, JJRC C8802, YDJ-D879)

INTRODUCTION

This instruction manual provides essential information for the installation, maintenance, and general use of the SERBNOPG RC Car Repair Kit. This kit is designed to replace and upgrade various components of compatible 1/14 scale RC cars, enhancing their durability and performance.

PRODUCT OVERVIEW AND COMPONENTS

The SERBNOPG RC Car Repair Kit includes a comprehensive set of metal parts engineered for precision and longevity. These components are direct replacements and upgrades for original parts, offering improved stability and performance.




Figure 1: This image displays the full set of grey metal upgrade parts for RC cars, including swing arms, steering cups, hub carriers, and shock towers, laid out against a white background. These parts are designed for durability and performance enhancement.

Kit Contents:

- Metal Swing Arms (Upper and Lower)
- Metal Steering Cups
- Metal Hub Carriers
- Metal Shock Towers
- Various connecting rods and small components

All components are crafted from durable metal to withstand the rigors of RC car operation.

COMPATIBILITY

This repair kit is specifically designed for the following 1/14 scale RC car models:

- HS 14321
- HS 14322
- HS 14331
- HS 14332
- HS 14421
- HS 14422

- HS 14431
- HS 14432
- JJRC C8802
- YDJ-D879

Ensure your RC car model matches one of the listed compatible models before installation.

SETUP AND INSTALLATION

Installation of these upgrade parts requires basic mechanical knowledge and appropriate tools for RC car maintenance. It is recommended to consult your RC car's original manual for specific disassembly and reassembly procedures.

1. **Preparation:** Ensure the RC car is powered off and the battery is disconnected. Place the car on a clean, stable surface.
2. **Disassembly:** Carefully remove the existing plastic or damaged components that are to be replaced. Keep track of all screws and small parts.
3. **Component Identification:** Identify the corresponding metal upgrade part from the kit.
4. **Installation:** Install the new metal part, ensuring proper alignment and secure fastening. Do not overtighten screws.
5. **Reassembly:** Reassemble any removed components in reverse order.
6. **Post-Installation Check:** After installation, manually check the movement of all newly installed parts to ensure they move freely and without obstruction.

Note: If you are unsure about any step, seek assistance from an experienced RC hobbyist or refer to online tutorials specific to your RC car model.

OPERATING CONSIDERATIONS

While this kit enhances durability, proper operation practices are still crucial for the longevity of your RC car. Avoid excessive impacts and operate within the car's design limits.

- After installing new parts, perform a test run at low speed to ensure all components function correctly.
- Listen for unusual noises or signs of binding.
- Regularly inspect the newly installed metal parts for any signs of wear or damage, especially after rigorous use.

MAINTENANCE

To ensure the optimal performance and lifespan of your metal upgrade parts, regular maintenance is recommended:

- **Cleaning:** After each use, especially in dusty or dirty conditions, clean the parts with a soft brush or compressed air to remove debris.
- **Lubrication:** Periodically apply a small amount of appropriate lubricant to moving joints (e.g., pivot points of swing arms) to reduce friction and wear.
- **Inspection:** Regularly check all screws and fasteners for tightness. Metal parts can sometimes loosen over time due to vibrations.
- **Damage Check:** Inspect for any bends, cracks, or significant scratches that could compromise the integrity of the parts. Replace severely damaged components promptly.

TROUBLESHOOTING

If you encounter issues after installing the repair kit, consider the following:

Problem	Possible Cause	Solution
Parts feel stiff or bind	Overtightened screws, incorrect alignment, lack of lubrication.	Loosen screws slightly, re-align components, apply lubricant to pivot points.
Unusual noise from suspension/steering	Loose fasteners, debris, worn bearings (if applicable).	Check and tighten all screws. Clean parts. Inspect bearings.
Part breaks prematurely	Extreme impact, manufacturing defect (rare), incorrect installation.	Assess impact severity. Contact support if defect is suspected. Review installation steps.

For persistent issues, refer to the "Service and Support" section.

SPECIFICATIONS

Attribute	Detail
Material	Metal
Color	Grey (as per current product variant)
Package Dimensions	1.18 x 0.79 x 0.39 inches
Item Weight	7.1 ounces
Item Model Number	caoxv
Manufacturer Recommended Age	36 months - 18 years

SERVICE AND SUPPORT

The manufacturer is committed to providing quality products and support. If you have any questions, concerns, or require assistance with your SERBNOPG RC Car Repair Kit, please do not hesitate to contact us. Your satisfaction with the product is important. For any suggestions or issues, please reach out to the seller directly through the platform where the purchase was made.

Warranty Information: While specific warranty details are not provided in this manual, please refer to the product listing or contact the seller for information regarding returns or replacements for defective items.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question