



[Manuals.plus](#) /

> [XIBEIKE](#) /

> XIBEIKE Rear Trunk Liftgate Release Switch Tailgate Hatch Button for Chevrolet Suburban 1500 Escalade ESV GMC Yukon 15106857 User Manual

## XIBEIKE 15106857

# XIBEIKE Rear Trunk Liftgate Release Switch User Manual

Model: 15106857 (XIBEIKE1019)

---

## INTRODUCTION

This manual provides essential instructions for the proper installation, operation, and maintenance of your XIBEIKE Rear Trunk Liftgate Release Switch. Please read this manual thoroughly before installation and use to ensure safe and efficient performance. Keep this manual for future reference.

## PRODUCT OVERVIEW

The XIBEIKE Rear Trunk Liftgate Release Switch is a replacement component designed to restore the functionality of your vehicle's tailgate or liftgate release mechanism. It is manufactured with durable materials and tested to ensure stable performance and compatibility with original equipment.



Image: The XIBEIKE Rear Trunk Liftgate Release Switch, shown with a vehicle's rear section in the background, illustrating its intended application.

### Key Features:

- Newly manufactured and rigorously tested for stable performance.
- Constructed from environmentally friendly, safe, and reliable materials.
- Designed for perfect compatibility with original equipment.
- Features a non-slip surface treatment for enhanced stability.
- Simple installation procedure and convenient operation.

### COMPATIBILITY

This Rear Trunk Liftgate Release Switch (OEM NO. 15106857) is designed for specific vehicle models. Please verify compatibility with your vehicle before installation.

### Known Compatible Models:

- Chevrolet Suburban 1500

- Cadillac Escalade ESV
- GMC Yukon

Refer to your vehicle's service manual or consult a qualified technician to confirm the correct part number for your specific model year.

## SPECIFICATIONS

Attribute	Value
Part Number (OEM NO.)	15106857
Item Model Number	XIBEIKE1019
Brand	XIBEIKE
Color	Black
Material	Plastic, Rubber
Dimension (L*W)	10cm x 3cm (3.94" x 1.18")
Wire Length	42cm (16.54")
Item Weight	1.76 ounces
Placement on Vehicle	Tailgate
Number of Pieces	1

## SAFETY INFORMATION

- Always disconnect the vehicle's battery before performing any electrical work to prevent electrical shock or damage to the vehicle's electrical system.
- Wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Ensure the vehicle is parked on a level surface with the parking brake engaged before beginning work.
- If you are unsure about any step of the installation process, consult a qualified automotive technician.
- Keep small parts away from children.

## SETUP AND INSTALLATION

This section outlines the general steps for replacing the rear trunk liftgate release switch. Specific procedures may vary slightly depending on your vehicle model. It is recommended to consult your vehicle's service manual for detailed instructions.

### Tools You May Need:

- Basic hand tools (screwdrivers, trim removal tools, sockets)
- Multimeter (for testing electrical connections, if needed)
- Work light

### Installation Steps:

1. **Prepare the Vehicle:** Park the vehicle on a level surface, engage the parking brake, and turn off the ignition. Disconnect the negative terminal of the vehicle's battery to prevent electrical hazards.
2. **Access the Switch:** Locate the existing liftgate release switch. This typically involves removing interior trim panels from the tailgate or liftgate. Use appropriate trim removal tools to avoid damage.
3. **Disconnect Old Switch:** Once the old switch is accessible, carefully disconnect its electrical connector. There may be a locking tab that needs to be pressed or released.
4. **Remove Old Switch:** Unmount the old switch from its housing. This may involve clips, screws, or a simple snap-in mechanism.
5. **Install New Switch:** Position the new XIBEIKE switch (Model 15106857) into the housing. Ensure it fits securely.
6. **Connect Electrical Connector:** Connect the vehicle's electrical harness to the new switch. Ensure the connection is firm and the locking tab (if present) is engaged.



Image: The XIBEIKE Rear Trunk Liftgate Release Switch showing the integrated electrical connector, ready for connection to the vehicle's wiring harness.

7. **Test Functionality:** Before reassembling the trim, reconnect the vehicle's battery. Test the new liftgate release switch to ensure it operates correctly. The liftgate should open smoothly when the button is pressed.
8. **Reassemble:** If the switch functions correctly, carefully reassemble all removed trim panels. Ensure all clips

and fasteners are properly secured.



Image: A detailed view of the XIBEIKE Rear Trunk Liftgate Release Switch, highlighting the button mechanism, electrical connector, and rubber grommet for cable protection.

## OPERATING INSTRUCTIONS

Once installed, the XIBEIKE Rear Trunk Liftgate Release Switch operates identically to the original equipment switch.

1. To open the rear trunk or liftgate, locate the release switch on your vehicle's tailgate.
2. Press the button firmly. The liftgate mechanism will activate, allowing you to open the trunk.



Image: A close-up view of the XIBEIKE Rear Trunk Liftgate Release Switch, focusing on the tactile button surface designed for easy operation.

## MAINTENANCE

The XIBEIKE Rear Trunk Liftgate Release Switch is designed for durability and requires minimal maintenance.

- **Cleaning:** Periodically wipe the exterior of the switch with a soft, damp cloth to remove dirt and debris. Avoid using harsh chemicals or abrasive cleaners.
- **Inspection:** Annually inspect the switch and its wiring for any signs of wear, damage, or loose connections. Ensure the rubber boot (if applicable) is intact to protect against moisture.
- **Avoid Force:** Do not apply excessive force when operating the switch.

## TROUBLESHOOTING

If you encounter issues with your XIBEIKE Rear Trunk Liftgate Release Switch, consider the following troubleshooting steps:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Switch does not activate liftgate.	<ul style="list-style-type: none"> <li>Loose or disconnected electrical connector.</li> <li>Blown fuse in the vehicle's electrical system.</li> <li>Faulty wiring.</li> <li>Issue with the liftgate latch mechanism itself.</li> </ul>	<ul style="list-style-type: none"> <li>Check the electrical connection to the switch and ensure it is secure.</li> <li>Inspect the vehicle's fuse box for a blown fuse related to the liftgate or trunk release. Replace if necessary.</li> <li>Inspect wiring for cuts or damage.</li> <li>If the switch is confirmed to be working (e.g., by testing continuity), the issue may lie with the latch mechanism or associated actuators.</li> </ul>
Liftgate opens intermittently.	<ul style="list-style-type: none"> <li>Intermittent electrical connection.</li> <li>Corrosion on connector terminals.</li> </ul>	<ul style="list-style-type: none"> <li>Ensure the electrical connector is fully seated and free of debris.</li> <li>Clean any visible corrosion from the connector terminals.</li> </ul>

If troubleshooting steps do not resolve the issue, it is recommended to seek assistance from a qualified automotive technician.

## WARRANTY AND SUPPORT

For warranty information or technical support regarding your XIBEIKE Rear Trunk Liftgate Release Switch, please refer to the retailer where the product was purchased or contact the manufacturer directly. Keep your purchase receipt as proof of purchase.