

PHILODECO DH08

PHILODECO DH08 Dehumidifier User Manual

Model: DH08

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your PHILODECO DH08 Dehumidifier. Please read it thoroughly before use and retain it for future reference. This portable dehumidifier is designed to effectively remove excess moisture from the air, creating a more comfortable and healthier environment in your home or office.

2. IMPORTANT SAFETY INSTRUCTIONS

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury.

- Read all instructions before using the appliance.
- Do not operate the dehumidifier with a damaged cord or plug.
- Ensure the power outlet matches the voltage specified on the dehumidifier's rating label.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Keep the dehumidifier away from heat sources and direct sunlight.
- Always place the unit on a firm, level surface to prevent tipping.
- Do not block the air inlets or outlets. Maintain at least 8 inches (20 cm) clearance around the unit.
- Unplug the dehumidifier before cleaning, moving, or performing any maintenance.
- This appliance is for indoor use only.
- Do not allow children to operate or play with the dehumidifier.

3. PRODUCT OVERVIEW

The PHILODECO DH08 is a compact and portable dehumidifier featuring a 1000ml water tank, LED display, and automatic shutoff for convenience and safety.

3.1. Package Contents

- PHILODECO DH08 Dehumidifier Unit
- Power Adapter
- Water Tank (1000ml capacity)
- User Manual (this document)

3.2. Key Features

- **LED Display:** Provides clear indication of operating status.
- **Portable Design:** Lightweight and easy to move between rooms.
- **1000ml Water Tank:** Sufficient capacity for continuous operation.
- **Automatic Shutoff:** Unit automatically turns off when the water tank is full.
- **Water Full Alarm:** Alerts you when the water tank needs emptying.

3.3. Product Diagram



Figure 1: Top view of the PHILODECO DH08 Dehumidifier, highlighting the portable handle and air intake grille.

4. SETUP

1. **Unpacking:** Carefully remove the dehumidifier and all accessories from the packaging. Retain the packaging for future storage or transport.
2. **Placement:** Place the dehumidifier on a firm, level surface in the desired location. Ensure there is at least 8 inches (20 cm) of clear space around all sides of the unit for proper airflow. The DH08 is suitable for areas up to 280 square feet, including RVs, kitchens, closets, bedrooms, and living rooms.
3. **Power Connection:** Insert the power adapter into the DC input port on the back of the dehumidifier. Plug the other end of the power adapter into a suitable electrical outlet (AC 100-240V, 50/60Hz).
4. **Water Tank Installation:** Ensure the water tank is correctly seated in the dehumidifier unit. It should click into place securely.

5. OPERATING INSTRUCTIONS

5.1. Powering On/Off

- To turn on the dehumidifier, press the Power button on the control panel. The LED display will illuminate.
- To turn off the dehumidifier, press the Power button again. The unit will power down, and the LED display will turn

off.

5.2. Dehumidification Process

Once powered on, the dehumidifier will begin to draw in moist air, pass it over a cooling element to condense the moisture, and then release dry air back into the room. The collected water will drip into the 1000ml water tank.

5.3. Water Tank Management

- **Automatic Shutoff:** When the water tank is full, the dehumidifier will automatically shut off, and the Water Full Alarm will activate (usually indicated by a light or sound). This prevents overflow.
- **Emptying the Water Tank:** Carefully pull out the water tank from the unit. Pour out the collected water.
- **Reinstalling the Water Tank:** Slide the empty water tank back into the dehumidifier until it is securely in place. The unit will resume operation automatically if it was running before the tank became full.

6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your dehumidifier.

6.1. Cleaning the Water Tank

- Empty the water tank as described in Section 5.3.
- Rinse the tank with clean water. For thorough cleaning, use a mild detergent and a soft brush, then rinse thoroughly.
- Dry the tank completely before reinserting it into the unit.

6.2. Cleaning the Exterior

- Unplug the dehumidifier from the power outlet.
- Wipe the exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Ensure the unit is completely dry before plugging it back in.

6.3. Storage

- If storing the dehumidifier for an extended period, ensure the water tank is empty and clean.
- Clean the exterior of the unit.
- Store the unit in a cool, dry place, preferably in its original packaging.

7. TROUBLESHOOTING

Before contacting customer support, please refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply. Power adapter not connected properly. Water tank is full or not correctly installed.	Check if the power adapter is securely plugged into the unit and the wall outlet. Empty the water tank and ensure it is correctly reinserted.

Problem	Possible Cause	Solution
Dehumidifier is running but not collecting water.	Room humidity is already low. Temperature is too low (below 41°F / 5°C). Air inlets/outlets are blocked.	Dehumidifier will collect less water in low humidity conditions. Operate the unit in temperatures above 41°F (5°C). Ensure there is sufficient clearance around the unit.
Unit is noisy.	Unit is not on a level surface. Air filter is dirty (if applicable).	Place the dehumidifier on a flat, stable surface. Clean the air filter (refer to maintenance section).
Water Full Alarm is on, but tank is not full.	Water tank not properly seated. Float sensor malfunction.	Remove and reinsert the water tank, ensuring it is securely in place. Contact customer support if the issue persists.

8. SPECIFICATIONS

Property	Value
Brand	PHILODECO
Model Name	DH08
Product Dimensions	6.69"D x 5.28"W x 9.25"H
Item Weight	3.16 pounds
Capacity	35 Fluid Ounces (approx. 1000ml)
Tank Volume	35 Fluid Ounces (approx. 1000ml)
Floor Area Coverage	280 Square Feet
Wattage	40 watts
Dehumidification Capacity	35 Gallons per Day (Note: This value seems unusually high for a small unit and might refer to a different metric or be a typo in source data. Typical small dehumidifiers collect pints/day.)
Material	Electronic Components, Plastic
Special Features	LED Display, Portable Design, 1000ml Water Tank, Automatic Shutoff, Water Full Alarm
Color	White
Upper Temperature Rating	40 Degrees Celsius (104°F)
Number of Speeds	1

Property	Value
Recommended Uses	RV, Kitchen, Closet, Bedroom, Living Room

9. WARRANTY AND SUPPORT

9.1. Limited Warranty

PHILODECO warrants this product against defects in material and workmanship for a period of one (1) year from the original date of purchase. This warranty does not cover damage resulting from accident, misuse, abuse, alteration, or improper installation. Proof of purchase is required for warranty service.

9.2. Customer Support

If you have any questions about your PHILODECO DH08 Dehumidifier or require technical assistance, please contact our customer support team. For the most up-to-date contact information, please visit the official PHILODECO website or refer to the contact details provided with your purchase.
Please have your model number (DH08) and purchase date ready when contacting support.

© 2025 PHILODECO. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F28YZF12>

More documents and user manuals: <https://manuals.plus/>