

Manuals.plus /

› Olakids /

› Olakids Kids Bike Instruction Manual - Model TS10244

Olakids TS10244

Olakids Kids Bike Instruction Manual

Model: TS10244

[Safety](#) [Contents](#) [Assembly](#) [Adjustments](#) [Brakes & Support](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty](#)

1. SAFETY INFORMATION

Read this manual completely before assembly and use. Failure to follow instructions can result in serious injury. Always ensure the child wears a helmet and appropriate safety gear when riding. Adult supervision is required at all times.

- Ensure all bolts and nuts are securely tightened before each ride.
- Check tire pressure regularly.
- Verify brake functionality before each use.
- Do not ride in traffic or on uneven terrain without proper training.
- The bike is compliant with US CPSIA and ASTM Requirements, free from harmful substances.

Easy 5 Step Assembly

Tools and detailed instruction are included



Image: A child safely riding an Olakids bike, highlighting the importance of safety gear and supervision.

2. PACKAGE CONTENTS

The Olakids Kids Bike package includes the following components:

- 1 x Kids Bike (partially assembled)
- 1 x User Guide (this manual)
- 1 x Wrench
- Training Wheels (for 12, 14, 16, 18 inch models)

- Reflectors (front, rear, wheel)
- Safety Bell



Image: An overview diagram labeling key parts of the Olakids Kids Bike, such as the adjustable handlebar, seat, enclosed chain guard, hand brake, coaster brake, and detachable training wheels.

3. ASSEMBLY INSTRUCTIONS

Your Olakids Kids Bike is 85% pre-assembled. Follow these steps for quick and easy completion. A wrench and detailed instructions are included.

3.1. Front Wheel Installation

1. Unpack the bike and components.
2. Remove the protective caps from the front fork.
3. Align the front wheel with the fork dropouts. Ensure the quick-release lever (if present) is on the correct side, or nuts are ready for tightening.
4. Insert the wheel axle into the fork dropouts.
5. Securely tighten the axle nuts using the provided wrench.



Image: The Olakids Kids Bike with its front wheel detached, illustrating the components involved in the assembly process.

3.2. Training Wheels and Rear Reflector Installation

1. Attach the rear reflector to the rear fender using the provided screw and nut.
2. Loosen the axle nuts on the rear wheel.
3. Slide the training wheel brackets onto the rear axle, ensuring they are positioned correctly and securely.
4. Retighten the axle nuts firmly to secure both the training wheels and the rear wheel.



Image: A detailed view of the rear wheel of the Olakids Kids Bike, highlighting the stable triangle structure and the attachment points for the removable training wheels.

3.3. Pedal Installation

Pedals are marked 'L' for left and 'R' for right. The 'L' pedal tightens counter-clockwise, and the 'R' pedal tightens clockwise.

1. Identify the left (L) and right (R) pedals.
2. Thread the 'L' pedal into the left crank arm (usually on the non-chain side) by turning counter-clockwise.
3. Thread the 'R' pedal into the right crank arm (chain side) by turning clockwise.
4. Tighten both pedals securely with the provided wrench.

3.4. Handlebar and Front Reflector Installation

1. Insert the handlebar stem into the fork tube.
2. Ensure the handlebar is straight and aligned with the front wheel.
3. Tighten the stem bolt securely.
4. Attach the front reflector to the handlebar stem using the provided hardware.

3.5. Seat Post Installation

1. Insert the seat post into the seat tube of the bike frame.
2. Adjust the seat height to an appropriate level for the rider (refer to the "Adjustments" section).

3. Secure the seat post using the quick-release lever or seat post clamp bolt.

3.6. Assembly Video Guide

For a visual guide on assembling your Olakids Kids Bike, please watch the official installation video below.

Your browser does not support the video tag.

Video: Official Olakids guide on how to install the kids bike, demonstrating each assembly step.



Image: A visual representation of the 5-step assembly process for the Olakids Kids Bike, including tools and detailed instructions.

4. ADJUSTMENTS

The Olakids Kids Bike is designed to grow with your child, featuring adjustable seat and handlebar heights.

4.1. Seat Height Adjustment

To adjust the seat height, open the quick-release lever on the seat post clamp. Raise or lower the seat to the desired height, ensuring the child can comfortably touch the ground with their toes. Close the quick-release lever firmly to secure the seat.

Recommended saddle height for 12-inch bikes is 19"-20" (48-51cm).

4.2. Handlebar Height Adjustment

To adjust the handlebar height, loosen the stem bolt. Raise or lower the handlebar to a comfortable position for the rider, ensuring they can maintain good posture and control. Retighten the stem bolt securely.

Recommended handlebar height for 12-inch bikes is 24"-26.5".



Grows with Kids !

Adjustable Seat (Tool-free quick release)



Adjustable Handlebar

Image: Visual guide demonstrating the adjustable seat and handlebar features of the Olakids Kids Bike, including typical height ranges.

5. BRAKING SYSTEM

The Olakids Kids Bike features a dual braking system for enhanced safety and control: a hand brake and a rear coaster brake.

5.1. Hand Brake (Front Caliper Brake)

The hand brake operates the front wheel's caliper brake. Squeeze the lever on the handlebar to engage the front brake. Ensure the brake pads make even contact with the wheel rim and the lever provides firm, responsive braking action.

5.2. Coaster Brake (Rear Brake)

The coaster brake is integrated into the rear hub. To engage the rear brake, pedal backward. This action will slow down and stop the rear wheel. This is an intuitive braking method for young riders.

Dual Braking System



Hand Brake



Coaster Brake
Pedal backwards to stop



Image: A visual explanation of the bike's dual braking system, detailing the hand brake and the coaster brake.

6. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your Olakids Kids Bike.

- **Tire Pressure:** Check tire pressure before each ride. Maintain pressure within the range indicated on the tire sidewall.
- **Brakes:** Regularly inspect brake cables for fraying and brake pads for wear. Adjust as needed to ensure effective braking.
- **Chain:** Keep the chain clean and lubricated. The bike features a fully enclosed chain guard for protection, but occasional inspection is recommended.
- **Bolts and Nuts:** Periodically check all bolts and nuts for tightness, especially on the wheels, handlebars, and seat post.
- **Cleaning:** Clean the bike with a damp cloth and mild soap. Avoid high-pressure water sprays directly on bearings or electrical components.

Safe to Ride

Simple single-speed drivetrain



Fully enclosed
chain guard

Image: A close-up view of the fully enclosed chain guard on the Olakids Kids Bike, emphasizing its role in safety and protecting the chain from dirt.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your Olakids Kids Bike.

Problem	Possible Cause	Solution
Brakes feel loose or ineffective.	Brake cable slack, worn brake pads.	Adjust brake cable tension at the lever or caliper. Replace worn brake pads.
Pedals are difficult to turn.	Tight chain, dirty bearings, incorrect pedal installation.	Lubricate chain. Check pedal installation (L/R). Consult a bike mechanic if bearings are suspected.
Bike wobbles with training wheels.	Training wheels unevenly installed or loose.	Ensure training wheels are at the same height and securely tightened.
Tires lose air quickly.	Puncture, loose valve stem, low pressure.	Check for punctures and repair/replace tube. Tighten valve stem. Inflate to recommended pressure.

8. SPECIFICATIONS

Key technical details for the Olakids Kids Bike (Model TS10244).

- **Brand:** Olakids
- **Model Number:** TS10244
- **Bike Type:** Kids Bike
- **Age Range:** Toddler (specific sizes for 3-12 years)
- **Frame Material:** Carbon Steel
- **Number of Speeds:** 1
- **Brake Style:** Caliper (front), Coaster (rear)
- **Special Features:** Adjustable Handlebars, Adjustable Seat, Training Wheels (removable), Enclosed Chain Guard, Safety Bell, Reflectors
- **Maximum Weight Recommendation:** 143 Pounds
- **Assembly Required:** Yes (85% pre-assembled)

8.1. Size Chart

Refer to the chart below to select the appropriate bike size for your child.



Image: A comprehensive size chart for Olakids Kids Bikes, detailing wheel size, recommended age range, and saddle height.

9. WARRANTY AND SUPPORT

The Olakids Kids Bike comes with a 6-month warranty from the date of purchase, covering manufacturing defects. For warranty claims, technical support, or any questions regarding your product, please contact Olakids customer service through the retailer where the product was purchased or visit the official Olakids store online.

Olakids Store: Visit Olakids Store on Amazon

