

FOHERE JC-36UEL-F

FOHERE 1.3 Cu.ft Beverage Refrigerator Cooler User Manual

Model: JC-36UEL-F

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before using this appliance to ensure safe operation and to prevent injury or damage. Keep this manual for future reference.

- **Electrical Safety:** Ensure the appliance is connected to a grounded power outlet with the correct voltage (110 Volts). Do not use extension cords or ungrounded adapters.
- **Placement:** Place the refrigerator on a firm, level surface away from direct sunlight or heat sources. Allow adequate ventilation space around the unit (at least 4 inches from walls).
- **Ventilation:** Never block the air vents. Proper airflow is essential for efficient operation and to prevent overheating.
- **Cleaning:** Always unplug the appliance before cleaning. Use a soft cloth and mild detergent; avoid abrasive cleaners.
- **Children:** This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

2. PRODUCT OVERVIEW

The FOHERE 1.3 Cu.ft Beverage Refrigerator Cooler is designed to keep your beverages perfectly chilled with advanced temperature control and energy efficiency. Its compact design makes it suitable for various spaces.



Front view of the FOHERE Beverage Refrigerator Cooler, showcasing its glass door, internal blue LED lighting, and capacity for both cans and bottles.

Key Features:

- **Wide Temperature Range:** Offers superior temperature control from 40°F to 61°F (4.4°C to 16.1°C), suitable for various beverages.
- **Precise Temperature Control:** Equipped with a precise temperature sensor, maintaining a temperature difference within $\pm 2^\circ\text{F}$ for optimal chilling.
- **Generous Capacity:** The 1.3 Cu.ft interior can accommodate up to 48 standard-sized soda or beer cans, or a selection of wine bottles.
- **Fast Cooling System:** Features a powerful 2nd Gen compressor for rapid cooling, ensuring beverages are chilled quickly.
- **Even Cold Air Distribution:** A robust DC exhaust fan system ensures uniform cold air distribution throughout the interior.
- **Quiet Operation:** Operates at a low noise level of 33 dB, minimizing disruption.
- **Enhanced Insulation:** Reinforced three-layer glass door and ultra-tight seal improve thermal insulation and stabilize internal temperatures.


- **Blue LED Lighting:** Soft blue LED lighting enhances visibility and adds a sophisticated aesthetic.
- **Energy Efficient:** Energy-saving frequency conversion design reduces electricity consumption by 20% annually.
- **Compact and Versatile:** Measuring 17.5"D x 18.5"W x 19.68"H, with a reversible door and adjustable feet for seamless integration into various spaces.

Compact Size but Large Space




The refrigerator's compact size allows for versatile placement, either freestanding or built into cabinetry.

Fully Microporous Foam Material has Better Thermal Insulation



Enhanced sealing effect to prevent cold air from escaping




Advanced microporous foaming technology ensures superior cold retention and storage

Illustration of the internal capacity, demonstrating how 48 standard cans or 12 wine bottles can be stored.

Store More, Enjoy More

1.3 Cu.ft



Removable Shelf



48 Can

OR



12 Bottles

A visual representation of the refrigerator's quiet operation, showing its 36dB noise level is comparable to a whisper.

3. SETUP AND INSTALLATION

Unpacking:

Carefully remove all packaging materials. Inspect the appliance for any shipping damage. If damage is found, do not operate the unit and contact customer support.

Placement:

- Place the refrigerator on a flat, stable surface strong enough to support its weight when full.
- Ensure there is at least 4 inches (10 cm) of space on the back and sides for proper air circulation.
- Avoid placing the unit near heat sources (e.g., ovens, radiators, direct sunlight) or in areas with high humidity.

Leveling the Appliance:

The refrigerator is equipped with adjustable leveling legs. To level the unit, turn the legs clockwise to raise it or counter-clockwise to lower it. Ensure the unit is perfectly level to optimize cooling performance and minimize noise.



Adjustable leveling legs allow for stable placement on uneven surfaces.

Reversible Door Installation:

The door hinge is reversible, allowing you to change the door's opening direction from left to right or right to left to suit your space. Refer to the detailed instructions in the included user manual for the step-by-step process of reversing the door.



The reversible door design offers flexibility for placement in any room layout.

4. OPERATING INSTRUCTIONS

Powering On:

After placing the unit and ensuring proper ventilation, plug the power cord into a grounded electrical outlet. The unit will power on and the display will illuminate.

Digital Temperature Control:

The refrigerator features a digital touch panel for precise temperature adjustment. Use the '+' and '-' buttons to set your desired temperature between 40°F and 61°F. The LED display will show the current internal temperature.

Low Noise

36dB low noise design,
silent operation without disturbing work or sleep

Noise Source	Noise Level (dB)
Music	70dB
Normal Chat	55dB
Other Refrigerator	45dB
Refrigerator FOHERE	36dB
Whisper	30dB

The intuitive touch panel allows for easy temperature adjustment and control of the blue LED light.

Blue LED Light:

Press the light button on the control panel to turn the internal blue LED light on or off. This light enhances visibility and adds to the aesthetic appeal.

Adjustable Shelves:

The unit includes adjustable wire shelves, allowing you to customize the internal storage space to accommodate different sizes of bottles and cans. To adjust, simply slide the shelves out and reposition them to the desired height.



Removable shelves provide flexible storage options for various beverage sizes.

5. MAINTENANCE AND CARE

Cleaning the Interior:

Unplug the appliance before cleaning. Use a soft cloth dampened with a mild detergent solution to clean the interior surfaces. Wipe dry thoroughly. Do not use abrasive cleaners or solvents.

Cleaning the Exterior:

Wipe the exterior surfaces with a soft, damp cloth. For the glass door, use a glass cleaner. Ensure no water enters the control panel or electrical components.

Defrosting:

This appliance features a semi-automatic defrost system. Minor frost buildup on the back wall is normal and will melt periodically. If excessive ice accumulates, manually defrost the unit by unplugging it and allowing the ice to melt naturally. Place a towel at the bottom to absorb water.

Energy Saving Tips:

- Avoid opening the door too frequently, especially during hot weather.
- Ensure the door seal is clean and intact to prevent cold air from escaping.
- Keep the condenser coils clean to maintain efficiency.
- Place the unit in the coolest part of the room, away from heat-producing appliances or direct sunlight.

6. TROUBLESHOOTING

Before contacting customer service, please check the following common issues and solutions:

Problem	Possible Cause	Solution
Appliance does not operate.	Not plugged in; circuit breaker tripped; power outage.	Ensure plug is secure; check circuit breaker; verify power supply.
Appliance is not cold enough.	Temperature set too high; door not closed properly; excessive door openings; poor ventilation.	Lower temperature setting; ensure door is sealed; reduce door openings; ensure adequate clearance around unit.
Excessive noise.	Appliance not level; fan obstruction; normal compressor operation.	Adjust leveling legs; check for obstructions around fan; some noise from compressor is normal.
Water on floor.	Drain pan overflowing; drain tube clogged.	Check and empty drain pan; clear any blockages in the drain tube.

7. SPECIFICATIONS

Specification	Detail
Brand Name	FOHERE
Model Info	JC-36UEL-F
Item Weight	32 pounds
Product Dimensions (D x W x H)	17.5 x 18.5 x 19.68 inches
Capacity	1.3 Cubic Feet
Annual Energy Consumption	165 Kilowatt Hours Per Year
Installation Type	Freestanding
Special Features	Digital Temperature Control, LED Display, Low Noise, Adjustable Shelves, Touch Control
Color	Black
Voltage	110 Volts
Number of Shelves	1
Defrost System	Semi-Automatic
Door Hinges	Reversible
Door Material Type	Stainless Steel

8. WARRANTY AND SUPPORT

This product includes a User Manual in the box. For detailed warranty information and customer support, please refer to the documentation provided with your appliance or contact FOHERE customer service directly. Contact information can typically be found on the product packaging or the official FOHERE website.