

Manuals.plus /

› SOLIDEE /

› U-shape Smart Bidet Toilet Seat User Manual

SOLIDEE BA20701

SOLIDEE U-shape Smart Bidet Toilet Seat User Manual

Model: BA20701 | Brand: SOLIDEE

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your SOLIDEE U-shape Smart Bidet Toilet Seat. Please read this manual thoroughly before use to ensure proper function and safety.

SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury.

- Ensure the power outlet is properly grounded.
- Do not immerse the unit in water or spray water directly onto the electrical components.
- Unplug the unit before cleaning or performing any maintenance.
- Do not allow children to operate the bidet seat without supervision.
- If the power cord is damaged, it must be replaced by the manufacturer or a qualified service agent.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- U-shape Smart Bidet Toilet Seat
- Remote Control
- Installation Hardware (screws, mounting plates)
- Water Supply Hose
- T-Valve Connector
- User Manual



Image: Contents of the SOLIDEE Smart Bidet Toilet Seat package, including the seat, remote, installation hardware, and hoses.

SETUP AND INSTALLATION

Pre-Installation Checklist:

- Ensure you have a standard U-shape toilet bowl.
- Verify access to a grounded electrical outlet (120V AC).
- Turn off the water supply to the toilet before starting.

Installation Steps:

1. **Remove Existing Toilet Seat:** Lift the hinge covers, unscrew the mounting bolts, and remove the old seat.
2. **Install Mounting Plate:** Place the bidet seat's mounting plate over the toilet bowl holes. Insert the rubber expansion nuts into the holes and secure the mounting plate with the provided bolts.
3. **Connect T-Valve:** Turn off the water supply to the toilet. Disconnect the existing water supply hose from the toilet

tank. Install the T-valve onto the toilet tank's fill valve. Reconnect the original water supply hose to one end of the T-valve.

- 4. **Connect Bidet Water Hose:** Connect the provided bidet water supply hose from the T-valve to the water inlet on the side of the bidet seat. Ensure all connections are hand-tightened, then use a wrench for a final snug fit, being careful not to overtighten.
- 5. **Slide Bidet Seat into Place:** Align the bidet seat with the mounting plate and slide it forward until it clicks securely into place.
- 6. **Restore Water Supply and Power:** Slowly turn on the water supply to the toilet. Check for any leaks. Plug the bidet seat's power cord into a grounded electrical outlet.



Image: Detailed diagram illustrating the connection of the T-valve to the toilet tank and the bidet seat's water inlet.



Image: Product dimensions for the U-shape bidet seat, showing length and width measurements.

OPERATING INSTRUCTIONS

Remote Control Functions:

The bidet seat is primarily operated via the included remote control. Ensure the remote has batteries installed.



Image: The U-shape Smart Bidet Toilet Seat shown with its accompanying remote control.



Image: A detailed diagram illustrating the various buttons on the remote control and their corresponding functions, such as On/Off, water temperature, air temperature, seat temperature, and cleaning modes.

- **On/Off:** Press the power button to turn the unit on or off.
- **Rear Cleaning:** Activates the rear wash function.
- **Female Cleaning:** Activates the feminine wash function.
- **Turbo Wash:** Provides a stronger wash for thorough cleaning.
- **Adjustable Water Temp:** Cycles through water temperature settings (e.g., ambient, warm, warmer).
- **Adjustable Air Temp:** Adjusts the temperature of the warm air dryer.
- **Adjustable Seat Temp:** Cycles through seat temperature settings (e.g., off, low, medium, high).
- **Adjustable Nozzle Position:** Moves the nozzle forward or backward for optimal cleaning.
- **Adjustable Water Pressure:** Increases or decreases the water spray intensity.
- **Warm Air Dryer:** Activates the warm air drying function.
- **Night Lighting:** Toggles the soft LED night light on or off.
- **ECO (Smart Power Saving):** Activates energy-saving mode to reduce power consumption. Note: Heating functions may be reduced or off in ECO mode.
- **Child Cleaning:** Provides a gentle wash suitable for children.
- **Stop:** Stops all active bidet functions.

Side Knob Operation:

In addition to the remote, a side knob provides convenient access to basic cleaning and drying functions.




Image: A close-up view of the bidet seat's side knob, which allows for convenient control of cleaning and drying functions, and the integrated LCD display.

Key Features in Use:

Adjustable Seat and Air Temp



Image: An illustration demonstrating the adjustable seat and air temperature features, showing warm air circulating around the seat.

- **Adjustable Seat and Air Temperature:** Use the remote to set your preferred seat and air dryer temperatures for maximum comfort. The LCD display will show the current temperature.
- **Stainless Steel Nozzle:** The self-cleaning stainless steel nozzle provides both rear and female washing functions. It automatically cleans itself before and after each use.
- **Night Light:** The soft LED night light illuminates the bowl, providing convenience during nighttime use without needing to turn on bright bathroom lights.
- **LCD Display:** The integrated LCD display shows real-time information such as water and seat temperatures, and active functions.

LCD Display

The sensitive sensor monitors seat temperature and water temperature and feeds back to the LCD screen in real-time.



Additional Operating Knob

Conveniently turn on the cleaning and drying functions.


Gentle Closure

Image: A visual representation of the warm air dryer settings (Normal-Low-Medium-High) and warm seat temperature options (0°, 32°, 36°, 40° Celsius).

Self Cleaning Stainless Nozzle



Rear Cleaning



Female Cleaning



Self Cleaning

Image: A close-up of the self-cleaning stainless steel nozzle, accompanied by illustrations depicting its rear cleaning, female cleaning, and self-cleaning functions.



Image: The bidet seat with its soft LED night light illuminated, providing gentle light within the toilet bowl for nighttime use.

MAINTENANCE

- **Cleaning the Exterior:** Wipe the exterior surfaces with a soft, damp cloth and mild, non-abrasive cleaner. Do not use harsh chemicals or abrasive pads.
- **Nozzle Cleaning:** The nozzle performs an automatic self-cleaning cycle. For additional cleaning, you can manually extend the nozzle (refer to remote control functions) and gently wipe it with a soft brush.
- **Filter Cleaning:** Periodically check and clean the water inlet filter to prevent blockages. Turn off the water supply and unplug the unit before accessing the filter.
- **Long-Term Storage:** If the unit will not be used for an extended period, drain all water from the unit and store it in a dry, temperate environment.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No power/Unit not turning on	Not plugged in; Power outlet issue; Circuit breaker tripped.	Ensure power cord is securely plugged in. Check the power outlet with another device. Reset the circuit breaker if tripped.
No water spray/Weak spray	Water supply valve closed; Water inlet filter clogged; Low water pressure.	Open the water supply valve fully. Clean the water inlet filter. Check household water pressure.
Water temperature not warm	ECO mode active; Heater malfunction.	Deactivate ECO mode. Allow time for water to heat up. If issue persists, contact customer support.
Seat not heating	ECO mode active; Seat sensor not detecting presence; Heater malfunction.	Deactivate ECO mode. Ensure proper contact with the seat sensor. If issue persists, contact customer support.
Remote control not working	Dead batteries; Obstruction between remote and unit.	Replace batteries. Ensure clear line of sight to the bidet seat's receiver.

SPECIFICATIONS

Feature	Detail
Model Number	BA20701
Brand	SOLIDEE
Shape	U Shape
Material	Stainless Steel (Nozzle)
Product Dimensions	20"L x 15.5"W
Operation Mode	Automatic
Color	White

Feature	Detail
Power Source	Plug-in Electric (120V AC, grounded outlet required)
Features	Remote Control, Side Knob, Adjustable Water/Air/Seat Temp, Night Light, LCD Display, Self-Cleaning Stainless Nozzle, Warm Air Dryer, ECO Mode

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the warranty card included with your product or contact SOLIDEE customer service directly. Keep your purchase receipt as proof of purchase.

Contact Information: Please visit the official SOLIDEE website or refer to your product packaging for the most up-to-date contact details for customer support.

© 2025 SOLIDEE. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F2HM1WL7>

More documents and user manuals: <https://manuals.plus/>