

[Manuals.plus](#) /

> [slochi](#) /

> slochi 7.5-inch Super Slim LED Flush Mount Ceiling Light Instruction Manual

slochi 7.5Inch

slochi 7.5-inch Super Slim LED Flush Mount Ceiling Light Instruction Manual

Model: 7.5-inch LED Flush Mount Ceiling Light (White)

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before installation and retain this manual for future reference. Failure to follow these instructions may result in electric shock, fire, or other hazards.

- **WARNING:** Risk of electric shock. Disconnect power at the circuit breaker or fuse box before installation or servicing.
- Ensure the electrical rating of the fixture is compatible with your power supply.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). If you are unfamiliar with proper electrical wiring connections, consult a qualified electrician.
- Do not install this fixture on a wet surface.
- Do not attempt to modify the fixture.
- This fixture is designed for indoor use only.

2. PRODUCT OVERVIEW

The slochi 7.5-inch Super Slim LED Flush Mount Ceiling Light is an energy-efficient lighting solution designed for various indoor spaces. It features adjustable color temperatures and a low-profile design.

Key Features:


- **Super Bright & Energy Efficient:** Equipped with high-quality LEDs, providing 1600 lumens of light with only 15W power consumption, equivalent to a 100W traditional light.
- **Three Color Temperatures:** Easily switch between 3000K (Warm White), 4000K (Neutral White), and 6500K (Daylight White) using a slide button on the back of the fixture.
- **Ultra-Thin Design:** With a thickness of only 0.94 inches, it blends seamlessly with any ceiling, suitable for various interior styles.

- **Easy Installation:** Designed for simple recessed or surface mounting, compatible with most junction boxes. No electrician required for basic installation.
- **Safe and Durable:** Features a high-quality fireproof plastic housing, short circuit protection, and CE certification for safety. LEDs have a lifespan of up to 25,000 hours.
- **Waterproof (IP44):** Suitable for use in bathrooms, kitchens, and other areas where moisture may be present.



Image 1: slochi 7.5-inch Super Slim LED Flush Mount Ceiling Light.

3 Color Temperatures in 1, As You Choose



3000K
(Warm white)



4000K
(Neutral white)



6500K
(Daylight)

Image 2: Diagram illustrating the 3 color temperature options (3000K, 4000K, 6500K) selectable via a switch on the back of the light fixture.

3. WHAT'S IN THE BOX

- slochi 7.5-inch LED Flush Mount Ceiling Light Fixture (quantity as per pack)
- Mounting Hardware (screws, wire nuts)
- Instruction Manual

4. INSTALLATION


Follow these steps for safe and proper installation. If you are unsure about any step, consult a qualified electrician.

1. **Turn Off Power:** Before starting, ensure the power to the circuit is turned OFF at the circuit breaker or fuse box to prevent electric shock.
2. **Prepare Mounting Plate:** Detach the mounting plate from the light fixture by twisting it counter-clockwise (refer to the 'UNLOCK' indicator on the plate).

3. **Mount Plate to Ceiling:** Secure the mounting plate to your ceiling junction box using the provided screws. Ensure it is firmly attached.
4. **Select Color Temperature:** Before wiring, locate the slide switch on the back of the light fixture. Choose your desired color temperature (3000K, 4000K, or 6500K) by sliding the switch. This setting cannot be changed easily after installation.
5. **Wire Connections:** Connect the electrical wires from your ceiling to the wires on the light fixture using the provided wire nuts. Typically, white goes to white (neutral) and black goes to black (live/hot). If a ground wire is present, connect it according to local codes.
6. **Attach Fixture:** Align the light fixture with the mounted plate and twist it clockwise to lock it into place (refer to the 'LOCK' indicator). Ensure the fixture is securely fastened.
7. **Restore Power:** Turn the power back ON at the circuit breaker.

Your browser does not support the video tag.

Video 1: Official slochi installation guide for Flush Mount Ceiling Light Fixtures, demonstrating the mounting and wiring process.



Compatible with the most junction boxes



Image 3: The ultra-thin design of the slochi LED ceiling light, highlighting its minimal 0.94-inch thickness and compatibility with standard junction boxes.

5. OPERATING INSTRUCTIONS

Once installed, the slochi LED Flush Mount Ceiling Light operates like a standard light fixture via your wall switch. The chosen color temperature (3000K, 4000K, or 6500K) will remain set until manually changed on the fixture's back switch.

6. MAINTENANCE

To ensure the longevity and optimal performance of your slochi LED ceiling light, follow these simple maintenance guidelines:

- **Cleaning:** Always turn off the power before cleaning. Use a soft, dry, or slightly damp cloth to wipe the surface of the fixture. Avoid abrasive cleaners, solvents, or harsh chemicals, as they may damage the finish or electrical components.
- **Bulb Replacement:** This fixture uses integrated LED technology, meaning there are no bulbs to replace. The LEDs are designed to last for up to 25,000 hours.
- **Inspection:** Periodically check the fixture for any signs of damage or loose connections. If any issues are found, disconnect power and consult a qualified electrician.

7. TROUBLESHOOTING

If you encounter any issues with your slochi LED ceiling light, refer to the following troubleshooting steps:

Problem	Possible Cause	Solution
Light does not turn on	No power to the fixture	Check circuit breaker/fuse. Ensure wall switch is ON. Verify wiring connections.
Light flickers	Loose wiring connection or incompatible dimmer switch	Turn off power, check and secure all wiring connections. Ensure you are using a compatible LED dimmer if applicable.
Incorrect color temperature	Color temperature switch set incorrectly	Turn off power, remove fixture, adjust the slide switch on the back to the desired setting (3000K, 4000K, or 6500K), then re-install.
Light is dim	Dimmer setting too low or fixture not receiving full power	Adjust dimmer to a higher setting. Verify power supply and connections.

8. SPECIFICATIONS

Feature	Specification
Brand	slochi
Model	7.5-inch Flush Mount Ceiling Light
Color	White
Material	Plastic

Feature	Specification
Light Source	LED
Wattage	15 Watts
Brightness	1600 Lumens
Color Temperature	3000K (Warm White), 4000K (Neutral White), 6500K (Daylight White)
Input Voltage	110-120V 50/60Hz
CRI	>80
Lifespan	Up to 25,000 hours
Water Resistance Level	IP44 (Waterproof)
Mounting Type	Ceiling Mount, Flush Mount
Item Dimensions (L x W x H)	Approx. 7.5" x 7.5" x 0.94" (1"L x 1"W x 1"H is a placeholder, using 0.94" from feature bullets for thickness)
Certifications	CE Certified

9. WARRANTY & SUPPORT

slochi provides comprehensive support for its products:

- **Support Guarantee:** 365 Days of dedicated support.
- **Return & Exchange:** 30 Days free return and exchange policy.

For technical assistance or warranty claims, please contact slochi customer service through the platform of purchase or visit the official slochi store online.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F2HRL3YP>

More documents and user manuals: <https://manuals.plus/>