

Replacement Awnings Cover Fabric

Awning Replacement Fabric User Manual

Model: Replacement Awnings Cover Fabric

PRODUCT OVERVIEW

This manual provides instructions for the installation, operation, and maintenance of your Awning Replacement Fabric. This product is designed to replace existing awning fabric on an existing frame, providing shade and protection from UV rays and weather elements.

The fabric is made from durable 280g/m³ 100% polyester, treated for windproof, rain protection, and fade resistance. It features an outer layer for sun protection and heat insulation, and a coating with strong hydrophobic ability. An inner layer includes a sun protection film to prevent fading.



Image: Awning Replacement Fabric in light-green stripes, installed on a building, providing shade over an outdoor bar area. This image illustrates the product in its intended use environment.

PRODUCT FEATURES

- **Material:** 280g/m³ 100% polyester fabric.
- **Protection:** Windproof, rain protection, fade resistant, UV resistant, sun resistant.
- **Design:** Features an outer layer for sun and heat insulation, and an inner layer with sun protection film.
- **Compatibility:** Designed as a replacement fabric for existing awning frames.
- **Dimensions:** Available in various sizes, including 10.8x9.8FT / 330x300CM (Light-green). Custom sizes may be available upon request.



Image: A split image demonstrating the fabric's anti-UV and waterproof properties. The left side shows sun rays being blocked by the fabric, labeled "Anti-UV SPF++". The right side shows water droplets beading on the fabric, labeled "WATERPROOF". Below are icons for water-resistant, fade resistant, UV protection, and sturdy & durable. This highlights the key protective features of the fabric.

SETUP AND INSTALLATION

This product is a replacement fabric and does not include the awning frame. It is intended to be mounted on your existing awning frame. Ensure your existing frame is in good condition and compatible with the fabric dimensions.


Before Installation:

1. **Verify Compatibility:** Confirm the dimensions of your existing awning frame match the replacement fabric size (e.g., 10.8x9.8FT / 330x300CM).
2. **Inspect Frame:** Ensure your awning frame is structurally sound, free from damage, rust, or loose components. Repair or replace any damaged parts of the frame before proceeding.
3. **Gather Tools:** You may need basic tools such as a screwdriver, wrench, and possibly a ladder, depending on your awning's height and design.

Installation Steps:

1. **Remove Old Fabric:** Carefully detach the old awning fabric from your existing frame. Note how the old fabric was attached, as this will guide the installation of the new one.
2. **Clean Frame:** Clean the awning frame thoroughly to remove any dirt, debris, or old fabric residue.
3. **Attach New Fabric:** Begin attaching the new awning fabric to the frame. Most awning fabrics slide into channels or attach with clips/screws. Ensure the fabric is taut and evenly distributed across the frame.
4. **Secure Valance:** Attach the valance (corrugated edge) to the front edge of the awning, typically using a separate channel or clips.
5. **Test Retraction (if applicable):** If your awning is retractable, test its retraction and extension mechanism to ensure the new fabric moves smoothly without snagging.

List size: $W \times L + 25\text{cm}$ wave edge
(wall edge size x extension length)
Customizable size, please contact us via email



Note: Only cloth with hanging edge, without frame

Image: A diagram illustrating how to measure the width (W: wall edge size) and length (L: extension length) of the awning fabric, including the 25cm/10in wave edge. This image is crucial for ensuring correct size selection for replacement.

OPERATING INSTRUCTIONS

Once installed, the awning fabric functions as a shade and weather protector. For manual retractable awnings, operate

the crank handle to extend or retract the awning as needed. For motorized awnings, refer to your motor's specific operating instructions.

Usage Scenarios:

- **Sun Protection:** Extend the awning during sunny periods to provide shade and reduce heat indoors or on your patio.
- **Rain Protection:** The waterproof fabric offers protection from light rain. Retract the awning during heavy winds or storms to prevent damage.
- **Privacy:** Can be used to enhance privacy on balconies or patios.

Usage Scenarios



Image: A collage of four images showing awnings in different usage scenarios: a patio, a window, a villa residence, and balconies. This demonstrates the versatility of the awning fabric in various outdoor settings.

Usage Scenarios



shops



coffee House



Villa Residence



Balconies

Image: A collage of four images showing awnings used in various commercial and residential applications: shops, coffee houses, villa residences, and balconies. This further illustrates the broad applicability of the awning fabric.

MAINTENANCE

Proper maintenance will extend the lifespan of your awning fabric.

- **Regular Cleaning:** Clean the fabric periodically with mild soap and water. Use a soft brush or cloth to remove dirt and debris. Rinse thoroughly with clean water.
- **Avoid Harsh Chemicals:** Do not use harsh detergents, bleach, or abrasive cleaners, as these can damage the fabric's protective coatings and color.
- **Drying:** Always ensure the fabric is completely dry before retracting it for storage to prevent mildew and mold growth.
- **Winter Storage:** In areas with harsh winters, it is recommended to retract the awning and store it indoors or cover it to protect it from heavy snow and ice.
- **Inspect Stitching:** Periodically check the double needle fabric splicing and stitching for any signs of wear or damage.

Multi color customization

Note: There is a color difference on the electronic color card. Please note that we will send you an email to confirm the color!






Image: A close-up view of the fabric showing perfect double needle fabric splicing and stitching. This highlights the quality construction that contributes to the product's durability.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Fabric not retracting/extending smoothly	Obstruction in the mechanism; fabric not aligned properly; frame issues.	Inspect the retraction mechanism for debris. Ensure the fabric is correctly installed and aligned. Check the awning frame for bends or damage.
Water pooling on fabric	Insufficient slope; fabric sagging.	Adjust the pitch of the awning to ensure proper water runoff. If sagging, check fabric tension and frame support.
Fabric appears faded or discolored	Prolonged exposure to harsh UV rays; improper cleaning agents.	While the fabric is fade-resistant, extreme conditions can affect it over time. Ensure proper cleaning methods are used.

SPECIFICATIONS

Product Name: Awning Replacement Top Fabric

Material: Polyester 280g/m³

Color: Light-green stripes (as per current product variant)

Dimensions: 10.8x9.8FT / 330x300CM (Fabric width x Stretch length + 25cm corrugated edge)

Function: Waterproof, UV resistant, sun resistant, windproof, fade resistant.

Assembly Required: Yes (for mounting on existing frame)

Frame: Not included

Item Weight: Approximately 2.2 pounds

Model Number: Replacement Awnings Cover Fabric

WARRANTY AND SUPPORT

For information regarding warranty, returns, or customer support, please refer to the seller's policies on the platform where the product was purchased. Typically, products may have a return policy of 30 days for refund/replacement.

For specific inquiries or assistance, please contact the seller directly through the platform's messaging system.

