

**B0F2N4DN69**

# Instruction Manual

## GENERIC SET OF 2 BAR STOOLS

Model: B0F2N4DN69

### 1. Introduction

---

Thank you for choosing the Generic Set of 2 Bar Stools. This manual provides essential information for the safe assembly, proper use, and maintenance of your new bar stools. Please read these instructions carefully before assembly and retain them for future reference.



Image 1.1: Generic Set of 2 Bar Stools in a kitchen environment.

## 2. Safety Information

---

- Always ensure all screws and bolts are securely tightened before use. Periodically check and re-tighten as necessary.
- Do not stand on the bar stools. They are designed for seating only.
- Do not exceed the maximum weight capacity of 220 lbs (100 kg) per stool.
- Keep children away from the assembly area. Small parts may pose a choking hazard.
- Use the stools on a flat, stable surface to prevent tipping.
- Avoid exposing the stools to excessive moisture or direct sunlight for prolonged periods to prevent material damage.

## 3. Package Contents

---

Before beginning assembly, please verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- 2 x Bar Stool Frames (Metal)

- 2 x Woven Seats (Paper Rope)
- 2 x Woven Backrests (Paper Rope)
- Assembly Hardware (Screws, Allen Wrench)
- Instruction Manual

## 4. Setup and Assembly

The bar stools are designed for easy assembly by one person. All necessary tools are included.

1. Unpack all components and lay them out on a clean, soft surface to prevent scratching.
2. Assemble the metal frame components according to the diagrams provided in the packaging. Ensure all connections are finger-tightened initially.
3. Attach the woven backrest to the top of the metal frame using the provided hardware.
4. **Cushion Installation Notes:** Position the woven seat onto the metal frame. Note that there are no pre-drilled screw holes in the seat's wooden frame. Use the self-tapping screws to fix the seat to the metal frame. Ensure the angles of the right triangles on the seat face outward for correct orientation.



Image 4.1: Seat Cushion Installation Guide.

After all components are in place, fully tighten all screws with the provided Allen wrench. Do not overtighten.



- **Cleaning:** Wipe the metal frame with a soft, damp cloth. For the woven paper rope seat and backrest, use a dry or slightly damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Tightening:** Periodically check all screws and bolts and re-tighten them as needed to maintain stability.
- **Protection:** Avoid placing hot items directly on the seat. Use the adjustable leg pads to prevent scratches on your floor and ensure stability.
- **Environment:** Keep the stools in a dry environment. Prolonged exposure to direct sunlight or high humidity may affect the paper rope material.



Image 6.1: Key Features for Maintenance.

## 7. Troubleshooting

- **Stool is wobbly:** Check that all screws are fully tightened. Ensure the stool is on a flat surface. Adjust the leg pads if the floor is uneven.
- **Difficulty with assembly:** Review the assembly instructions and diagrams carefully. Ensure all parts are oriented correctly. Do not force parts together.
- **Missing parts:** If any parts are missing from the package, please contact customer support for assistance.

## 8. Specifications

<b>Model Number</b>	B0F2N4DN69
<b>Material</b>	Paper Rope (Seat/Backrest), Metal (Frame)
<b>Overall Dimensions (L x W x H)</b>	14.96" x 15.15" x 34.84" (38 cm x 38.5 cm x 88.5 cm)
<b>Seat Height</b>	Approximately 25" (63.5 cm)
<b>Weight Capacity (per stool)</b>	220 lbs (100 kg)
<b>Quantity</b>	Set of 2



Image 8.1: Product Dimensions and Weight Capacity.

## 9. Warranty and Support

This product comes with a standard manufacturer's warranty. For specific warranty details, claims, or technical support, please refer to the purchase documentation or contact the seller directly through the platform where the product was purchased. Please have your model number (B0F2N4DN69) and

purchase date ready when contacting support.