



Manuals.plus /

› Pxdiiiry /

› Pxdiiiry Replacement Charger for Silvercrest 2-in-1 Vacuum (Models YWS1011-025-2, 98200-507-010) Instruction Manual

Pxdiiiry YWS1011-025-2, 98200-507-010

Pxdiiiry Replacement Charger Instruction Manual

For Silvercrest 2-in-1 Vacuum Models: YWS1011-025-2, 98200-507-010

1. INTRODUCTION

Thank you for choosing the Pxdiiiry Replacement Charger. This manual provides essential information for the safe and effective use of your new charger, designed for Silvercrest 2-in-1 Vacuum models YWS1011-025-2 and 98200-507-010. Please read this manual thoroughly before use and retain it for future reference.

2. SAFETY INFORMATION

To prevent injury or damage to the product, always observe the following safety precautions:

- Use the charger only with compatible devices as specified.
- Do not expose the charger to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the charger to severe impact.
- Do not attempt to disassemble, modify, or repair the charger yourself. Contact qualified personnel for service.
- Ensure the power outlet voltage matches the charger's input voltage (120 Volts).
- Unplug the charger from the power outlet when not in use or during electrical storms.
- Keep out of reach of children.

SAFE

MULTI PROTECT

INTELLIGENT SECURITY TECHNOLOGY




Image 1: The charger features intelligent security technology for multi-protection against electrical hazards.

3. PRODUCT OVERVIEW

3.1 Features

- **High-Quality Materials:** Constructed from durable and reliable materials for long-lasting performance.
- **Built-In Safety Features:** Equipped with mechanisms to protect against overvoltage, overheating, and other common electrical issues.
- **Versatile Compatibility:** Designed to work seamlessly with specified Silvercrest 2-in-1 Vacuum models.
- **Energy-Efficient:** Engineered to minimize power consumption while maintaining optimal performance.

3.2 Components

The Pxdairy Replacement Charger consists of the following main components:

- **Power Adapter Block:** The main unit that converts AC power to DC power.
- **AC Input Cable:** Connects the adapter block to a wall power outlet.
- **DC Output Cable with Connector:** Connects the adapter block to your Silvercrest vacuum.



Image 2: Overview of the Pxdairy Replacement Charger, including the power adapter block and connected cables.



Image 3: A detailed view of the charger's label, indicating input (100-240V, 1.6A) and output specifications, along with CE certification.

4. SETUP

Follow these steps to set up your replacement charger:

1. Ensure your Silvercrest 2-in-1 Vacuum is turned off.
2. Connect the AC input cable to the power adapter block.
3. Plug the AC input cable into a standard 120V wall power outlet.
4. Connect the DC output cable's connector firmly into the charging port of your Silvercrest vacuum.
5. Verify that the connection is secure.



Image 4: The charger properly connected to a wall outlet and ready to charge a compatible device.

5. OPERATING INSTRUCTIONS

Once properly set up, the charger will begin supplying power to your Silvercrest vacuum. The charging indicator on your vacuum (if present) will typically illuminate to show that charging is in progress. Refer to your vacuum's original manual for specific charging indicator behavior.

- Allow the vacuum to charge fully before its first use or after extended periods of non-use.
- Do not leave the vacuum connected to the charger indefinitely after it is fully charged, although the charger has built-in overcharge protection.
- Disconnect the charger from the vacuum and the wall outlet when charging is complete.

6. MAINTENANCE

The Pxdairy Replacement Charger is designed for easy maintenance:

- **Cleaning:** Disconnect the charger from all power sources before cleaning. Use a soft, dry cloth to wipe the surface of the adapter block and cables. Do not use liquid cleaners or abrasive materials.
- **Storage:** Store the charger in a cool, dry place away from direct sunlight and extreme temperatures when not in use. Avoid tightly coiling the cables to prevent damage.
- **Inspection:** Periodically inspect the cables and connector for any signs of wear, cuts, or damage. If any damage is observed, discontinue use immediately and replace the charger.

7. TROUBLESHOOTING

If you encounter issues with your charger, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Charger not supplying power.	Loose connection, faulty outlet, damaged cable.	Ensure all connections are secure. Test the outlet with another device. Inspect cables for damage.
Vacuum not charging.	Charger not connected correctly, vacuum issue.	Verify the charger is properly connected to the vacuum. Consult your vacuum's manual for charging troubleshooting.
Charger feels excessively hot.	Overload, poor ventilation, internal fault.	Ensure adequate ventilation around the charger. Discontinue use if overheating persists and contact support.

8. SPECIFICATIONS

Brand	Pxdiiry
Manufacturer	Pxdiiry
Compatible Devices	Silvercrest 2-in-1 Vacuum (Models YWS1011-025-2, 98200-507-010)
Connector Type	PC (Power Connector)
Input Voltage	120 Volts
Power Source	Corded Electric
Special Feature	Powered
Color	Black
Certifications	CCC, CE
ASIN	B0F2T16G2P

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact the manufacturer, Pxdiiry, directly through their official channels. Refer to your purchase documentation for specific contact details.