

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Depuley](#) /

› [Depuley 42-inch Walnut 3-Blade Flush Mount Ceiling Fan with Dimmable LED Light, Remote & App Control User Manual](#)

Depuley WSFPZ01

Depuley 42-inch Walnut 3-Blade Flush Mount Ceiling Fan with Dimmable LED Light, Remote & App Control

Model: WSFPZ01

1. INTRODUCTION

This manual provides essential information for the safe installation, operation, and maintenance of your Depuley 42-inch Walnut 3-Blade Flush Mount Ceiling Fan with Dimmable LED Light. Please read these instructions thoroughly before installation and retain them for future reference.



Figure 1.1: Depuley 42-inch Ceiling Fan with Light, showcasing APP & Remote Control features, 6 Fan Speeds, Timer Setting, Reversible function, Dimmable light, and Light Memory Function.

2. SAFETY INSTRUCTIONS

- Ensure the power supply is disconnected before installation, cleaning, or maintenance.
- Installation must be performed by a qualified electrician in accordance with local electrical codes.
- The mounting structure must be capable of supporting the fan's weight (approximately 3.84 kg).
- Do not insert objects into the fan blades while the fan is operating.
- Maintain a safe distance between the fan blades and any obstructions.
- This fan is suitable for both indoor and outdoor use, but ensure it is protected from direct water exposure when used outdoors.
- The DC motor features a built-in protection mechanism. If the fan blades are not installed (no load), the motor will automatically shut off. This is a normal safety function to prevent overheating or damage. The motor will only operate under proper load.

3. PACKAGE CONTENTS

Please verify that all components are present and undamaged before proceeding with installation. Refer to your product packaging for a complete and detailed list of included items.

- Ceiling Fan Motor Housing
- Fan Blades (3x)
- LED Light Kit
- Remote Control
- Mounting Bracket and Hardware
- User Manual

4. SPECIFICATIONS

Brand	Depuley
Model	WSFPZ01
Color	Walnut
Product Dimensions	106 cm (L) x 106 cm (W) x 28 cm (H)
Power	30 Watts
Voltage	220 Volts
Special Features	Dimmable LED Light, Timer, Reversible DC Motor, App Control
Product Weight	3.84 kg
Control Method	Remote Control, APP Control
Number of Light Sources	1
Indoor/Outdoor Use	Indoor and Outdoor (covered areas)



Product Details



Flat Mounted Only

Control type

APP & Remote Control

IDEAL FOR ROOM

10ftx10ft-15ftx15ft

Figure 4.1: Product Dimensions. The fan has a 42-inch blade span, a height of 10.6 inches, and a light diameter of 5.5 inches.

Product Information Sheet			
COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources			
Supplier's name or trade mark: Guangzhou Vance Photoelectric Technology Co.,Ltd.			
Supplier's address: E-Crossitu GmbH, 69 Mainzer Landstrasse, Hessen Frankfurt am Main, DE			
Model identifier: WSFP201			
Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	N.A		
Mains or non-mains:	NMLS	Connected source (CLS):	No
Colour-tunable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
Product parameters			
Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	25	Energy efficiency class	F
Useful luminous flux (Φ _{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 800 lm Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 4 500 or 6 500
On-mode power (P _{on}), expressed in W	24,5	Standby power (P _{stb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80

Outer dimensions without separate control gear, lighting control	Height	130	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image in last page
	Width	130		
	Depth	6		
Page 1 / 4				
parts and non-lighting control parts, if any (millimetre)				
Claims of equivalent power ⁽¹⁾	-		If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,369 0,357
Parameters for LED and OLED light sources:				
R9 colour rendering index value	0		Survival factor	1,00
the lumen maintenance factor	0,96			
⁽¹⁾ / : not applicable; ⁽²⁾ / : not applicable;				
Page 2 / 4				
Page 3 / 4				

Figure 4.2: Product Information Sheet (EPREL) for Model WSFPZ01. For more details, visit the official EPREL database: <https://eprel.ec.europa.eu/qr/2511208>




Figure 4.3: EU Energy Label indicating an energy efficiency class of F and consumption of 25 kWh per 1000 hours.

5. INSTALLATION

The Depuley ceiling fan is designed for straightforward installation. However, due to its size and the need for secure mounting, it is recommended to have an additional person assist during the installation process.

5.1 Pre-Installation Checks

- Ensure the power is turned off at the circuit breaker.
- Confirm that the mounting location can safely support the fan's weight.
- Unpack all components and check for any damage or missing parts.

5.2 Mounting the Fan

1. Attach the mounting bracket securely to the ceiling junction box, ensuring it is firmly anchored.
2. Connect the electrical wiring according to the provided wiring diagram in the separate installation guide (not included in this manual). Ensure all connections are secure.
3. Carefully lift the fan motor housing and attach it to the mounting bracket.
4. Install the three fan blades onto the motor housing, ensuring they are tightly secured.
5. Attach the LED light kit to the fan housing.

Important Note: The DC motor will not operate if the fan blades are not properly installed. This is a safety feature. Ensure all blades are securely attached before restoring power and testing the fan.

6. OPERATION

Your Depuley ceiling fan can be controlled via the included remote control or a dedicated smartphone application.

6.1 Remote Control & App Control

- The remote control allows direct access to all fan and light functions.
- For app control, download the specified application (refer to the packaging or a separate quick start guide for app name and pairing instructions). The app provides comprehensive control over fan speeds, light settings, and timer functions.

6.2 Fan Speed Settings

The fan offers 6 distinct speed settings to suit your comfort needs:

- **Speeds 1-2:** Low, comfortable wind for gentle air circulation.
- **Speeds 3-4:** Medium, natural wind for moderate cooling.
- **Speeds 5-6:** High, powerful cooling air for maximum airflow.




Figure 6.1: Light Control. Adjust the light color temperature from 3000K (warm light) to 6000K (cool light) and brightness from 10% to 100% using the remote or app.



6 WIND SPEEDS

1-2 SPEED

Low
Comfortable Wind



3-4 SPEED

Medium
Natural wind



5-6 SPEED

High
Cooling Air



Figure 6.2: Fan Speed Settings. Choose from 6 speeds for optimal comfort, ranging from a low, comfortable breeze to high, cooling air.

6.3 Dimmable LED Light

The integrated LED light is dimmable and allows for adjustment of color temperature:

- **Brightness:** Adjustable from 10% to 100%.
- **Color Temperature:** Adjustable from 3000K (warm light) to 6000K (cool light).
- The light features a memory function, retaining your last setting when turned off and on again.

6.4 Reversible DC Motor

The fan is equipped with a reversible DC motor for year-round comfort:

- **Summer Mode:** Downward airflow creates a cooling breeze.
- **Winter Mode:** Upward airflow circulates warm air trapped near the ceiling, improving heat distribution.



Figure 6.3: Reversible DC Motor. Switch between summer cooling and winter air circulation modes to optimize comfort and energy efficiency throughout the year.

6.5 Timer Function

Set the fan to automatically turn off after a specified period. The timer can be set for 2 hours (2H) via the remote control or app.

6.6 Ultra-Quiet Operation

The advanced DC motor ensures ultra-quiet operation, providing peaceful airflow even at higher speeds, with noise levels typically at or below 30dB.



Figure 6.4: Ultra-Quiet Operation and Timer. The fan operates at a low noise level ($\leq 30\text{dB}$) and includes a timer function for 1 or 2 hours.

7. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Before cleaning, ensure the power is turned off. Use a soft, damp cloth to wipe down the fan blades and motor housing. Do not use abrasive cleaners or solvents.
- **Blade Inspection:** Periodically check that all fan blades are securely attached. Loose blades can cause wobbling and noise.
- **Light Source:** The integrated LED light source is designed for long life and typically does not require replacement.

8. TROUBLESHOOTING

If you encounter issues with your ceiling fan, refer to the following common troubleshooting steps:

Problem	Possible Cause & Solution
Fan does not turn on	<ul style="list-style-type: none"> ◦ No power: Check circuit breaker and wall switch. ◦ Remote battery: Replace remote control batteries. ◦ Loose wiring: Ensure all electrical connections are secure (consult a qualified electrician). ◦ Blades not installed: The DC motor has a safety feature that prevents operation without blades. Ensure blades are securely attached.
Light does not turn on	<ul style="list-style-type: none"> ◦ No power: Check circuit breaker and wall switch. ◦ Dimmer setting: Ensure the light brightness is not set to 0% or off. ◦ Loose wiring: Check light kit connections.
Fan wobbles excessively	<ul style="list-style-type: none"> ◦ Loose blades: Tighten all blade screws. ◦ Uneven blades: Ensure blades are installed evenly and balanced. ◦ Loose mounting: Check that the mounting bracket is securely fastened to the ceiling.
Remote control not working	<ul style="list-style-type: none"> ◦ Battery: Replace remote control batteries. ◦ Pairing: Re-pair the remote control with the fan according to specific instructions (usually found in a separate quick start guide).
App control issues	<ul style="list-style-type: none"> ◦ Connectivity: Ensure your smartphone is connected to the internet and Bluetooth/Wi-Fi is enabled. ◦ App version: Update the app to the latest version. ◦ Pairing: Follow the app's instructions for initial setup and pairing with the fan.

9. WARRANTY AND SUPPORT

Depuley products are manufactured with high-quality materials and undergo strict quality control. For specific warranty details, please refer to the warranty card included with your product or contact Depuley customer service.

For technical support, replacement parts, or any inquiries regarding your Depuley ceiling fan, please contact our customer service team through the retailer where you purchased the product or visit the official Depuley website for contact information.