

## VASAGLE ULRC041K01

# VASAGLE 5-Tier Storage Cart with Pull-Out Baskets

Model: ULRC041K01

Brand: VASAGLE

## 1. SAFETY INFORMATION

Please read and understand all safety instructions before assembly and use. Failure to follow these instructions may result in injury or product damage.

- **Secure All Parts:** Ensure all components are properly and securely fastened before placing items on the cart or moving it.
- **Child Safety:** Do not allow children to play on, with, or around the cart. Keep small parts and packaging materials away from children.
- **Weight Limits:** Do not exceed the maximum weight capacity for each basket (22 lb / 10 kg) and the top surface (33 lb / 15 kg). The total maximum static load capacity is 121 lb (55 kg). Overloading can cause instability and damage.
- **Stable Placement:** Place the cart on a flat, stable surface. Engage the wheel brakes when the cart is stationary to prevent accidental movement.
- **Proper Use:** This cart is designed for storage and transport of household items. Do not use it for purposes other than its intended use.

## 2. PACKAGE CONTENTS

Verify that all parts are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- Top Board (Engineered Wood)
- Side Frames (Metal)
- Pull-Out Baskets (Mesh Metal) x 4
- Handle (Metal)
- Wheels x 4 (2 with brakes)
- Assembly Hardware (Screws, Allen Key, etc.)
- Instruction Manual

## 3. SETUP AND ASSEMBLY INSTRUCTIONS


Assembly is required. Please follow these steps carefully. It is recommended to assemble the cart on a soft, clean surface

to prevent scratches.


1. **Attach Wheels:** Secure the four wheels to the bottom of the side frames. Ensure the two wheels with brakes are positioned on the same side for easy access. Tighten securely.
2. **Assemble Frame:** Connect the side frames using the provided crossbars and screws. Do not fully tighten screws until all parts are loosely assembled.
3. **Install Baskets:** Slide the four pull-out mesh baskets into their designated slots on the frame. Ensure they slide smoothly.
4. **Attach Top Board:** Place the engineered wood top board onto the top of the frame and secure it with the remaining screws.
5. **Install Handle:** Attach the curved handle to the top of one side of the frame.
6. **Final Tightening:** Once all components are in place, go back and securely tighten all screws.

## Spacious Storage

4 baskets and a top shelf



For small appliances



Organize various items




Image: Detailed dimensions and individual basket/top shelf weight limits for the cart.

#### 4. OPERATING INSTRUCTIONS

This storage cart is designed for convenient organization and mobility.

- **Using Pull-Out Baskets:** The four mesh baskets can be easily pulled out for quick access to stored items. Gently pull the basket forward until it reaches its stop. Push it back in until it is fully seated.



## Pull-Out Baskets

Easily access your daily essentials

Image: A hand demonstrating the smooth sliding action of a pull-out basket.

- **Utilizing the Top Shelf:** The sturdy top board provides additional space for small appliances, decorative items, or frequently used kitchen tools.
- **Mobility:** To move the cart, release the brakes on the two locking wheels. Use the curved handle to push or pull the cart to your desired location. The 360° swivel casters allow for easy maneuverability.



## Easy to Move

Four 360° swivel casters



Curved Tube Handle



2 Casters with Brakes

Image: A person easily moving the cart, showcasing its mobility features like the handle and wheels.

- **Stationary Use:** When the cart is in its desired position, engage the brakes on the two locking wheels to prevent unintended movement.

## 5. MAINTENANCE

Proper care will extend the life and appearance of your storage cart.

- **Cleaning:** Wipe the cart surfaces with a damp cloth. Avoid using harsh chemicals or abrasive cleaners, as these can damage the finish.
- **Regular Checks:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Basket Care:** The dense mesh baskets are designed for secure storage. If any debris accumulates, simply wipe or brush it away.

## 6. TROUBLESHOOTING

---

If you encounter any issues with your storage cart, refer to the following common solutions:

Problem	Possible Cause	Solution
Cart is unstable or wobbly.	Screws are loose; uneven floor surface.	Ensure all screws are tightened. Move the cart to a level surface.
Baskets do not slide smoothly.	Debris in tracks; basket misaligned.	Clean the sliding tracks. Ensure baskets are correctly inserted into the frame.
Wheels do not roll or lock properly.	Debris in wheels; brake engaged/disengaged incorrectly.	Clear any obstructions from the wheels. Ensure brakes are fully engaged when stationary and fully disengaged when moving.
Items fall through basket sides.	Small items placed near open sides.	The mesh baskets have open sides for ventilation. Place smaller items in containers or towards the center of the baskets.


## 7. SPECIFICATIONS

---

- **Model:** ULRC041K01
- **Dimensions (L x W x H):** 12.5"D x 15.8"W x 37.4"H (31.7 cm D x 40 cm W x 95 cm H)
- **Material:** Alloy Steel (Frame), Engineered Wood (Top Board)
- **Color:** Rustic Brown + Ink Black
- **Weight Capacity:**
  - Each Basket: 22 lb (10 kg)
  - Top Surface: 33 lb (15 kg)
  - Total Max. Static Load Capacity: 121 lb (55 kg)
- **Assembly:** Required
- **Care Instructions:** Wipe with Damp Cloth

# Sturdy and Stable


Total Max. Static Load Capacity:  
121 lb (55 kg)



Thicker Panel



Larger Tube Diameter



Reinforced Tube Wall

Image: Details on the cart's construction, emphasizing its sturdy and stable design.

## 8. WARRANTY AND SUPPORT

For warranty information or if you require assistance with your VASAGLE storage cart, please refer to the product packaging or contact the retailer where the product was purchased. Our customer support team is available to help with any questions or concerns.