**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



**VONLUCE CFN-13E9-00**

# VONLUCE 52-Inch 3-Blade Ceiling Fan with Light and Remote Control

Model: CFN-13E9-00 / CFN-E313-00 | Brand: VONLUCE

## Introduction

This 52-inch wooden ceiling fan with remote control effortlessly enhances the ambiance of any space. It's a harmonious blend of style and functionality, suitable for various environments, from bustling homes to offices. Stay comfortable year-round with its silent bidirectional DC motor, ensuring constant air circulation for cooling in summer and even distribution of warm air in winter. Customize your comfort zone by choosing from 6 fan speeds, setting automatic shut-off times (1/4/8 hours) for optimal energy efficiency, and immersing yourself in the desired ambiance with the 22W LED lighting, offering color temperatures from 3000K to 6500K. Built to last with a robust metal body and handcrafted walnut blades, it's an ideal addition to living rooms, bedrooms, patios, and more.

## Key Features

- **Modern Wooden Ceiling Fan:** The Vonluce 52-inch ceiling fan with light features 3 walnut-finished blades that complement any home decor, from rustic farmhouse to modern minimalism. Ideal for bedrooms, living rooms, garages, covered patios, and more.
- **Outdoor Ceiling Fan with Remote Control:** The included remote control allows you to adjust the 6 fan speeds, 3 timer settings (1/4/8 hours), countless color temperatures (3000-6500K), and brightness options. You can even mute the fan with a single button press.
- **Silent Reversible DC Motor:** Our ceiling fans with lighting rotate in reversible directions to facilitate downward airflow in summer and upward airflow in winter, all at only 35 dB thanks to its high-quality DC motor.
- **Stepless Light Control:** The included 22W LED light kit allows for precise and continuous control of color temperature and brightness. It remembers and uses the last selected setting after turning off the light, waiting 15 seconds, and turning it back on.
- **Versatile Installation:** This wooden ceiling fan comes with 2 downrods (12.5 cm and 25 cm) for low or high ceilings with an incline of up to 10°. It also comes with clear instructions and a video for hassle-free installation.

## Package Contents

Please check that all items listed below are included in your package:

- 3x Fan Blades
- 1x Fan Motor


- 1x Mounting Bracket
- 1x Canopy
- 1x Shade
- 1x LED Light Kit
- 1x Receiver
- 1x Remote Control
- 1x 12.5 cm Downrod
- 1x 25 cm Downrod
- 1x Coupling Cover
- 1x Eyelet
- 1x Safety Cable
- 1x Hardware Pack
- 1x Instructions Manual




This image displays the complete VONLUCE ceiling fan package, including the fan unit with three walnut-finished blades and integrated LED light, the remote control for operation, and two different length downrods for varied ceiling heights.

## Setup and Installation

The VONLUCE ceiling fan is designed for straightforward installation. It includes two downrods (12.5 cm and 25 cm) to accommodate various ceiling heights and can be mounted on flat ceilings or vaulted ceilings with an incline of up to 10 degrees. For detailed step-by-step instructions, please refer to the included instructions manual.





A technical diagram detailing the fan's dimensions (132 cm blade span, 31-43 cm total height), available downrod lengths (12.5 cm and 25 cm), and compatible mounting options (flat and vaulted ceilings up to 10 degrees).

## Operating Instructions

### Remote Control Functions

The included remote control provides convenient access to all fan and light functions. Ensure the receiver is properly installed for full functionality.


- **Fan Speed Adjustment:** Select from 6 available fan speeds to achieve your desired airflow.
- **Timer Settings:** Set the fan to automatically turn off after 1, 4, or 8 hours.
- **Light Control:** Adjust the LED light's color temperature (3000K-6500K) and brightness continuously.
- **Mute Function:** Silence the fan's operational beeps with a dedicated mute button.




An infographic illustrating the fan's key features: remote control, 6 fan speeds, 1/4/8 hour timer, reversible DC motor, mute mode, customizable light, and 12.5 & 25 cm downrods.

## Fan Speed Control

The fan offers 6 distinct speed settings, allowing you to customize the airflow from a gentle breeze to a strong cooling current.




This diagram illustrates the six adjustable fan speeds, categorized into Low (Gentle Breeze, Level 1-2), Medium (Natural Wind, Level 3-4), and High (Cooling Air, Level 5-6), with corresponding lifestyle images.

## Reversible DC Motor

The fan features a reversible DC motor, allowing for year-round comfort. In summer, the fan blades rotate counter-clockwise to create a downward airflow, providing a cooling effect. In winter, the blades rotate clockwise to create an upward airflow, which helps to circulate warm air trapped near the ceiling, distributing it evenly throughout the room.




An illustration demonstrating the reversible DC motor, showing downward airflow for cooling in summer and upward airflow for circulating warm air in winter.

## Light Control

The integrated 22W LED light offers stepless control over both color temperature and brightness. You can adjust the light from a warm 3000K to a cool 6500K, and dim or brighten it from 10% to 100%. The fan remembers your last light setting after being turned off for 15 seconds.




This image shows the stepless control for the integrated LED light, allowing adjustment of color temperature from 3000K (warm white) to 6500K (cool white) and brightness from 10% to 100%.

## Timer Function and Silent Operation

The fan operates at a whisper-quiet 35 dB, ensuring minimal disturbance, especially during sleep. Utilize the timer function to set the fan to automatically turn off after 1, 4, or 8 hours, promoting energy efficiency.




An image emphasizing the fan's quiet operation (35dB) and programmable timer settings (1H, 4H, 8H), with a sleeping baby indicating minimal disturbance.

## Maintenance

To ensure optimal performance and longevity of your VONLUCE ceiling fan, regular maintenance is recommended:

- **Cleaning:** Periodically wipe the fan blades and motor housing with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, as they may damage the finish.
- **Blade Balance:** If the fan wobbles, check that all blade screws are tightened and that the blades are balanced. A balancing kit (not included) may be used if necessary.
- **Light Fixture:** Ensure the LED light kit is free from dust and debris. Do not attempt to replace the integrated LED light source; contact qualified personnel if issues arise.
- **General Inspection:** Annually inspect all connections and mounting hardware to ensure they are secure.

## Troubleshooting

This section addresses common questions and concerns regarding the VONLUCE ceiling fan.

- **Q: Can this ceiling fan with lights be used outdoors?**
  **A:** Yes, this fan is suitable for covered outdoor areas such as patios. Many users have successfully installed it in such environments.
- **Q: Is this wooden ceiling fan noisy?**
  **A:** No, the fan is designed for quiet operation, with a maximum noise level of 35 dB. It also features a mute function on the remote to eliminate operational beeps.
- **Q: Is the installation of this ceiling fan complicated?**
  **A:** Installation is generally straightforward. While some users prefer professional installation, the fan comes with clear instructions to guide the process.



A lifestyle image showing the VONLUCE ceiling fan installed on a covered outdoor patio, demonstrating its suitability for both indoor and outdoor covered spaces.

## Technical Specifications

| Feature | Specification |
|---|---|
| Brand | VONLUCE |
| Model Number | CFN-13E9-00 / CFN-E313-00 |
| Color | Walnut |
| Product Dimensions (L x W x H) | 132 x 132 x 40 cm (52 inch blade span) |
| Item Weight | 5.8 kg |
| Power | 29 Watts |
| Voltage | 220 Volts |
| Material | Copper, Metal, Aluminum, Engineered Wood, Acrylic |
| Number of Speeds | 6 |
| Max. Noise Level | 35 dB |
| Integrated LED Power | 22W |
| LED Color Temperature | 3000K-6500K |
| Recommended Room Size | Up to 25 m² |
| Downrod Lengths Included | 12.5 cm, 25 cm |
| Timer Settings | 1, 4, 8 hours |
| Mounting Type | Ceiling Mount (Flat or Vaulted up to 10°) |
| Recommended Use | Ventilation for Home Office, Bedroom, Living Room, Covered Patio |

## Warranty and Support

Your VONLUCE ceiling fan is covered by a return policy allowing for refund or replacement within 30 days of purchase. For any product inquiries, technical assistance, or warranty claims, please contact VONLUCE customer support through the retailer's platform or the official brand website. Please note that information regarding spare parts availability is not provided.

© 2025 VONLUCE. All rights reserved.

### Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**

---

**Open the live page**

**https://manuals.plus/asin/B0F3WRGS6Q**

More documents and user manuals: **https://manuals.plus/**