

Panasonic NA-FA8K5-W

Panasonic NA-FA8K5-W 8kg Fully Automatic Washing Machine Instruction Manual

1. INTRODUCTION

Thank you for purchasing the Panasonic NA-FA8K5-W 8kg Fully Automatic Washing Machine. This manual provides essential information for the safe and efficient use of your appliance. Please read it thoroughly before operation and keep it for future reference.

2. SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, or injury.

- Ensure the washing machine is properly grounded.
- Do not operate the machine with a damaged power cord or plug.
- Keep children and pets away from the appliance during operation.
- Do not wash items that are soiled with flammable substances.
- Unplug the machine before cleaning or performing any maintenance.

3. PRODUCT OVERVIEW

The Panasonic NA-FA8K5-W is an 8kg fully automatic washing machine designed for efficient and convenient laundry care. Key features include automatic liquid detergent and softener injection, Sugo-Ochi Bubble Wash, and a next-generation sterilization course.



Figure 3.1: Front view of the Panasonic NA-FA8K5-W washing machine.



Figure 3.2: Side view of the Panasonic NA-FA8K5-W washing machine.



Figure 3.3: Key features of the NA-FA8K5-W, including 8kg capacity, Sugo-Ochi Bubble Wash, and automatic detergent/softener injection.

4. SETUP

4.1 Unpacking and Inspection

Carefully remove the washing machine from its packaging. Inspect for any damage during transit. Retain packaging materials for potential future transport.

4.2 Installation Location

Choose a stable, level surface. Ensure there is adequate space around the machine for ventilation and operation. The product requires a minimum of 10cm clearance on all sides for proper installation and operation.



Figure 4.1: Installation space requirements. Ensure at least 10cm clearance around the product and sufficient space for transport through doorways and stairs.

4.3 Dimensions

Refer to the diagram below for detailed product dimensions.



Figure 4.2: Detailed dimensions of the NA-FA8K5-W model. Overall dimensions: 599mm (width) x 635mm (depth) x 1071mm (height).

4.4 Water and Drain Connections

Connect the water supply hoses to the hot and cold water faucets. Ensure all connections are secure to prevent leaks. Connect the drain hose to a suitable drain outlet, ensuring it is properly secured and positioned to allow for efficient water drainage.

4.5 Power Connection

Plug the power cord into a grounded electrical outlet. Do not use extension cords or adapters.

5. OPERATING INSTRUCTIONS

5.1 Loading Laundry

Open the lid and place laundry loosely into the drum. Do not overload the machine. The wide opening and clear window facilitate easy loading and unloading.




Figure 5.1: Top view with lid open, illustrating the spacious drum for easy laundry loading.

	NA-FA12V5	NA-FA11K5	NA-FA10K5	NA-FA9K5	NA-FA8K5	NA-FA10H5	NA-FA8H5	NA-FA7H5
	-W (ホワイト)	-N (シャンパン)	-N (シャンパン) -W (ホワイト)	-W (ホワイト)	-W (ホワイト)	-N (シャンパン)	-W (ホワイト)	-C (チャムレーベ)
洗濯・脱水容量	12 kg	11 kg	10 kg	9 kg	8 kg	10 kg	8 kg	7 kg
自動投入	トリプル自動投入	トリプル自動投入	液体洗剤・柔軟剤自動投入	液体洗剤・柔軟剤自動投入	液体洗剤・柔軟剤自動投入			
使いやすい点	スマホで洗濯	●	●	●	●			
ビッグサークル投入口	●	●	●	●	●	●		
温水スロ落ち泡洗浄	●							
スロ落ち泡洗浄	●	●	●	●	●	●	●	●
洗淨機能	汚れはがしコース	●						
おまかせコース	●	●	●	●	●	●	●	●
時短コース	●	●	●	●	●	●	●	●
次亜除菌コース	●	●	●	●	●			
清潔機能	自動槽洗浄	●	●	●	●		●	●
カビクリーンタンク	●	●	●	●	●	●	●	●
槽洗浄(1時間)コース	●	●	●	●	●	●	●	●

Figure 5.2: User-friendly design with a clear window and wide opening for convenient use.

5.2 Automatic Detergent and Softener Injection

The machine features dedicated compartments for liquid detergent and softener. Fill these compartments, and the machine will automatically dispense the appropriate amount for each wash cycle.



Figure 5.3: Automatic liquid detergent (approx. 450ml) and softener (approx. 550ml) dispenser tanks.

5.3 Selecting a Wash Course

Use the control panel to select your desired wash course. Available courses include:

- **Omakase Course:** An optimized course that automatically adjusts settings for various laundry types, now with reduced operating time and energy consumption.
- **Short Course:** Ideal for daily laundry for two people, completing a wash in approximately 23 minutes.
- **Sterilization Course:** Utilizes a special tablet (sold separately, N-Z1) to thoroughly sterilize odor-causing bacteria in clothes and the washing tub.
- **Sugo-Ochi Bubble Wash:** This feature uses powerful foam and 3D water flow to effectively remove stubborn dirt.

NEW 運転時間がより短く※1、より使いやすく

おまかせコース

洗淨性能はしっかり保ちながら、運転時間を短縮※1。さらに、使用水量と消費電力量も削減※1

24年度発売 同等モデルとの比較	機種	FA8K3	▶	NEW FA8K5
	●おまかせコース・ 定格8 kg洗濯時	運転目安時間※2(約)	35分	▶
	標準使用水量(約)	97 L	▶	92 L
	消費電力量(約)	55 Wh	▶	47 Wh

※1 当社2024年度発売NA-FA8K3とNA-FA8K5との比較。衣類の素材・入れ方・洗濯時の状況により、運転時間・使用水量・消費電力量は前後します。
 ※2 室温20℃の場合。給水・排水時間を含みます。コース運転内容を切り替えると記載の目安時間とは異なります。

Figure 5.4: Sugo-Ochi Bubble Wash effectively removes stubborn mud and food stains.

豊富なお手入れ機能で洗濯槽を清潔に

洗濯槽の黒カビ対策

自動槽洗浄※1

除菌※2も黒カビ抑制※3もできる

すすぎの水を利用するから追加の水なし



(イメージ)

槽洗浄(1時間)コース

月1回、わずか1時間で黒カビをしっかり抑制※4。

槽・風乾燥コース

洗濯槽内を乾燥させて黒カビを抑制※5。

カビクリーンタンク

外槽の内側を自動洗浄し、黒カビを抑制※6。

※1「自動槽洗浄」はお買い上げ時オフ設定です。設定すると、運転時間が約1分長くなります。 ※2〔自動槽洗浄〕設定による除菌〔試験機関〕(一財)日本食品分析センター〔試験成績書発行年月日〕2024年11月14日〔試験成績書発行番号〕第24086057001-0101号〔試験方法〕洗濯・脱水槽および外槽に取り付けた菌液付着プレートの菌数測定〔除菌方法〕「自動槽洗浄」による〔対象部分〕洗濯・脱水槽および外槽〔試験結果〕菌の減少率99%以上(パナソニック換算値)。
 ※3〔自動槽洗浄〕設定による黒カビ抑制〔試験機関〕(一財)日本食品分析センター〔試験成績書発行年月日〕2024年11月14日〔試験成績書発行番号〕第24086057001-0201号〔試験方法〕洗濯・脱水槽および外槽に取り付けた増地付着プレートの黒カビ抑制確認〔黒カビ抑制方法〕「自動槽洗浄」による〔対象部分〕洗濯・脱水槽および外槽〔試験結果〕黒カビの発育なし。 ※4〔槽洗浄(1時間)コース〕による黒カビ抑制〔試験機関〕(一財)日本食品分析センター〔試験成績書発行年月日〕2022年11月24日〔試験成績書発行番号〕第22053805002-0101号〔試験方法〕菌液の菌数測定〔黒カビ抑制方法〕次亜除菌錠剤および塩素系漂白剤による〔対象部分〕洗濯・脱水槽〔試験結果〕菌の減少率99%以上(パナソニック換算値)。 ※5〔槽・風乾燥〕(1時間設定)による黒カビ抑制〔試験機関〕(一財)日本食品分析センター〔試験成績書発行年月日〕2020年12月14日〔試験成績書発行番号〕第20061810001-0101号〔試験方法〕洗濯・脱水槽に取り付けた増地付着布の黒カビ抑制確認〔黒カビ抑制方法〕「槽・風乾燥」(1時間設定)による〔対象部分〕洗濯・脱水槽〔試験結果〕黒カビの発育なし。 ※6〔カビクリーンタンク〕によるカビ抑制〔試験機関〕(一財)日本食品分析センター〔試験成績書発行年月日〕2018年3月30日〔試験成績書発行番号〕第18008662001-0101号〔試験方法〕外槽に取り付けた増地付着布のカビ抑制確認〔黒カビ抑制方法〕脱水による〔対象部分〕外槽〔試験結果〕黒カビの発育なし。

Figure 5.5: The Sterilization Course uses a dedicated tablet for thorough disinfection of laundry and the tub.

5.4 Smart Control (App Support)

The washing machine can be controlled and monitored via a smartphone app. This allows you to start washes remotely, check status, and select recommended courses based on laundry type.

**泡の力とパワフル立体水流で
しつこい泥汚れもしっかり洗浄**

スゴ落ち
泡洗浄



(イメージ・写真はNA-FA12V5)

ガンコな泥汚れもキレイに

洗浄前



洗浄後



泥汚れのついたユニフォーム(ポリエステル100%)
NA-FA12V5 おまかせコース(洗濯容量7.2kg)で
洗濯。パナソニック実験による。

食べこぼし汚れもキレイに

洗浄前



洗浄後



ケチャップ汚れのついたTシャツ(綿66%、ポリエステル34%)
NA-FA12V5 おまかせコース(洗濯容量4.5kg)で
洗濯。パナソニック実験による。

衣類の素材・量、衣類の汚れ、洗剤の種類、水質、水温、室温などによって効果は異なります。

Figure 5.6: Smartphone app interface for remote control and monitoring of the washing machine.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your washing machine.

6.1 Tub Cleaning

The machine offers various functions to keep the washing tub clean and prevent mold growth:

- **Automatic Tub Wash:** Cleans the tub automatically during the wash cycle.
- **Tub Clean Course (1 hour):** A dedicated course for thorough tub cleaning.

- **Tub Drying Course:** Helps dry the tub to prevent mold and odors.



Figure 6.1: Tub cleaning features for maintaining hygiene and preventing mold.

6.2 Lint Filter Cleaning

Clean the lint filter regularly to maintain washing performance. The 'Rakupoi Filter' is designed for easy removal and disposal of collected lint without getting your hands dirty.



Figure 6.2: Easy maintenance features, including the Rakupoi Filter and flat glass top.

6.3 Exterior Cleaning

Wipe the exterior of the machine with a soft, damp cloth. Do not use abrasive cleaners or solvents.

7. TROUBLESHOOTING

If you encounter issues with your washing machine, refer to the following common troubleshooting steps. For problems not listed here, or if the issue persists, please contact customer support.

Problem	Possible Cause	Solution
Machine does not start	Power cord unplugged; Lid not closed properly; Water supply off.	Check power connection; Ensure lid is fully closed; Turn on water supply.
No water filling	Water tap closed; Water inlet hose kinked; Water filter clogged.	Open water tap; Straighten hose; Clean water inlet filter.
Excessive vibration/noise	Machine not level; Shipping bolts not removed; Uneven load.	Adjust leveling feet; Remove all shipping bolts; Redistribute laundry evenly.
Water not draining	Drain hose kinked or clogged; Drain pump filter clogged.	Check and clear drain hose; Clean drain pump filter.

8. SPECIFICATIONS

Feature	Detail
Brand	Panasonic
Model Number	NA-FA8K5-W
Product Dimensions (D x W x H)	63.5 cm x 59.9 cm x 107.1 cm
Capacity	8 kg
Color	White
Special Features	Automatic Detergent/Softener Injection, Sugo-Ochi Bubble Wash & Powerful 3D Water Flow
Access Location	Top
Drum Material	Stainless Steel
Control Type	Push Button
Operation Mode	Fully Automatic
Washing Dispenser Option	Detergent/Softener Automatic Injection

9. WARRANTY AND SUPPORT

9.1 Manufacturer's Warranty

This Panasonic NA-FA8K5-W washing machine comes with a **1-year manufacturer's warranty** from the date of purchase. Please retain your proof of purchase for warranty claims. The warranty covers defects in materials and workmanship under normal use.

9.2 Customer Support

For technical assistance, service requests, or questions regarding your product, please contact Panasonic customer support. Refer to the contact information provided in your warranty card or on the official Panasonic website for your region.

Before contacting support, please have your model number (NA-FA8K5-W) and serial number ready.