

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Outsunny](#) /

› [Outsunny Metal Garden Shed Instruction Manual](#)

Outsunny 84H-226V00CG

Outsunny Metal Garden Shed Instruction Manual

Model: 84H-226V00CG

Brand: Outsunny

1. INTRODUCTION

Thank you for choosing the Outsunny Metal Garden Shed. This manual provides essential information for the safe assembly, operation, and maintenance of your new garden shed. Designed for efficient storage of garden tools and equipment, this shed features a durable galvanized steel construction, a practical window for natural light, and ventilation openings to prevent odor buildup and keep contents dry. Its wide door ensures easy access for larger items.



Image 1.1: The Outsunny Metal Garden Shed, showcasing its dark grey finish, window, and single door.



Image 1.2: The shed with its wide double doors open, demonstrating ample space for storing items like a bicycle and shelving units.

2. SAFETY INFORMATION

Please read and understand all safety warnings and instructions before assembly and use. Failure to follow these instructions may result in injury or damage to the product.

- Always wear appropriate personal protective equipment, including gloves, during assembly to prevent cuts from metal edges.
- Ensure the assembly area is clear and level.
- Do not assemble in strong winds or adverse weather conditions.
- Keep children and pets away from the assembly area.
- Secure the shed to a solid, level foundation to prevent tipping.
- Do not store flammable materials or hazardous chemicals inside the shed.
- Regularly check all bolts and fasteners to ensure they remain tight.



**Inklusive Handschuhe
für eine sichere
Installation**

**Schrägdach lässt
Regen und Schnee
abrutschen**



**Regenwasserlöcher
lassen das
Regenwasser ablaufen**


Image 2.1: This image highlights the inclusion of gloves for safe installation, the sloped roof design for water runoff, and dedicated rainwater drainage holes.

3. SETUP AND ASSEMBLY

Assembly of this shed requires two or more people. Please ensure you have all parts before beginning. Refer to the detailed assembly instructions provided in the separate manual for step-by-step guidance.

3.1 Foundation Preparation

A solid, level foundation is crucial for the stability and longevity of your shed. Accurately measure the foundation in your outdoor area before purchasing and beginning assembly. A concrete slab or a treated timber frame filled with gravel are recommended options.



Hinweis:

Messen Sie das Fundament in Ihrem Außenbereich genau aus, bevor Sie diesen Artikel kaufen.

- Gesamtmaße
- Größe der Grundfläche
- Innere Abmessung

Grundfläche = 4,13m²

Image 3.1: A diagram illustrating the overall dimensions (2.6m x 1.77m x 1.9m), base area size, and internal dimensions of the shed, along with a note emphasizing the importance of measuring the foundation.

3.2 Assembly Steps Overview

1. **Unpacking and Inspection:** Carefully unpack all components. Check for any damaged or missing parts.
2. **Base Frame Assembly:** Assemble the base frame on your prepared foundation.
3. **Wall Panel Installation:** Attach the wall panels to the base frame, ensuring proper alignment.
4. **Roof Assembly:** Construct and install the roof panels. The sloped roof design facilitates rain and snow runoff.
5. **Door and Window Installation:** Install the door and window components.
6. **Final Fastening:** Secure all bolts and screws tightly.

4. OPERATING INSTRUCTIONS

The Outsunny Metal Garden Shed is designed for straightforward use.

4.1 Door Operation

The shed features a wide, lockable door for easy access. To open, unlock the latch and pull the door outwards. To close, push the door shut and secure the latch. A padlock and key are included for added

security.



Image 4.1: A close-up view of the lockable door mechanism, showing the included padlock and key for enhanced security of your stored items.



Image 4.2: A detailed view of the shed's door lock, highlighting its robust construction and the mechanism for securing the door.

4.2 Ventilation and Window

The shed is equipped with ventilation openings to ensure air circulation, preventing odor buildup and keeping your tools dry. The integrated window allows natural light to enter the shed, improving visibility inside.



Entlüftungsöffnungen

Verhindert Geruchsbildung und hält Ihre Werkzeuge trocken



Fenster

Lasst natürliches Licht herein

Image 4.3: A detailed view showing the ventilation openings at the top of the shed and the functional window, designed to allow natural light and air circulation.



Image 4.4: An interior view of the shed, demonstrating the potential for organizing tools and equipment with shelving units.

5. MAINTENANCE

Proper maintenance will extend the life of your Outsunny Metal Garden Shed.

- **Cleaning:** Clean the shed exterior periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals.
- **Rust Protection:** The shed is constructed from galvanized steel for rust protection. However, inspect for any scratches or damage to the coating and touch up with appropriate rust-inhibiting paint if necessary.
- **Fastener Check:** Annually check all bolts, screws, and fasteners to ensure they are tight. Re-tighten as needed.
- **Drainage:** Ensure the rainwater drainage holes and the area around the base are clear of debris to allow proper water runoff.

VERZINKTE STAHLKONSTRUKTION



Schutz vor Regen



Schutz vor Schnee



Rostschutz



Keine Wartung



Image 5.1: This image highlights the benefits of the galvanized steel construction, including protection from rain and snow, rust protection, and no maintenance requirements.

6. TROUBLESHOOTING

If you encounter issues with your shed, consider the following common solutions:

- **Difficulty during assembly:** Ensure all parts are correctly oriented according to the assembly manual. Check that the foundation is perfectly level.
- **Water leakage:** Verify that all panels are properly overlapped and all fasteners are tight. Ensure the shed is on a level surface and that rainwater can drain freely from the roof and base.
- **Door misalignment:** Check that the base frame is square and level. Adjust door hinges or frame components as necessary.

7. SPECIFICATIONS

Feature	Detail
Model Number	84H-226V00CG
Overall Dimensions (L x W x H)	260 cm x 177 cm x 190 cm (approx. 102.36 x 69.68 x 74.8 inches)
Base Area	4.13 m ²
Material	Alloy Steel (Galvanized)
Item Weight	72 kg (158.4 pounds)
Assembly Required	Yes

8. WARRANTY AND SUPPORT

Outsunny products are manufactured to high-quality standards. For warranty information or technical support, please refer to the contact details provided with your purchase documentation or visit the official Outsunny website.

For further assistance, please contact Outsunny Customer Service.