

[Manuals.plus](#) /

› [Bushnell Golf](#) /

› Bushnell Golf Tour V6 Shift Laser Rangefinder Instruction Manual

Bushnell Golf Tour V6 Shift

Bushnell Golf Tour V6 Shift Laser Rangefinder Instruction Manual

Model: Tour V6 Shift

INTRODUCTION

The Bushnell Golf Tour V6 Shift Laser Rangefinder is engineered to provide golfers with precise distance measurements and advanced features to enhance their game. This manual provides detailed instructions for setting up, operating, and maintaining your device, ensuring you get the most out of its capabilities.

KEY FEATURES

- **Tour-Trusted Compensated Distances:** New electronics and slope algorithm provide precise, tour-trusted compensated distances for incline/decline.
- **Slope-Switch Technology:** Easily switch the rangefinder in and out of Slope mode, making it USGA-Conforming and legal for tournament play.
- **Improved PinSeeker Technology:** Visual JOLT technology provides a red ring flash and vibration upon locking onto the flag, ensuring confidence in your shot.
- **Clarity and Precision:** Ranging accuracy within 1-yard, with an LCD screen and 6x magnification for clear target acquisition.
- **Improved Weather Resistant Design:** The most weather resistant (IPX6) Tour series laser Bushnell Golf has ever made.
- **Integrated BITE Magnetic Cart Mount:** Securely attach the rangefinder to your golf cart or any metal surface for easy access.
- **Bushnell Golf App Integration:** Unlock useful information like hole layouts with distance, 3D flyovers with distance, and wireless course updates.

SETUP

Battery Installation

The Tour V6 Shift uses a CR2 battery. To install or replace the battery, locate the battery compartment cap, typically found at the bottom or side of the device. Unscrew the cap, insert the CR2 battery with the correct polarity (+/-), and securely replace the cap.

Power On/Off

Press the Power button (usually located on the top of the device) to turn the rangefinder on. The display will illuminate. The device will automatically power off after a period of inactivity to conserve battery life.

Adjusting Eyepiece

Rotate the eyepiece (diopter adjustment) until the display and target appear sharp and clear to your eye. This ensures optimal viewing clarity for all users.

OPERATING INSTRUCTIONS

Basic Ranging

To obtain a distance measurement, aim the crosshairs at your desired target and press the Power/Fire button. The distance will be displayed on the LCD screen. For continuous scanning, hold down the Power/Fire button while sweeping across multiple targets.

Using Slope-Switch Technology

The Tour V6 Shift features a physical Slope-Switch button, typically located on the side of the device. Slide this switch to enable or disable the Slope Compensation feature. When enabled, the device provides compensated distances based on the hole's incline/decline. When disabled, it provides line-of-sight distances, making it legal for tournament play.



Image: Bushnell Golf Tour V6 Shift demonstrating the physical Slope-Switch button, showing both enabled and disabled states for compensated and tournament-legal distances.

Using PinSeeker with Visual JOLT

When targeting a flag, the PinSeeker feature isolates the flag from background objects. Once the flag is acquired, the device will vibrate (JOLT) and a red ring will flash on the display, confirming that you have locked onto the flag.

Changing Measurement Units (Yards/Meters)

To switch between Yards and Meters, press the 'Mode' button (usually located near the Power button) until your desired unit of measurement is displayed.

Using Magnetic Mount

The integrated BITE Magnetic Mount allows you to securely attach your rangefinder to the metal frame of a golf cart or other metal surfaces. Ensure the surface is clean and dry for optimal magnetic adhesion.



Image: The Bushnell Golf Tour V6 Shift rangefinder securely mounted to the metal bar of a golf cart using its integrated BITE magnetic mount, showcasing its convenient accessibility during play.

Bushnell Golf App Integration

Connect your Tour V6 Shift to the Bushnell Golf App via Bluetooth to access additional features such as 3D flyovers, detailed hole layouts with distances, and receive wireless course updates. Refer to the app's instructions for pairing and feature usage.

Bushnell Golf App

Unlock useful information like hole layouts with distance, 3D flyovers with distance, and wireless course updates.



Image: The Bushnell Golf Tour V6 Shift rangefinder positioned beside a smartphone screen, which displays the Bushnell Golf App interface featuring a detailed 3D flyover of a golf hole with distance markers.

MAINTENANCE

Cleaning Lenses

Use the provided lens cleaning cloth or a soft, clean microfiber cloth to gently wipe the lenses. Avoid using abrasive materials or harsh chemicals that could scratch or damage the optical coatings.

Battery Replacement

Replace the CR2 battery when the low battery indicator appears on the display. Always use a fresh, high-quality CR2 battery for optimal performance.

Storage

When not in use, store the rangefinder in its protective carrying case in a cool, dry place. Avoid exposing the device to extreme temperatures or direct sunlight for prolonged periods.



Image: A hand carefully placing the Bushnell Golf Tour V6 Shift laser rangefinder into its compact, black protective carrying case, which is designed to keep the device safe during storage and transport.

TROUBLESHOOTING

- **No Display:** Check battery installation and ensure the battery is not depleted. Replace if necessary.
- **Inaccurate Readings:** Ensure lenses are clean. Make sure you are targeting a clear object and not background clutter.
- **PinSeeker Not Activating:** Ensure the target (flag) is within the effective range for PinSeeker (up to 500 yards).
- **Device Not Powering On:** Verify battery is correctly inserted and charged. If issues persist, contact customer support.

SPECIFICATIONS

- **Magnification:** 6x
- **Measuring Range:** 5-1300 yards
- **Range to Flag:** 5-500 yards

- **Weather Resistance:** IPX6
- **Battery Type:** CR2 (Included)
- **Material:** Plastic
- **Item Weight:** 12 Ounces
- **Item Dimensions (LxWxH):** 4.75 x 1.7 x 3.25 inches



Image: A close-up of the Bushnell Golf Tour V6 Shift rangefinder, highlighting its key specifications: 6x magnification, a range of 5-1300 yards, and a range to flag of 5-500 yards.

OFFICIAL PRODUCT VIDEO

Video: An official product video from Certified Brands showcasing the Bushnell Golf V6 Laser Rangefinder, detailing its features and benefits for golfers.

WARRANTY AND SUPPORT

The Bushnell Golf Tour V6 Shift Laser Rangefinder comes with a **2 Year Limited Warranty**. For warranty claims, technical support, or any inquiries regarding your device, please refer to the contact information provided in the product packaging or visit the official Bushnell Golf website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question