

[Manuals.plus](#) /

› [LitezAll](#) /

› LitezAll 400 Lumen Tactical Flashlight Instruction Manual (Model LZ-20985x2-New-FBA)

LitezAll LZ-20985x2-New-FBA

LitezAll 400 Lumen Tactical Flashlight Instruction Manual

Model: LZ-20985x2-New-FBA

1. INTRODUCTION

This manual provides instructions for the LitezAll 400 Lumen Tactical Flashlight (2-Pack), Model LZ-20985x2-New-FBA. Each flashlight is designed for reliability and performance, featuring a durable aluminum construction, adjustable zoom focus, and two brightness modes. This compact flashlight is suitable for various uses, including home, work, and outdoor activities.



Image 1: LitezAll 400 Lumen Tactical Flashlight (2-Pack).

2. PACKAGE CONTENTS

The LitezAll 400 Lumen Tactical Flashlight (2-Pack) includes the following items:

- Two (2) LitezAll 400 Lumen Tactical Flashlights
- Batteries (type and quantity may vary; please check packaging)



Image 2: Each flashlight measures approximately 4 inches in length and 1 inch in diameter, featuring a metal pocket clip for convenient carry.

3. SETUP: BATTERY INSTALLATION

Your LitezAll Tactical Flashlight requires batteries for operation. Please follow these steps to install them:

1. Unscrew the tail cap of the flashlight by turning it counter-clockwise.
2. Insert the required batteries (e.g., CR123A or AAA, depending on your specific model and packaging) with the positive (+) end facing towards the flashlight head.
3. Screw the tail cap back on clockwise until it is securely tightened.

Note:

- While some product images may indicate AAA batteries, user feedback often points to CR123A batteries. Please verify the correct battery type by checking your product packaging or the battery compartment itself.
- Ensure batteries are inserted with correct polarity to prevent damage to the flashlight.



Image 3: Key features of the LitezAll flashlight, including battery type (may vary, check packaging), two brightness modes, adjustable focus, durable aluminum construction, and IPX2 water resistance.

4. OPERATING INSTRUCTIONS

Power On/Off and Mode Selection:

- To turn the flashlight **ON**, press the button on the tail cap.
- To switch between brightness modes (High and Low), quickly press the button again after turning it on.
- To turn the flashlight **OFF**, press the button until the light extinguishes.

Adjusting the Zoom Focus Beam:

- The flashlight features an adjustable zoom focus beam. To adjust, gently slide the head of the flashlight forward or backward.
- Sliding the head forward will narrow the beam for a concentrated spotlight.
- Sliding the head backward will widen the beam for a broad floodlight.



Image 4: The flashlight offers two brightness modes: High (400 Lumens, approx. 2 hours runtime) and Low (80 Lumens, approx. 4 hours runtime).

5. MAINTENANCE

- **Cleaning:** Wipe the flashlight body with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Battery Replacement:** Replace batteries when the light dims significantly or fails to turn on. Always use fresh batteries of the correct type.
- **Storage:** If storing the flashlight for an extended period, remove the batteries to prevent leakage and potential damage. Store in a cool, dry place.
- **Water Resistance:** The flashlight has an IPX2 water resistance rating, meaning it can resist dripping water when held at certain angles. It is **not** designed for submersion or heavy rain. Avoid exposing it to excessive moisture.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Flashlight does not turn on.	Dead or incorrectly inserted batteries.	Replace batteries with new ones, ensuring correct polarity (+/-).
Light is dim or flickers.	Low battery power.	Replace batteries.
Beam does not focus properly.	Mechanism might be stiff or obstructed.	Gently clean the area around the flashlight head. Ensure no debris is preventing smooth movement.
Tail cap is loose.	Poor electrical contact.	Tighten the tail cap securely.

7. SPECIFICATIONS

- **Model:** LZ-20985x2-New-FBA
- **Light Output:** 400 Lumens (High), 80 Lumens (Low)
- **Light Source:** LED
- **Power Source:** Battery Powered (Alkaline, specific type may vary, check packaging)
- **Special Features:** Adjustable Beam Focus, Durable, Convenient
- **Material:** Aluminum
- **Water Resistance:** IPX2
- **Dimensions (each):** Approximately 1"D x 1"W x 4"H
- **Weight (each):** Approximately 6.4 ounces
- **Included Components:** Battery (quantity and type may vary)
- **UPC:** 811446029568

8. WARRANTY AND SUPPORT

For warranty information, please refer to the details provided on the product packaging. For further assistance or support, please contact LitezAll customer service through their official website or the retailer where the product was purchased.

Manufacturer: LitezAll