Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR SXYJSCK-FBS10X20FT-G

VEVOR 10x20 FT Heavy Duty Carport Canopy with Roll-up Windows

Model: SXYJSCK-FBS10X20FT-G
Brand: VEVOR

1. Introduction

This manual provides essential information for the safe assembly, operation, and maintenance of your VEVOR 10x20 FT Heavy Duty Carport Canopy. Please read all instructions carefully before installation and use to ensure proper function and longevity of the product. This portable garage is designed to offer ample storage space and protection for vehicles, equipment, or serve as a versatile outdoor shelter.



Image 1.1: VEVOR 10x20 FT Heavy Duty Carport Canopy providing shelter for a white SUV.

2. Safety Information

- **Wind and Weather Conditions:** This carport is designed for all-season use but should be removed or reinforced in strong winds (Level 7 or above) and heavy snow to prevent damage or collapse.
- **Anchoring:** Always ensure the carport is securely anchored to the ground using the provided stakes and ropes. Additional anchoring may be required based on local weather conditions and ground type.
- **Assembly:** Assembly typically requires two or more people. Do not attempt to assemble alone. Wear appropriate safety gear, such as gloves, during assembly.
- **Clearance:** Maintain adequate clearance around the carport to prevent obstruction and ensure safe entry/exit.
- **Fire Safety:** Keep all heat sources and open flames away from the canopy material.

3. Product Features

- **Spacious Design:** Offers a 10x20 ft area, suitable for cars, RVs, trucks, boats, or multiple smaller vehicles and equipment.
- **All-Weather Protection:** Features a double-coated PE tarp that is UV-resistant, waterproof, insulated, and dustproof, protecting against sun, rain, and dirt.
- **Durable Construction:** Built with galvanized steel pipes and an alloy steel frame for enhanced strength and resistance to rust, wind pressure, and heavy loads.
- **Removable Sidewalls & Doors:** Includes removable sidewalls and a zipper door for adjustable ventilation and versatile use, allowing conversion for outdoor activities.
- **Easy Assembly:** Designed for quick and simple setup with elastic ball fasteners and a snap-together frame.



Image 3.1: All-weather PE tarp features for comprehensive protection.

4. Parts List

Before assembly, ensure all components are present and undamaged. Refer to the packaging for a complete list of parts. Key components include:

- Galvanized Steel Pipes (Frame components)
- Alloy Steel Frame (Connectors and supports)
- Double-Coated PE Tarp (Roof and sidewalls)

- Removable Sidewalls
- Zipper Door Panels
- Elastic Ball Fasteners
- Ground Stakes (12 included)
- Wind Ropes (12 included)




Image 4.1: Details of solid metal structure components and fasteners.

5. Assembly Instructions

Follow these steps for proper assembly. It is recommended to have at least two people for installation.

1. **Prepare the Area:** Choose a flat, level surface for installation. Clear any debris or obstacles.
2. **Assemble the Top Bevel:** Connect the roof frame components according to the diagrams in your included manual. Ensure all connections are secure.
3. **Install the Tarp:** Drape the main PE tarp over the assembled roof frame. Secure it temporarily using some elastic ball fasteners.
4. **Attach the Columns:** Connect the vertical support columns to the roof frame. Gradually lift the structure and attach the remaining column sections.
5. **Secure the Frame:** Ensure all frame connections are tightly secured. Use the provided ground stakes and wind ropes to anchor the entire structure firmly to the ground.
6. **Install Sidewalls and Doors:** Attach the removable sidewalls and zipper door panels to the frame using the elastic ball fasteners. The zipper doors can be rolled up for easy access or ventilation.



Image 5.1: Visual guide for carport assembly steps.

Video 5.1: Overview of the VEVOR Portable Carport, demonstrating its features and general setup.

6. Operating Instructions

- **Accessing the Carport:** Use the zipper doors for easy entry and exit.
- **Ventilation:** For improved airflow, especially in warmer weather, roll up the zipper doors and/or remove the sidewalls. Secure rolled-up doors with the integrated straps.
- **Full Enclosure:** For maximum protection against elements, ensure all sidewalls are attached and zipper doors are fully closed.




Image 6.1: Carport with and without sidewalls, demonstrating versatility.

7. Maintenance

- **Regular Inspection:** Periodically check all frame connections, ropes, and stakes for tightness and wear. Tighten or replace as needed.
- **Tarp Cleaning:** Clean the PE tarp with mild soap and water. Avoid harsh chemicals or abrasive brushes that could damage the material.
- **Snow Removal:** In areas with heavy snowfall, regularly remove accumulated snow from the roof to prevent

structural strain and collapse.

- **Seasonal Storage:** If disassembling for long-term storage, clean all components thoroughly and store them in a dry, protected area to prevent rust and material degradation.

8. Troubleshooting

- **Carport Instability:** Ensure all ground stakes are fully inserted and wind ropes are taut. Check frame connections for tightness. Consider additional anchoring in high-wind areas.
- **Water Accumulation on Roof:** Verify the roof tarp is installed correctly and taut to allow water runoff. Remove any debris that might be causing pooling.
- **Zipper Malfunction:** Ensure zippers are clean and free of debris. Apply a silicone-based lubricant if they are stiff. Do not force stuck zippers.
- **Tarp Tears/Damage:** Small tears can often be repaired with a heavy-duty tarp repair kit. For significant damage, replacement of the tarp may be necessary.

9. Specifications

Attribute	Detail
Brand	VEVOR
Model Number	SXYJSCK-FBS10X20FT-G
Material	Galvanized Steel, Polyethylene (PE)
Color	PE Carport with Sidewall - Gray
Product Dimensions (L x W x H)	120.12" x 239.76" x 113.04" (10x20 ft)
Item Weight	116.8 Pounds
Ultraviolet Light Protection	UV-Resistant
Water Resistance Level	Water Resistant
Frame Material	Alloy Steel
Assembly Required	Yes
UPC	197988511069

10. Warranty and Support

For warranty information or technical support, please refer to the documentation included with your product or visit the official VEVOR support website. VEVOR offers various protection plans for extended coverage.

- **2-Year Protection Plan:** Available for extended coverage.
- **3-Year Protection Plan:** Available for extended coverage.
- **Complete Protect:** Monthly plan covering eligible past and future purchases.

For further assistance, please visit www.vevor.com/support.

© 2025 VEVOR. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F489SWZP

More documents and user manuals: **https://manuals.plus/**