



Manuals.plus /

› Faber /

› Faber Coral 90cm BLDC Autoclean T-Shape Chimney User Manual

Faber 325.0738.742

Faber Coral 90cm BLDC Autoclean T-Shape Chimney

MODEL: 325.0738.742

Overview	Installation	Introduction	What's in the Box	Product		
		Operation	Maintenance	Troubleshooting	Specifications	Warranty & Support

1. Introduction

Thank you for choosing the Faber Coral 90cm BLDC Autoclean T-Shape Chimney. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new kitchen appliance. Please read these instructions carefully before use and retain them for future reference.

This chimney is designed for effective smoke and odor extraction, featuring a powerful 1500 m³/hr suction capacity, a durable BLDC motor, and convenient touch and gesture controls. It includes an Autoclean function and a built-in oil collector for easy maintenance.

2. What's in the Box

Upon unpacking, please ensure all items are present and undamaged:

- 1 x Faber Coral 90cm BLDC Autoclean T-Shape Chimney
- 1 x User Manual
- 1 x Warranty Card

3. Product Overview

The Faber Coral Chimney is a T-shape, wall-mounted unit designed for modern kitchens. Key features include:

- **Type:** T-Shape, Wall Mounted
- **Size:** 90 cm, suitable for 4-6 burner stoves.
- **Filter Type:** Filterless design for enhanced suction and reduced maintenance.
- **Suction Power:** 1500 m³/hr, powered by a 130 Watt BLDC Motor.
- **Control:** Intuitive Touch Control, Gesture Control, and Motion Sensor for easy operation and speed adjustment (9

speeds).

- **Noise Level:** Operates at a quiet 58dB.
- **Installation Options:** Suitable for ducted installation or ductless use with an optional charcoal filter (purchased separately).
- **Special Features:** BLDC Motor for efficiency and reliability, Autoclean function, Built-In Oil Collector, and 1 LED Lamp for improved visibility.

The advertisement features the FABER logo (FRANKE'S AIR EXPERT) in the top left. The main headline reads "GET FABER GET MORE". Below this, three key benefits are listed: "30%* MORE SAVINGS.", "20%* MORE POWER.", and "10%* MORE QUIET.". A callout box shows a motor component labeled "Energy Efficient BLDC Motor". On the right, a black range hood is shown in operation over a stove with a pan of food, with steam rising from the pan.

Figure 1: Ducted vs. Ductless Installation Options

The advertisement features the FABER logo (FRANKE'S AIR EXPERT) in the top left. The main headline reads "Elevate performance with a BLDC motor for efficiency, reliability, and low maintenance.". On the right, a detailed 3D cutaway illustration of a BLDC motor is shown, with blue circular motion lines around its components.

Figure 2: BLDC Motor for efficiency, reliability, and low maintenance.

The advertisement features the FABER logo (FRANKE'S AIR EXPERT) in the top left. The main headline reads "Cooking Simplified" followed by "Gesture Touch & 1500 m3/hr for easy accessibility". On the right, a black range hood is shown with steam rising from it. Three circular icons are connected to the hood by a dashed line: "Electrothermal Auto Clean Technology" (with a water drop icon), "Gesture Controlled" (with a hand icon), and "1500 m3/hr Suction capacity" (with a fan icon).

Figure 3: Gesture and Touch Controls for simplified cooking.

4. Installation

Proper installation is crucial for the performance and safety of your chimney. It is recommended to have the chimney installed by a qualified technician. Before installation, ensure you have checked the cabinet size and available space.

4.1 Pre-Installation Checks

- **Measure Width:** Measure the clear width between your kitchen cabinets. Common chimney widths are 60 cm, 75 cm, and 90 cm.
- **Measure Height:** Measure the height from your gas stove to the desired chimney base position. For T-shape/Curved models, the recommended clearance is 28-30 inches (71-76 cm).
- Ensure adequate electrical supply is available at the installation point.



Figure 4: Chimney Dimensions (90 cm width, 40 cm depth, 51 cm height)

4.2 Installation Video Guide

For a visual guide on installation, please refer to the official Faber Chimney Installation Guide video below. This video demonstrates key steps and considerations for a successful setup.

Your browser does not support the video tag.

Video 1: Faber Chimney Installation Guide. This video provides a step-by-step overview of how to measure for and install your Faber chimney, including considerations for width and height clearance.

4.3 Ducted vs. Ductless Installation

Your Faber Coral chimney supports both ducted and ductless configurations:

- **Ducted Installation:** Smoke and odors are expelled outside through a duct pipe. This requires an external vent.
- **Ductless Installation:** The chimney recirculates filtered air back into the kitchen. This requires a charcoal filter (not included, contact customer support for purchase).

5. Operation

The Faber Coral Chimney offers multiple convenient ways to control its functions.

5.1 Touch Control Panel

The chimney features a sleek touch control panel. Gently tap the icons to:

- Power On/Off
- Adjust suction speed (9 levels available)
- Activate the Autoclean function
- Turn the LED lamp On/Off



Figure 5: 9-Speed Touch Switch with Motion Sensor

5.2 Gesture Control and Motion Sensor

For hands-free operation, utilize the gesture control and motion sensor:

- **Power On/Off:** Wave your hand in front of the sensor to turn the chimney on or off.
- **Speed Adjustment:** Specific hand gestures can be used to increase or decrease the suction speed. Refer to the detailed instructions in the included User Manual for precise gesture commands.



Figure 6: Gesture Controlled Operation

6. Maintenance

Regular maintenance ensures optimal performance and longevity of your Faber chimney.

6.1 Autoclean Feature

The Autoclean feature simplifies internal cleaning. Activate this function via the touch control panel. The chimney will heat and melt accumulated oil, directing it into the oil collector.

6.2 Built-In Oil Collector

The built-in oil collector gathers oil and grease during operation and the Autoclean cycle. Regularly check and empty the oil collector to prevent overflow and maintain hygiene. To clean, simply remove the collector, wash it with mild detergent, rinse, and dry thoroughly before reinserting.



Figure 7: Stainless Steel Oil Collector

6.3 Exterior Cleaning

Wipe the exterior surfaces of the chimney with a soft, damp cloth and mild detergent. Avoid abrasive cleaners or harsh chemicals that could damage the finish.

7. Troubleshooting

If you encounter any issues with your Faber Coral Chimney, please refer to the detailed troubleshooting section in the comprehensive User Manual provided in the box. For persistent problems or technical assistance, contact Faber customer support.

8. Specifications

Feature	Specification
Brand	Faber
Model Number	325.0738.742
Product Dimensions (D x W x H)	41.2D x 90W x 49.4H Centimeters
Colour	Black
Special Features	Auto Clean, Built-In Oil Collector, LED Lighting
Finish Type	Powder Coated
Air Flow Capacity	1500 Cubic Meters Per Hour
Noise Level	58 Decibels
Mounting Type	Wall Mount
Controls Type	Touch, Gesture
Voltage	230 Volts
Number Of Speeds	9
Light Source	LED
Wattage	130 Watts
Filter Type	Filterless
Ventilation Type	Ducted/Vented
Item Weight	13.45 Kilograms

9. Warranty & Support

Your Faber Coral Chimney comes with a comprehensive warranty:

- **Motor Warranty:** 12 Years
- **Comprehensive Product Warranty:** 2 Years

For installation services, warranty claims, or any product-related inquiries, please contact Faber customer support:

Customer Service Number: 1800-209-3484

Manufacturer/Importer: Franke Faber India Pvt Ltd, 1086/1/2, SANASWADI, TAL - SHIRUR, PUNE - 412208, MAHARASHTRA, INDIA.