

qtruoq-100425-1544

User Manual for K5ADH 5 QT Coated Dough Hook

Replacement Part for Whirlpool and KitchenAid Stand Mixers

1. PRODUCT OVERVIEW

This manual provides essential information for the installation, operation, and maintenance of the K5ADH 5 QT Coated Dough Hook. This high-quality replacement part is designed to fit various 5-quart stand mixers from brands such as Whirlpool and KitchenAid, ensuring reliable performance for your kneading needs. The K5ADH dough hook is specifically engineered for mixing and kneading yeast doughs, such as bread, pizza, and pasta dough, efficiently and thoroughly.

2. IMPORTANT SAFETY INFORMATION

- Always unplug the stand mixer before attaching or removing the dough hook.
- Ensure the mixer is turned off and the speed control is set to "OFF" before handling attachments.
- Keep hands, hair, and loose clothing away from moving parts during mixer operation.
- Do not operate the mixer with a damaged dough hook. Inspect the hook for any signs of wear or damage before each use.
- This dough hook is designed for specific 5-quart stand mixer models. Verify compatibility before use to prevent damage to the mixer or attachment.

3. SETUP AND INSTALLATION

Follow these steps to properly install the K5ADH dough hook onto your stand mixer:

1. **Preparation:** Ensure your stand mixer is unplugged and turned off. Lift the mixer head (if applicable) or tilt it back to access the attachment hub.
2. **Identify the Dough Hook:** The K5ADH dough hook is a C-shaped or spiral-shaped attachment, typically coated for non-stick properties.






Figure 3.1: Front view of the K5ADH 5 QT Coated Dough Hook, showing its C-shape and white coating.

3. **Attach the Hook:** Align the shaft of the dough hook with the attachment shaft on your mixer. Push the hook upwards onto the shaft, then rotate it counter-clockwise until it locks into place. You should feel a slight click or resistance indicating it's securely fastened.



Figure 3.2: Underside view of the K5ADH Dough Hook, highlighting the attachment point designed to fit the mixer's shaft.

4. **Verify Secureness:** Gently pull down on the dough hook to ensure it is firmly attached and will not detach during operation.
5. **Lower Mixer Head:** If you lifted or tilted the mixer head, return it to the operating position and secure it.

4. OPERATING INSTRUCTIONS

Once the K5ADH dough hook is securely installed, you can begin mixing. Refer to your stand mixer's original instruction manual for specific speed settings and mixing times for various dough types.

- **Adding Ingredients:** Place all dry and wet ingredients into the mixing bowl before lowering the mixer head or attaching the bowl.
- **Starting the Mixer:** Plug in the mixer. Start at a low speed (e.g., Speed 2 for KitchenAid mixers) to combine ingredients, then gradually increase to the recommended speed for kneading.
- **Kneading Process:** The dough hook is designed to pull, stretch, and fold dough, developing gluten for optimal texture. Knead for the duration specified in your recipe.
- **Stopping the Mixer:** Always turn the mixer off and unplug it before scraping down the bowl or removing the dough hook.

5. MAINTENANCE AND CARE

Proper care will extend the life of your K5ADH dough hook.

- **Cleaning:** After each use, remove the dough hook from the mixer. Wash it immediately with warm, soapy water. The coated surface is generally easy to clean.
- **Dishwasher Safety:** While some coated attachments are dishwasher safe, hand washing is recommended to preserve the coating and extend the life of the hook. Avoid abrasive cleaners or scouring pads that could damage the coating.
- **Drying:** Thoroughly dry the dough hook before storing to prevent water spots or potential corrosion on the metal shaft.
- **Storage:** Store the dough hook in a dry place, preferably with your mixer attachments, to prevent damage.

6. TROUBLESHOOTING

If you encounter issues with your K5ADH dough hook, consider the following:

- **Hook Not Attaching Securely:**
 - Ensure the mixer is unplugged.
 - Verify that the dough hook is correctly aligned with the mixer's attachment shaft and rotated fully into place.
 - Check for any debris or dough residue in the attachment hub or on the hook's shaft that might prevent a secure fit.
- **Dough Not Mixing Properly:**
 - Ensure the dough hook is the correct size (5 QT) for your mixer bowl.
 - Check that the mixer's bowl is properly seated and locked into place.
 - Adjust the mixer's speed according to your recipe and the type of dough.
- **Unusual Noise During Operation:**
 - Turn off and unplug the mixer immediately.
 - Inspect the dough hook and mixer for any obstructions or signs of damage.
 - Ensure the dough hook is securely attached and not wobbling.

7. SPECIFICATIONS

Attribute	Detail
Model Number	K5ADH (qtruoq-100425-1544)
Part Number	SAW10674621 (QTRU-AP-PL-10042025-1544)
Capacity	5 Quart (QT)
Compatibility	Whirlpool, KitchenAid Stand Mixers (specific 5 QT models)
Material	Coated Metal
Color	Black/White






8. WARRANTY AND SUPPORT

Information regarding specific warranty coverage for this replacement part is not provided in the product details. For any support or warranty inquiries, please refer to the retailer or manufacturer from whom you purchased this item.

Always retain your proof of purchase for any potential claims.

© 2025 Generic. All rights reserved. This manual is for informational purposes only.

Related Documents - qtruoq-100425-1544

	<p>Champion 100425 34 Ton Full Beam Log Splitter Operator's Manual</p> <p>This operator's manual provides essential safety instructions, assembly guides, operation procedures, maintenance schedules, and troubleshooting tips for the Champion 100425 34 Ton Full Beam Log Splitter.</p>
	<p>Faber Vaska Gas Fireplace Installation Guide Model C11 C31</p> <p>Comprehensive installation guide for the Faber Vaska gas fireplace, covering safety, requirements, technical specifications, and maintenance. Includes model details for C11 C31 and other variants.</p>
	<p>Champion 34 Ton Full Beam Log Splitter Parts Information and Diagrams</p> <p>Comprehensive parts list and diagrams for the Champion 34 Ton Full Beam Log Splitter (Model #100425). Find part numbers, descriptions, and ordering information for main components and engine parts (Models 44.104 and R338P).</p>
	<p>Uline H-1544 Trailer Jack - 50,000 LB Capacity - Safety and Operation Guide</p> <p>Comprehensive guide for the Uline H-1544 Trailer Jack, detailing safety warnings, operating procedures, load capacities, and maintenance precautions for 50,000 lb capacity trailers.</p>
	<p>Genie Telehandler Maintenance Manual: GTH Series Models</p> <p>Comprehensive maintenance manual for Genie GTH series telehandlers, covering models GTH-636, GTH-844, GTH-1056, GTH-1256, GTH-1544, and GTH-5519. Includes detailed inspection procedures, schedules, specifications, and safety guidelines for optimal machine performance and longevity.</p>

Data Sync Engineering's Universal Wallbox Hub (U4WHUB) is an advanced multi-port translator for connecting multiple jukebox and wallbox player systems. Learn about its features, supported models, and setup.