



Manuals.plus /

› WARWOLFTEAM /

› WARWOLFTEAM Replacement Screen Panel User Manual for HP 27-CR Series (N43702-001)

## WARWOLFTEAM N43702-001

# WARWOLFTEAM Replacement Screen Panel User Manual

For HP 27-CR Series All-in-One PCs (Model N43702-001)

## 1. INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your WARWOLFTEAM replacement LCD LED IPS Non-Touch screen panel. This panel is specifically designed for compatibility with HP 27-CR, 27-CR0031NL, and 27-CR0031NS All-in-One PC models. Please read all instructions carefully before proceeding with installation.

## 2. IMPORTANT COMPATIBILITY INFORMATION

**Before purchasing or installing, it is critical to verify the specifications of your original screen. Incorrect specifications will result in incompatibility.**

- **Part Numbers & Model Numbers:** Confirm your system requires part number N43702-001 or is part of the HP 27-CR, 27-CR0031NL, 27-CR0031NS series.
- **Resolution:** Ensure your system requires a 1920 x 1080 (FHD) resolution panel.
- **Screen Size:** Verify your screen is 27 inches.
- **Connector Type:** Confirm your system uses a 30-pin connector.
- **Touch / Non-Touch:** This replacement panel is **Non-Touch**. It will not function as a touch screen.

If you are uncertain about compatibility, please contact WARWOLFTEAM customer support with your specific PC model and pictures of your original screen for assistance.

## 3. SAFETY PRECAUTIONS AND PROFESSIONAL INSTALLATION ADVISORY

**Installation of a replacement screen panel requires technical expertise. This manual provides general**

**guidance, but professional installation is highly recommended. Improper installation can damage your device or the new screen.**

- **Power Disconnection:** Always power off your PC completely and disconnect it from the power source before beginning any installation.
- **Static Electricity:** Take precautions against static electricity, which can damage electronic components. Use an anti-static wrist strap if available.
- **Handle with Care:** LCD panels are fragile. Handle the screen by its edges and avoid applying pressure to the display surface.
- **Test Before Final Assembly:** Before fully securing the new screen, connect it and test its display functionality.
- **Seek Professional Help:** If you lack experience with computer hardware repair, consult a qualified repair technician.

## 4. INSTALLATION GUIDE

---

This section outlines the general steps for replacing your screen panel. Specific disassembly procedures for your HP All-in-One PC model may vary. Refer to your PC's service manual for detailed disassembly instructions.

### 4.1. Preparation

1. **Gather Tools:** You will typically need small Phillips head screwdrivers, a plastic prying tool, and potentially tweezers.
2. **Prepare Workspace:** Work on a clean, well-lit, and static-free surface.
3. **Power Down:** Shut down your HP All-in-One PC completely and unplug all power cables and peripherals.

### 4.2. Removing the Old Screen

4. **Disassemble PC:** Carefully follow your PC's service manual to open the casing and access the screen assembly. This often involves removing the back cover and bezel.
5. **Disconnect Cables:** Locate and gently disconnect the video cable (typically a 30-pin connector) and any other cables (e.g., backlight, webcam) attached to the old screen.
6. **Remove Mounting Screws:** Unscrew any screws securing the old screen panel to the frame.
7. **Carefully Remove Old Panel:** Lift the old screen panel out of the frame.

### 4.3. Installing the New Screen



Figure 1: Overview of the WARWOLFTEAM 27-inch Non-Touch LCD Screen Panel, highlighting key specifications and included tools.

8. **Position New Panel:** Carefully place the new WARWOLFTEAM screen panel into the frame.
9. **Connect Video Cable:** Locate the 30-pin video connector on the back of the new screen. Gently align and insert the video cable, ensuring it is fully seated and secured (if applicable, use the locking mechanism).



Figure 2: Detail of the 30-pin video connector on the replacement screen panel.

10. **Connect Other Cables:** Reconnect any other cables (e.g., backlight, webcam) that were disconnected from the old screen.
11. **Temporary Power On & Test:** Before reassembling the entire PC, temporarily connect the power cable and power on the system to test the display functionality. Verify that the screen powers on, displays an image correctly, and has no visual defects.
12. **Power Off & Disconnect:** If the test is successful, power off the PC and disconnect the power cable again.
13. **Secure New Panel:** Reinstall any mounting screws to secure the new screen panel in place.




Figure 3: Rear view of the screen panel, indicating various screw mounting points for secure installation.

14. **Reassemble PC:** Carefully reassemble your HP All-in-One PC, ensuring all components are correctly seated and screws are tightened appropriately.

## 5. OPERATING INSTRUCTIONS

---

Once the replacement screen panel is successfully installed, its operation is integrated with your HP All-in-One PC's existing system. No special operating procedures are required for the screen itself.

- **Power On:** Connect your PC to power and turn it on as usual.
- **Display Verification:** Confirm that the display shows the operating system interface clearly and without artifacts.
- **Resolution Check:** Ensure the display is operating at its native 1920 x 1080 (FHD) resolution. This can typically be verified in your operating system's display settings.

## 6. MAINTENANCE

---

Proper care will extend the lifespan and maintain the clarity of your screen panel.

- **Cleaning the Screen:** Use a soft, lint-free microfiber cloth specifically designed for electronics. Lightly dampen the cloth with water or a screen-safe cleaning solution. Do not spray liquid directly onto the screen.
- **Avoid Harsh Chemicals:** Do not use ammonia-based cleaners, alcohol, or abrasive materials, as these can damage the screen surface.
- **Protect from Impact:** Avoid placing heavy objects on the screen or exposing it to direct impact.
- **Environmental Conditions:** Operate the PC in a clean, dust-free environment with stable temperature and humidity.

## 7. TROUBLESHOOTING

---

If you encounter issues after installation, consider the following troubleshooting steps:

- **No Display / Black Screen:**

- Ensure all cables, especially the 30-pin video connector, are securely seated.
- Verify the PC is receiving power and is turned on.
- If possible, test with an external monitor to confirm the PC's graphics output is functional.

- **Flickering / Distorted Image:**

- Check the video cable connection for looseness or damage.
- Ensure your graphics drivers are up to date.
- Verify the display resolution and refresh rate settings in your operating system.

- **Incorrect Resolution:**

- Access your operating system's display settings and set the resolution to 1920 x 1080.
- Update your graphics drivers.

- **Physical Damage (e.g., cracks, lines):**

- If physical damage is observed upon receipt, do not proceed with installation and contact customer support immediately.

If these steps do not resolve the issue, please contact WARWOLFTEAM customer support for further assistance.

## 8. SPECIFICATIONS

Feature	Specification
Brand	WARWOLFTEAM
Model Number	N43702-001
Compatibility	HP 27-CR, 27-CR0031NL, 27-CR0031NS All-in-One PCs
Screen Size	27 inches
Resolution	1920 x 1080 (FHD)
Refresh Rate	75Hz
Pin Connector	30 Pins
Touch Functionality	Non-Touch
Display Type	LCD LED IPS
Item Weight	8 pounds
Package Dimensions	28.74 x 17.72 x 3.15 inches
ASIN	B0F4KCCCBK
Date First Available	April 10, 2025

## 9. WARRANTY INFORMATION

WARWOLFTEAM ensures that every replacement screen panel is rigorously tested and packaged prior to shipment to guarantee reliable quality and safe delivery. Specific warranty terms and duration may vary. Please refer to your purchase documentation or contact WARWOLFTEAM customer support for detailed warranty information.

## **10. CUSTOMER SUPPORT**

---

If you have any questions regarding the product, installation, or require assistance with troubleshooting, please do not hesitate to contact WARWOLFTEAM customer support. Provide your product ASIN (B0F4KCCCBK) and a detailed description of your inquiry for prompt service.

You can typically find contact information on the seller's page where you purchased the item or through the WARWOLFTEAM brand store on Amazon: Visit the [WARWOLFTEAM Store](#)