Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Findepot SD23-BK4272-6

Findepot 38-42" W × 72" H Pivot Glass Shower Door Instruction Manual

Model: SD23-BK4272-6

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Findepot Pivot Glass Shower Door. Please read all instructions carefully before beginning installation to ensure safe and proper use. Retain this manual for future reference.



Image 1.1: An installed Findepot Pivot Glass Shower Door, showcasing its modern design and matte black hardware.

2. Safety Information

Adhere to the following safety guidelines during installation and use:

- Always wear safety glasses and protective gloves when handling glass panels and tools.
- Handle glass panels with extreme care. Tempered glass, while strong, can shatter if struck at the edges or corners.
- Ensure the installation surface (walls, floor) is structurally sound, plumb, and level to support the weight of the shower door.
- Two people are strongly recommended for installation due to the weight and size of the glass panels.
- Do not overtighten screws, as this can damage components, strip threads, or crack glass.
- Keep children and pets away from the installation area.



Image 2.1: Focus on Safety - Premium 1/4" (6mm) Tempered Glass, highlighting its heat resistance, ease of cleaning, and shatter resistance.

3. Package Contents

Verify that all components listed below are present and undamaged before beginning installation:

- Tempered Glass Panels (1/4" thick)
- Aluminum Alloy Wall Profiles
- Hinges and Pivots
- Door Handle
- Magnetic Sealing Strip
- Bottom Sweep Seal
- Auxiliary Installation Foam
- Mounting Hardware (screws, wall anchors)
- Installation Manual

4. Setup and Installation

Careful installation is crucial for the proper function and longevity of your shower door. Follow these steps precisely.

4.1 Pre-Installation Checklist

- Confirm all package contents are present and undamaged.
- Ensure your shower opening dimensions are within the specified range of 38-42 inches wide and 72 inches high.
- Gather all necessary tools: Drill, level, measuring tape, pencil, screwdriver set, caulk gun, silicone sealant, utility knife, safety glasses.

4.2 Installation Steps

1. **Prepare the Opening:** Use a level to ensure the shower walls are plumb and the shower base is level. Mark the desired height and width for the shower door installation.
2. **Install Wall Profiles:** Position the aluminum wall profiles against the shower wall. Mark the drilling locations. Drill pilot holes using an appropriate drill bit for your wall material (e.g., tile, drywall). Insert wall anchors. Secure the wall profiles using the provided screws.

3. **Install Fixed Glass Panel:** Carefully place the fixed glass panel into the secured wall profile. Ensure it is level and plumb. Secure it using the provided hardware and gaskets.
4. **Install Pivot Door:** Attach the hinges to the pivot door panel. Then, attach the pivot door assembly to the fixed panel or the adjacent wall profile, depending on your chosen configuration. The door features a 180° rotation, allowing it to open 90° inward or outward for flexible movement. Its reversible design accommodates both left-hand and right-hand opening layouts.



Image 4.1: Reversible Installation - The door can be configured for left-hand or right-hand opening.

5. **Use Auxiliary Installation Foam:** The included auxiliary installation foam can be used to help align the glass panels precisely during installation, simplifying the process.



Image 4.2: Hassle-Free Installation - Auxiliary foam assists in correct glass alignment.

6. **Install Handle and Magnetic Strip:** Attach the handle to the pivot door. Install the magnetic strip along the closing edge of the door and the fixed panel to ensure a secure, leak-proof seal.




Image 4.3: High quality parts for durability, including hinges and handle.

7. **Seal and Finish:** Apply a continuous bead of high-quality silicone sealant along all exterior seams where the shower door meets the wall and shower base. Allow the sealant to cure completely (typically 24-48 hours) before using the shower.

5. Operating Instructions

Your Findepot Pivot Glass Shower Door is designed for smooth and reliable operation.

- **Opening and Closing:** Gently push or pull the door handle to open or close the door. The pivot mechanism allows the door to swing 90° inward or outward, providing flexible access to your shower space.
- **Secure Closure:** Ensure the magnetic strip engages fully when closing the door. This creates a tight seal, preventing water from escaping the shower enclosure.



Image 5.1: 180° Opening Angle - The door can open 90° inwards or outwards.



Image 5.2: No more leaks, no more wet floor. Magnetic strip for secure close.

6. Maintenance and Cleaning

Proper care will keep your shower door looking new and functioning correctly.

6.1 Glass Cleaning

The shower door features a double-sided nano-coating, which effectively resists water spots, soap scum, and stains, significantly reducing cleaning time.

- **Routine Cleaning:** For daily maintenance, wipe down the glass panels with a soft cloth or a squeegee after each use to remove excess water.
- **Deep Cleaning:** Use a mild, non-abrasive glass cleaner and a soft cloth or sponge. Avoid harsh chemicals, abrasive pads, or scouring powders, as these can damage the nano-coating or the glass surface.



Image 6.1: Double-Sided Nano-Coating - Resists water, soap scum, and grime, reducing cleaning time by up to 90%.

6.2 Hardware Maintenance

- Periodically check all screws and fasteners for tightness. Tighten if necessary, but do not overtighten.
- Clean metal hardware (hinges, handle, profiles) with a soft, damp cloth. Do not use abrasive cleaners, steel wool, or harsh chemicals, as these can damage the finish.
- Inspect the magnetic strip and bottom sweep seal for wear and tear. Replace if damaged to maintain a watertight seal.

7. Troubleshooting

Refer to this section for common issues and their solutions.

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Door does not close properly or leaves a gap.	Misaligned magnetic strip or hinges. Door not plumb.	Check if the magnetic strip is aligned correctly. Ensure hinges are properly tightened and the door is plumb. Adjust as needed.
Water leaks from the bottom of the door.	Bottom sweep seal is damaged or improperly installed. Insufficient silicone sealant.	Verify the bottom sweep is installed correctly and makes full contact with the shower base. Reapply silicone sealant along exterior seams if necessary, ensuring it cures fully.
Door squeaks when opening or closing.	Hinges require lubrication.	Apply a small amount of silicone-based lubricant to the hinges.
Glass appears cloudy or stained.	Hard water deposits or soap scum buildup.	Clean with a mild glass cleaner. For stubborn stains, use a vinegar-water solution (1:1 ratio) and a soft cloth. Avoid abrasive cleaners.

8. Specifications

Detailed specifications for your Findepot Pivot Glass Shower Door:

- **Brand:** Findepot
- **Model Number:** SD23-BK4272-6
- **Dimensions:** 38-42 inches (W) × 72 inches (H)
- **Adjustable Width Range:** 41.4" ~ 42"
- **Model Height:** 72"
- **Access Width:** 25.6"
- **Glass Thickness:** 1/4 inch (6mm) SGCC Tempered Glass
- **Material:** Aluminum, Glass, Stainless Steel
- **Color:** Matte Black
- **Item Weight:** 64 pounds
- **Included Components:** Tempered Glass Panels, Hardware
- **Style:** Modern



Image 8.1: Shower Door Dimensions - Key measurements for installation.

9. Warranty and Support

Findepot is committed to providing quality products and excellent customer service.

- **Return Policy:** A 30-day no-questions-asked return policy is available for your convenience.
- **After-Sales Support:** We offer lifetime dedicated after-sales support for your Findepot shower door.
- **Contact Us:** For any questions, technical assistance, or support, please contact us via email atAfter-sale-service-QA@outlook.com. We aim to reply to all inquiries within 24 hours.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F4KCMFDN

More documents and user manuals: **https://manuals.plus/**