



Manuals.plus /

- › WinZo /
- › WinZo Rear Outlet Smart Toilet User Manual

WinZo SM8005P-2

WinZo Rear Outlet Smart Toilet User Manual

Model: SM8005P-2 | Brand: WinZo

1. INTRODUCTION

Thank you for choosing the WinZo Rear Outlet Smart Toilet. This advanced toilet system is designed to provide superior comfort, hygiene, and convenience with its innovative features. This manual provides detailed instructions for installation, operation, maintenance, and troubleshooting to ensure optimal performance and longevity of your smart toilet. Please read this manual thoroughly before installation and use, and keep it for future reference.



Figure 1: Main view of the WinZo Rear Outlet Smart Toilet.

2. SAFETY INFORMATION

Please observe the following safety precautions to prevent injury or damage to the product.

- Ensure the power supply is 110V. Do not use with incompatible voltage.
- The smart toilet wire is IPX4 rated waterproof, but avoid direct water spray on electrical components.
- Do not attempt to disassemble or repair the unit yourself. Contact qualified service personnel for assistance.
- Keep children and pets away from the toilet during operation, especially when the seat is opening/closing or bidet functions are active.
- Do not use abrasive cleaners or harsh chemicals, as they may damage the surface or internal components.
- Ensure proper ventilation in the bathroom.

3. PACKAGE CONTENTS

Verify that all components are present in the package before beginning installation:

- WinZo Smart Toilet with Bidet Seat

- Angle Valve
- Fixing Bolts
- Wax Ring
- Remote Control
- User Manual (this document)

4. SETUP AND INSTALLATION

The WinZo Rear Outlet Smart Toilet is designed for hassle-free installation, particularly suitable for wall-mounted plumbing setups and basement bathrooms where floor discharge is not feasible.

1. **Preparation:** Ensure the bathroom has a 110V power supply outlet near the installation area. Confirm that your plumbing setup is compatible with a rear outlet discharge.
2. **Plumbing Connection:** Connect the toilet to the existing rear outlet plumbing. The design simplifies DIY installation by eliminating the need for floor discharge. Use the provided angle valve and wax ring for a secure, leak-free connection.
3. **Securing the Toilet:** Use the fixing bolts to securely anchor the toilet to the floor, ensuring stability.
4. **Power Connection:** Plug the smart toilet into the 110V power outlet.
5. **Water Supply:** Open the water supply valve to fill the toilet. Check for any leaks.

Rear Discharge Smart Toilet



Back side

Figure 2: Rear discharge design of the smart toilet.

Rear outlet




Figure 3: Diagram illustrating rear outlet plumbing requirements.

5. OPERATING INSTRUCTIONS

Your WinZo Smart Toilet offers a range of intelligent features for enhanced comfort and hygiene.

5.1. Automatic Functions

- **Auto Open:** The toilet lid automatically opens when you approach.
- **Foot Sensor Open:** A foot sensor allows for touch-free opening of the seat ring.
- **Auto Flush:** The toilet automatically flushes after you leave, ensuring hands-free operation.



Figure 4: Illustration of auto-open, foot sensor, and auto-flush functions.

5.2. Bidet Functions

The integrated bidet offers multiple wash modes with adjustable warm water and air drying.

- **Rear Wash:** For general posterior cleansing.
- **Feminine Wash:** A softer, dedicated wash for feminine hygiene.
- **Adjustable Water Temperature:** Customize water temperature for comfort (Room Temperature, 93°F, 97°F, 104°F).
- **Warm Air Drying:** After washing, use the warm air dryer with 4 adjustable temperature levels (Room Temperature, 95°F, 113°F, 131°F) to reduce toilet paper usage and enhance hygiene.
- **Self-Cleaning Nozzles:** The bidet nozzles perform a self-cleaning cycle before and after each use.

Multiple Wash Modes

Meets the needs of all your family members

Adjustable Temp : 




Figure 5: Overview of multiple bidet wash modes.



Figure 6: Detailed view of water temperature adjustment and various wash modes.



Figure 7: Illustration of the warm air drying function and its benefits.

5.3. Heated Seat and Night Light

- **Heated Seat:** Enjoy a comfortable experience with the heated seat, offering 4 levels of temperature adjustment (Room Temperature, 93°F, 97°F, 104°F).
- **LED Night Light:** A built-in LED night light provides soft illumination, making nighttime bathroom visits safer and more convenient without turning on bright lights.



Figure 8: Details on the heated seat feature and temperature levels.



Figure 9: The smart toilet's integrated LED night light.

5.4. Controls

- **One-Touch Side Knob:** Easily control various functions such as female wash (anticlockwise), hip wash (clockwise), start (click), and stop (click).
- **Remote Control:** For maximum comfort and ease of use, all advanced features can be controlled via the included remote.
- **LED Display:** The integrated LED display shows current settings and status.



Figure 10: Functions of the one-touch side knob.

6. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and hygienic operation of your WinZo Smart Toilet.

- **Daily Cleaning:** Wipe down the exterior surfaces with a soft, damp cloth and mild, non-abrasive cleaner.
- **Nozzle Cleaning:** The bidet nozzles have a self-cleaning function. For deeper cleaning, gently wipe the nozzles with a soft cloth.
- **Seat Cleaning:** The seat is made of Polypropylene (PP). Clean with a mild soap solution and a soft cloth. Avoid harsh chemicals that can damage the material.
- **Power Outage:** The built-in battery ensures uninterrupted flushing even during power outages. No specific maintenance is required for this feature, but ensure the battery is not removed unless for service.

7. TROUBLESHOOTING

If you encounter any issues with your WinZo Smart Toilet, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Toilet does not flush automatically.	Sensor obstruction, power issue, or auto-flush setting disabled.	Ensure the sensor is clean and unobstructed. Check power connection. Verify auto-flush setting via remote.
Bidet water is not warm.	Water heater off, temperature setting too low, or water supply issue.	Check water temperature setting. Ensure water supply is connected and open. Allow time for water to heat.
Heated seat is not working.	Heater off or temperature setting too low.	Adjust seat temperature setting. Ensure the toilet is powered on.
Nozzle not extending or retracting.	Obstruction or internal malfunction.	Check for any visible obstructions. Perform a self-cleaning cycle. If issue persists, contact customer support.
LED night light not illuminating.	Night light feature disabled or power issue.	Check settings via remote control. Ensure toilet has power.

If the problem persists after trying these solutions, please contact WinZo customer support for further assistance.

8. SPECIFICATIONS

Feature	Detail
Model Number	SM8005P-2
Color	White
Product Dimensions (D x W x H)	26.8"D x 16"W x 20"H
Material	Porcelain (Toilet), Polypropylene (PP) (Seat)
Item Weight	88 Pounds
Installation Type	Floor Mounted (Rear Outlet Discharge)
Power Supply	110V
Waterproof Rating	IPX4 (wire)
Included Components	Angle valve, Fixing bolts and Wax ring, Remote, Smart toilet with bidet seat

WinZo

Rear Outlet Smart Toilet Product Size



Figure 11: Detailed product dimensions.

9. WARRANTY AND SUPPORT

WinZo is committed to providing high-quality products and excellent customer service.

- **Returns:** This product is eligible for 30-day easy returns. Please refer to your purchase platform's return policy for details.
- **Customer Support:** For any questions, technical assistance, or warranty inquiries, please contact WinZo customer support. Contact information can typically be found on the WinZo official website or through your purchase platform.
- **Protection Plans:** Extended protection plans may be available for purchase. Please check with your retailer for options.

For more information about WinZo products, visit the official WinZo Store: [WinZo Store on Amazon](#).