

[Manuals.plus](#) /

› [JFMkaer](#) /

› JFMkaer Car Handle Assist & Seat Belt Grabber User Manual

## JFMkaer HANDLESETSD06

# JFMkaer Car Handle Assist & Seat Belt Grabber User Manual

Model: HANDLESETSD06

## 1. INTRODUCTION AND OVERVIEW

---

The JFMkaer Car Handle Assist & Seat Belt Grabber is a versatile tool designed to provide support and convenience for individuals who may experience difficulty getting in and out of vehicles or fastening their seatbelts. This multifunction device offers a sturdy grip point for vehicle entry and exit, reduces uncomfortable twisting movements when securing the seatbelt, and includes essential emergency functions such as a seat belt cutter and window breaker. Its compact size makes it a practical accessory for any car owner, especially the elderly, pregnant women, or those with injuries affecting mobility.

## 2. PRODUCT FEATURES

---

- **Car Handle Assist:** Provides a convenient and quick way to get in and out of the car with minimal effort.
- **Seat Belt Grabber:** Reduces uncomfortable twisting and turning movements when fastening the seat belt.
- **Durable Construction:** Made with high-quality materials designed to withstand daily use and last for many years.
- **Emergency Functions:** Includes a built-in seat belt cutter and window breaker for emergency situations.
- **Portable Design:** Small size, easy to store, and suitable for various vehicle types.
- **Enhanced Safety:** Offers support for the elderly, pregnant women, and injured individuals.



Figure 2.1: The JFMkaer Car Handle Assist and Seat Belt Grabber kit, showcasing both components.



Figure 2.2: A woman demonstrating the ease of getting in and out of a car using the Car Handle Assist. Insets show the non-slip handle and how it fits perfectly and stably into the car's door latch.

# With Seat Belt Extender

You can easily fasten your seatbelt



Figure 2.3: A woman demonstrating how the Seat Belt Extender simplifies fastening the seatbelt. The image shows a three-step process: installing the auxiliary device, positioning the seat belt, and buckling it, highlighting the convenience.



Non-Slip & Soft Grip



Seat Belt Cutter



Tyre Leakage Test



Car Window Breaker



Figure 2.4: Detailed view of the Car Handle Assist, highlighting its multi-functional aspects: (A) Non-Slip & Soft Grip, (B) Seat Belt Cutter, (C) Tyre Leakage Test, and (D) Car Window Breaker.



**Comfort Strap**

**Seat Belt Protector**

Figure 2.5: Close-up of the Seat Belt Extender, illustrating its key components: the Comfort Strap and the Seat Belt Protector, designed for comfortable and secure use.

# Shell Protection Won't scratch the car



Figure 2.6: A comparison image showing the JFMkaer Car Handle Assist with its "Shell Protection" feature, preventing scratches, versus an "Old model" that is "Easily scratched."

## 3. SETUP

### 3.1 Car Handle Assist Setup

1. Locate the U-shaped door latch striker on your vehicle's door frame. This is the sturdy metal loop that the door latches onto when closed.
2. Ensure the area around the door latch striker is clear of obstructions.
3. Insert the U-shaped end of the Car Handle Assist into the door latch striker. The handle should fit snugly and securely.
4. Verify that the handle is firmly in place before applying weight.

### 3.2 Seat Belt Grabber Setup

1. Open the velcro strap on the Seat Belt Grabber.
2. Wrap the grabber around your vehicle's seat belt, ensuring the handle is positioned comfortably for easy reach.

3. Securely close the velcro strap around the seat belt.
4. Adjust the position of the grabber along the seat belt to your preferred height for optimal reach.

## 4. OPERATING INSTRUCTIONS

---

### 4.1 Using the Car Handle Assist for Entry/Exit

1. With the Car Handle Assist securely inserted into the door latch striker, use it as a stable support point.
2. When entering, gently push down on the handle to help lower yourself into the seat.
3. When exiting, press down on the handle to assist in lifting yourself out of the vehicle.
4. Once you are in or out of the vehicle, remove the handle from the door latch striker.

### 4.2 Using the Seat Belt Grabber

1. With the Seat Belt Grabber attached to your seat belt, grasp the handle.
2. Pull the seat belt across your body with ease, reducing the need to twist or strain.
3. Buckle the seat belt as usual.
4. Adjust the grabber's position on the seat belt if it interferes with driving or comfort.

### 4.3 Emergency Functions (Car Handle Assist)

- **Seat Belt Cutter:** In an emergency, locate the integrated seat belt cutter on the handle. Carefully slide the seat belt into the cutter's slot and pull to sever the belt.
- **Window Breaker:** In an emergency, use the pointed metal tip of the handle to break a side window. Aim for a corner of the window and strike firmly.
- **Tyre Leakage Test:** This feature allows for a quick check of tire pressure. Consult the product's specific instructions for detailed usage of this function.

## 5. MAINTENANCE

---

- Clean the Car Handle Assist and Seat Belt Grabber with a damp cloth and mild soap as needed.
- Avoid using harsh chemicals or abrasive cleaners, as these may damage the product's finish or materials.
- Store the product in a dry place when not in use.
- Regularly inspect the product for any signs of wear or damage. Discontinue use if any damage is observed.

## 6. TROUBLESHOOTING

---

- **Handle does not fit securely in door latch:** Ensure the door latch striker is clean and free of debris. Some vehicle models may have unique door latch designs that are not compatible with the universal fit of this handle. Refer to your vehicle's manual or consult with a professional if unsure.
- **Product feels unstable:** Ensure the Car Handle Assist is fully inserted and seated correctly in the door latch striker. Do not use if it feels loose or unstable.
- **Seat belt grabber slides on belt:** Ensure the velcro strap is tightly secured around the seat belt. Adjust the position to a section of the belt where it can grip more effectively.
- **Emergency features not working:** The seat belt cutter and window breaker are designed for single emergency use. If they appear dull or damaged, the product should be replaced.

## 7. SPECIFICATIONS

---

|                                     |                           |
|-------------------------------------|---------------------------|
| Brand                               | JFMkaer                   |
| Model Number                        | HANDLESETSD06             |
| Manufacturer                        | JFMkaer                   |
| Package Dimensions                  | 8.07 x 4.64 x 1.65 inches |
| Item Weight                         | 13.28 ounces              |
| Max Weight Capacity (Handle Assist) | 450 Pounds                |
| ASIN                                | B0F4QCQNWP                |
| Date First Available                | June 13, 2024             |

## 8. WARRANTY AND SUPPORT

The JFMkaer Car Handle Assist & Seat Belt Grabber comes with a **120-day warranty** from the date of purchase, ensuring confidence in your purchase. This warranty covers manufacturing defects and issues arising from normal use. For support, questions, or warranty claims, please contact JFMkaer customer service through the retailer's platform or visit the official JFMkaer store page on Amazon: [JFMkaer Store](#). Standard return policy allows for refund/replacement within 30 days of purchase, subject to retailer's terms and conditions.

### Legal Disclaimer

Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.

© 2024 JFMkaer. All rights reserved.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

---

Open the live page

<https://manuals.plus/asin/B0F4QCQNWP>

More documents and user manuals: <https://manuals.plus/>