Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Fanbulous F-TY60XX-1D0X

Fanbulous 60 Inch Ceiling Fan with Light and Remote User Manual

Model: F-TY60XX-1D0X

1. Important Safety Information

Please read and understand this entire manual before attempting to assemble, operate, or install the product. Failure to follow these instructions could result in electric shock, fire, or serious personal injury.

- All electrical connections must be in accordance with local codes, ordinances, or national electrical codes. If you are unfamiliar with electrical wiring, consult a qualified electrician.
- Before starting installation, disconnect power by turning off the circuit breakers at the main fuse box.
- Ensure the installation site can support the fan's weight (approximately 16.66 pounds).
- Do not operate the fan with damaged wiring or if any parts are missing.
- Keep hands, clothing, and other objects clear of the fan blades when the fan is in operation.

2. Package Contents

Verify that all components are present before beginning installation. If any parts are missing or damaged, contact customer support.

- Ceiling Fan Motor Assembly
- Fan Blades (5 pieces, reversible black/walnut finish)
- LED Light Kit
- Remote Control with Wall Cradle
- Downrods (various lengths for adjustable height)
- Mounting Bracket and Hardware Kit
- Instruction Manual

3. Setup & Installation

Professional installation is recommended for electrical wiring. Ensure power is disconnected at the circuit breaker before proceeding.

3.1 Pre-Installation

- Turn off power at the main electrical panel.
- Gather necessary tools: screwdriver, wire strippers, electrical tape, ladder.
- Determine the appropriate downrod length for your ceiling height.

3.2 Mounting the Fan

Secure the mounting bracket to a ceiling joist or an outlet box rated for fan support. The fan is suitable for both flat and sloped ceilings (up to 15 degrees).




Image Description: This diagram illustrates the dimensions of the 60-inch Fanbulous ceiling fan, including its 60-inch blade span and various downrod lengths (A: 14 inches, B: 18 inches). It also shows how the fan can be installed on both flat ceilings and sloped ceilings up to 15 degrees. Recommended room sizes are 12x12 ft to 18x18 ft for optimal air circulation.

3.3 Wiring Connections

Connect the fan's electrical wires to the household wiring according to the provided wiring diagram in the full manual.

Ensure all connections are secure using wire nuts and electrical tape.

3.4 Attaching Blades and Light Kit

Attach the fan blades to the motor housing. The blades are reversible, offering a black or walnut finish to match your decor.




Image Description: This image displays the Fanbulous ceiling fan installed with its black blades. A separate fan blade is shown, highlighting its reversible design with one side in a modern black finish and the other in a wood grain color, suitable for various decoration styles.



Image Description: This image displays the Fanbulous ceiling fan installed with its wood grain blades, offering a farmhouse-style aesthetic. A separate fan blade is shown, highlighting its reversible design with one side in a modern black finish and the other in a wood

grain color, suitable for various decoration styles.

Install the LED light kit according to the instructions, ensuring all connections are secure.

4. Operating Instructions

The Fanbulous ceiling fan is operated using the included remote control.



Image Description: This image shows a user operating the Fanbulous ceiling fan with its remote control. Key features of the remote are highlighted: 6 adjustable wind speeds, 3 color temperature settings for the light, a reversible DC motor function, and a timer setting for 1, 4, or 8 hours.

4.1 Remote Control Functions

- **Power On/Off:** Press the power button to turn the fan and light on or off.
- **Fan Speed:** Select from 6 fan speeds to adjust airflow.
- **Light Control:** Turn the light on/off independently from the fan.
- **Color Temperature:** Cycle through 3 color temperature settings (3000K Warm White, 4500K Natural White, 6000K Cool White).
- **Timer:** Set the fan to turn off automatically after 1, 4, or 8 hours.
- **Reversible Function:** Activate the reversible motor for seasonal use.

4.2 Light Color Temperature Adjustment

The integrated LED light offers three distinct color temperatures. Press the light button on the remote to cycle through 3000K (Warm White), 4500K (Natural White), and 6000K (Cool White). The fan is equipped with a 1500 Lumen, 18W LED light for bright illumination.




Image Description: This image visually represents the three adjustable color temperature settings of the Fanbulous ceiling fan's LED light: 3000K (warm white), 4500K (natural white), and 6000K (cool white). It also highlights the light's output of 1500 lumens and 18 watts, indicating bright and long-lasting illumination.

4.3 Reversible Motor Function

The fan features a reversible DC motor for year-round comfort. Use the remote control to switch between modes:

- **Summer Forward Mode:** Blades rotate counter-clockwise to deliver a cooling downward airflow.
- **Winter Reverse Mode:** Blades rotate clockwise to circulate warm air trapped near the ceiling, distributing it throughout the room.




Image Description: This diagram illustrates the dual functionality of the Fanbulous ceiling fan's 6-speed reversible motor. It shows

'Summer Forward' mode with counter-clockwise blade rotation delivering cool air downwards, and 'Winter Reverse' mode with clockwise rotation circulating warm air upwards to distribute it throughout the room. The image also indicates the six available fan speeds.

4.4 Quiet and Powerful Operation

The fan is designed with a high-quality brushless solid copper DC motor, ensuring smooth, quiet, and powerful operation. Noise levels are comparable to a library setting at typical operating speeds.



Image Description: This image depicts a serene indoor setting with a person meditating, emphasizing the quiet operation of the Fanbulous ceiling fan. A graphic below compares the fan's noise level (35dB) to common sounds like a flower (10dB), a library (25dB), a whisper (45dB), and a crowded street (55dB), illustrating its low noise output.

5. Maintenance

Regular maintenance helps ensure the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Periodically clean the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Blade Care:** Check blade screws for tightness annually. Loose blades can cause wobbling and noise.
- **Light Kit:** The LED light source is designed for long life and typically does not require replacement. If issues arise, contact customer support.
- **Dusting:** Dust the fan regularly to prevent buildup, which can affect performance and appearance.

6. Troubleshooting

If you experience issues with your Fanbulous ceiling fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low.	Check circuit breaker; Ensure all wiring is secure; Replace remote control batteries.
Light does not work	No power to the light; Loose wire connections; LED light kit malfunction.	Check power supply; Verify light kit wiring; Contact customer support if LED is faulty.
Fan wobbles	Loose blade screws; Unbalanced blades; Loose mounting bracket.	Tighten all blade screws; Ensure blades are balanced (use balancing kit if necessary); Verify mounting bracket is securely fastened.
Excessive noise	Loose screws; Motor housing rubbing; Incorrect installation.	Check all screws for tightness; Ensure no parts are touching; Re-check installation steps.
Light color changes unexpectedly	Power cycling behavior.	The light may cycle through color temperatures with each power on/off cycle. Use the remote to select the desired color.

7. Specifications

Feature	Detail
Brand	Fanbulous
Model Name	F-TY60XX-1D0X

Feature	Detail
Size	60 Inch
Color	Black
Power Source	DC Motor
Voltage	120 Volts (AC)
Wattage	18 watts (for LED light)
Product Dimensions	13"D x 26"W x 8"H (approximate, without blades)
Item Weight	16.66 pounds
Indoor/Outdoor Usage	Indoor
Special Features	Adjustable Color Temperature, Energy Efficient, LED Light, Timer, Reversible Motor
Control Method	Remote
Batteries Required	2 AAA (included for remote)

8. Warranty & Support

Fanbulous is committed to providing high-quality products and customer satisfaction. This product comes with a manufacturer's warranty against defects in materials and workmanship. Specific warranty details may vary; please refer to the documentation included with your purchase or contact customer support for more information.

For technical assistance, troubleshooting, or warranty claims, please contact Fanbulous customer support through the retailer where the product was purchased or visit the official Fanbulous website.

© 2025 Fanbulous. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F4QFHVHT

More documents and user manuals: **https://manuals.plus/**