

U`King ZQ01525X20US

U`King ZQ01525X20US Battery Powered RGB LED Par Stage Lights User Manual

Model: ZQ01525X20US

INTRODUCTION

Thank you for choosing the U`King ZQ01525X20US Battery Powered RGB LED Par Stage Lights. This manual provides essential information for the safe and efficient operation of your new stage lights. Please read it thoroughly before use and retain it for future reference.

RECHARGEABLE RGB 18 LED PAR

The multi-color gradient mode slowly changes from one color to another, it creates a romantic, soothing atmosphere and is the perfect partner for dates, weddings, churches, and get-togethers!



U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LIGHT / U`KING LI

Image: U`King Rechargeable RGB 18 LED Par Light overview.

SAFETY INSTRUCTIONS

- Always ensure the product is fully charged before initial use to optimize battery life.
- Do not expose the lights to rain or moisture to prevent electric shock or fire.
- Avoid direct eye exposure to the light source, as it can cause eye strain.
- Ensure proper ventilation when operating the lights for extended periods.

- Do not attempt to disassemble or modify the unit. Refer all servicing to qualified personnel.
- Keep the product away from children.

PACKAGE CONTENTS

Verify that all items are present in your package:

- Par Lights (Quantity as per pack size)
- Remote Control
- Mounting Screws (2)
- Mounting Brackets (2)
- User Manual




Image: Illustration of included components: Par Light, remote, screws, brackets, and manual.

SETUP

Initial Charging

Before first use, fully charge the par lights. The built-in 5500 mAh battery provides extended operation. A full charge typically takes several hours. The charging indicator will show progress.

- RGB full brightness: Up to 4 hours
- Red (R) only: Up to 22 hours
- Green (G) only: Up to 9 hours
- Blue (B) only: Up to 10 hours



Image: Illustration of the par light being charged, showing battery indicator.

Mounting

The par lights come with mounting brackets for versatile placement. Simply attach the brackets using the provided screws and adjust the angle as needed. They can be placed on the ground, mounted on a truss, or a stage light stand.

OPERATING MODES

The U`King stage lights offer multiple control modes to suit various event requirements:

- **DMX512 Mode:** For professional control via a DMX controller.
- **Master-Slave Mode:** Link multiple lights for synchronized operation.
- **Sound-Activated Mode:** Lights react to music or sound.
- **Auto Mode:** Pre-programmed light sequences.
- **Remote Control:** Convenient wireless control for various functions.



Image: Overview of control modes including remote, sound-activated, DMX, master-slave, and 360° stand.




Image: Remote control in use at a live event.




Image: DMX controller connected to U'King stage lights.




Image: Stage lights in sound-activated mode during a party.

REMOTE CONTROL OPERATION

The included remote control allows for easy adjustment of light settings. Point the remote directly at the light's sensor for optimal response.

- **ON/OFF:** Power the unit on or off.
- **FLASH:** Activates strobe effect.
- **COLOR:** Cycles through fixed colors.
- **FADE:** Smooth color transitions.
- **JUMP:** Abrupt color changes.
- **PULSE:** Pulsating light effect.
- **RGB Buttons:** Select Red, Green, or Blue colors directly.
- **Other Color Buttons (Y, P, Cyan, W):** Select Yellow, Purple, Cyan, or White.
- **SOUND:** Activates sound-activated mode.
- **DMX:** Switches to DMX control mode.
- **Number Options (+/-):** Adjust brightness, speed, or DMX channel values.
- **Timing Buttons (1H, 3H, 4H, 6H):** Set automatic shut-off timers.




Image: Detailed layout of the remote control with button functions.

LIGHTING EFFECTS

The 18 x 2W RGB LED lamp beads allow for a wide range of dynamic lighting effects:

- **Static Color:** Display a single, fixed color.
- **Jump:** Colors change abruptly from one to another.
- **Fade:** Colors smoothly transition between each other.
- **Strobe:** Rapid flashing effect.
- **Pulse:** Light intensity increases and decreases rhythmically.
- **Gradient:** Multi-color gradient mode for a soothing atmosphere.




Image: Examples of various color effects and light patterns.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the lights. Do not use harsh chemicals or abrasive materials.
- **Storage:** When not in use, store the lights in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** For optimal battery longevity, avoid completely draining the battery frequently. Recharge the lights periodically even if not in use for extended storage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Battery is depleted.	Charge the light fully.
Light is not charging.	Faulty charging cable or adapter; internal battery issue.	Ensure the charging cable and adapter are securely connected and functional. Try a different charging source. If the issue persists, contact customer support.
Remote control not working.	Remote battery depleted; obstruction between remote and light; remote out of range.	Replace the remote battery. Ensure a clear line of sight to the light's sensor. Operate the remote within its effective range.
Lights not synchronizing in Master-Slave mode.	Incorrect DMX cabling; incorrect mode setting.	Verify DMX cable connections. Ensure one light is set to Master and others to Slave mode.

SPECIFICATIONS

Feature	Detail
Model Number	ZQ01525X20US

Feature	Detail
Light Source	18 x 2W RGB LED
Battery Capacity	5500 mAh
Battery Life (RGB Full)	Up to 4 hours
Battery Life (Single Color)	Red: 22h, Green: 9h, Blue: 10h
Control Modes	DMX512, Master-Slave, Sound-Activated, Auto, Remote
Material	Acrylonitrile Butadiene Styrene (ABS)
Product Dimensions (Single Unit)	7.8" L x 2.5" W x 7.9" H (approx. 19.8 cm L x 6.4 cm W x 20.1 cm H)

WARRANTY AND SUPPORT

U`King provides strong after-sales technical support. If you encounter any issues during the use of your stage lights, please do not hesitate to contact us. Our team is committed to responding to your inquiries within 24 hours to ensure your satisfaction.

For support, please refer to the contact information provided with your purchase or visit the official U`King website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

