

FORIOUS Kitchen Faucet and Pot Filler Set (B0F4R2PZRG)

FORIOUS Kitchen Faucet with Soap Dispenser & Pot Filler Faucet User Manual

Model: Kitchen Faucet and Pot Filler Set

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your FORIOUS Kitchen Faucet with Soap Dispenser and Pot Filler set. This coordinated solution is designed to enhance kitchen efficiency and aesthetics, combining a durable deck-mount kitchen faucet with a space-saving pot filler.

The kitchen faucet features SUS304 stainless steel construction, a pull-down sprayer with three modes (Stream, Spray, Pause), and an integrated soap dispenser. It incorporates a precision-engineered ceramic cartridge for smooth, drip-resistant performance. The pot filler faucet is constructed from solid brass, offering corrosion resistance and a dual-jointed arm that extends up to 24 inches and folds compactly. Both units are finished in matte black nanotechnology for fingerprint resistance and include standardized hardware for straightforward installation.

SAFETY INFORMATION

- Always turn off the main water supply before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are secure and watertight to prevent leaks.
- Do not overtighten connections, as this can damage components.
- If you are unsure about any step, consult a qualified plumber.
- Keep small parts out of reach of children.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- FORIOUS Kitchen Faucet (with pull-down sprayer and pre-attached supply lines)
- Soap Dispenser
- Deck Plate (for 1 or 3-hole installation)
- Mounting Hardware for Kitchen Faucet
- FORIOUS Pot Filler Faucet
- Mounting Hardware for Pot Filler Faucet
- Installation Guide




Image: The complete FORIOUS Kitchen Faucet and Pot Filler Faucet set, including the main kitchen faucet with its pull-down sprayer, a matching soap dispenser, and the wall-mounted pot filler.

SETUP AND INSTALLATION

This section provides detailed steps for installing both the kitchen faucet and the pot filler. Ensure the main water supply is turned off before proceeding.

Kitchen Faucet Installation


- 1. Prepare the Sink:** Ensure the mounting surface is clean and dry. If using a 3-hole sink, install the deck plate.
- 2. Install the Faucet:** Insert the faucet body through the mounting hole(s) on the sink or countertop.
- 3. Secure the Faucet:** From underneath the sink, thread the mounting hardware onto the faucet shank and tighten securely.
- 4. Connect Water Supply Lines:** Connect the hot and cold water supply lines from the faucet to your angle stops. Ensure connections are tight but do not overtighten. The faucet includes pre-assembled hardware and NPT 1/2" fittings for easy setup.

5. **Install Soap Dispenser:** Insert the soap dispenser into its designated hole. Secure it from underneath with the provided nut. Fill the dispenser with liquid soap from the top.
6. **Connect Sprayer Hose:** Connect the pull-down sprayer hose to the quick-connect fitting on the faucet's main body. Ensure it clicks into place.
7. **Attach Weight:** Attach the counterweight to the pull-down sprayer hose at the indicated position to ensure smooth retraction.

OPTIMUM SIZE




1-3 Holes




Mounting Hole Position

Mounting hole size: 1.3"-1.5"

Maximum thickness of the table: 2.1"



Hose Size



mounting hole positions for 1-3 holes, maximum table thickness (2.1 inches), and hose sizes (27.5 inches for hot, 28.3 inches for cold, both 3/8 inch).

KITCHEN FAUCET WITH SOAP DISPENSER



SUS 304
Stainless Steels



Spot-Resist



Corrosion-
Resistant



Easy to
Clean



1.8GPM

Image: The FORIOUS Kitchen Faucet with Soap Dispenser installed in a kitchen setting, highlighting key features such as SUS 304 Stainless Steels, Spot-Resist finish, Corrosion-Resistant properties, Easy to Clean surface, and a 1.8 GPM flow rate.

Pot Filler Faucet Installation

- Choose Location:** Select a suitable wall location above your stove or cooktop, ensuring it is within reach of all burners when extended.
- Prepare Water Supply:** Ensure a dedicated cold water supply line (1/2" NPT) is available at the chosen installation


point. Flush the water supply line before connecting the pot filler faucet to remove any debris.

3. **Mount the Faucet:** Secure the pot filler's wall mount flange to the wall using appropriate anchors and screws. Ensure it is level and firmly attached.
4. **Connect to Water Supply:** Connect the pot filler to the 1/2" NPT supply line. Use thread sealant tape for a watertight seal.
5. **Assemble Arms:** Attach the articulated arms to the wall mount and to each other, ensuring all connections are secure.



Image: The FORIOUS Pot Filler Faucet elegantly installed on a tiled kitchen wall above a stove, demonstrating its compact, folded position when not in use.

FORIOUS



1/2" NPS Connect to faucet 1/2" NPT Connect to supply line

⚠ Note: Please flush the water supply line before installation pot filler faucet.

Image: A technical diagram showing the dimensions of the FORIOUS Pot Filler Faucet in both folded and extended positions. It highlights the 1/2" NPS connection to the faucet and 1/2" NPT connection to the supply line, with a note to flush the water supply line before installation.

OPERATING INSTRUCTIONS

Kitchen Faucet Operation

- Water Flow Activation:** Lift the handle to turn on the water. Move the handle left for hot water and right for cold water.
- Pull-Down Sprayer:** Pull the spray head down from the spout. The hose retracts smoothly after use due to the counterweight.
- Spray Modes:** The sprayer head features three distinct spray modes:
 - Stream:** For filling pots and general washing.
 - Spray:** For rinsing dishes and wider coverage.
 - Pause:** Temporarily stops water flow without turning off the faucet, useful for moving the sprayer between tasks.

Switch between modes by pressing the corresponding button on the spray head.

- **360° Swivel Spout:** The faucet spout can swivel 360 degrees, providing full sink access and flexibility.
- **Soap Dispenser:** Press the top of the soap dispenser to dispense liquid soap. Refill by lifting the top and pouring soap directly into the reservoir.



3 FUNCTIONS POWERFUL SPRAYING

With a simple press, you can effortlessly switch between three modes to tackle all your kitchen tasks.

Image: A close-up view of the FORIOUS Kitchen Faucet's pull-down sprayer head, illustrating its three powerful spraying functions: Pause, Stream, and Spray, which can be effortlessly switched with a simple press.

Pot Filler Faucet Operation

- **Extend Arm:** Gently pull the articulated arm(s) away from the wall to extend the faucet over your pot or cooking vessel. The dual-jointed arm extends up to 24 inches.
- **Activate Water:** Turn the handle(s) to activate water flow. The pot filler features dual shut-off valves for precise control.
- **Retract Arm:** After use, fold the articulated arm(s) back towards the wall for compact storage.



Image: The FORIOUS Pot Filler Faucet actively filling a pot on a stove, accompanied by diagrams illustrating its various articulation points and how it can be positioned to reach different burners.

FORIOUS



1/2" NPS Connect to faucet 1/2" NPT Connect to supply line

⚠ Note: Please flush the water supply line before installation pot filler faucet.

Image: A technical diagram showing the dimensions of the FORIOUS Pot Filler Faucet in both folded and extended positions. It highlights the 1/2" NPS connection to the faucet and 1/2" NPT connection to the supply line, with a note to flush the water supply line before installation.

MAINTENANCE

- Cleaning:** Clean the faucet and pot filler regularly with a soft cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the matte black finish. The nanotechnology finish is designed to resist fingerprints and is easy to clean.
- Aerator Maintenance:** If water flow becomes restricted, the aerator on the kitchen faucet or the detachable aerator on the pot filler may be clogged. Unscrew the aerator, clean any debris, and rinse it before reattaching.
- Ceramic Cartridge:** The kitchen faucet features a durable ceramic cartridge, rigorously tested to over 500,000 cycles for drip-resistant performance. No regular maintenance is typically required for the cartridge itself.
- Brass Valves:** The pot filler uses brass valves, also tested for durability and leak prevention.



CERAMIC VALVE LASTS **3X** LONGER THAN INDUSTRY STANDARD



Long
Time Use



Water Control



Leak-Proof



Image: An exploded diagram of the FORIOUS Kitchen Faucet's internal ceramic valve, illustrating its components and highlighting its long-lasting, water control, and leak-proof properties, stating it lasts 3X longer than industry standard.

TROUBLESHOOTING

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed shut-off valve; debris in supply line.	Clean aerator. Ensure shut-off valves are fully open. Flush supply lines (turn off main water first).
Leaking from Faucet Base	Loose mounting nut; damaged O-rings.	Tighten mounting nut from underneath the sink. Inspect and replace O-rings if damaged.
Dripping from Spout	Worn ceramic cartridge (unlikely for new faucet); debris in cartridge.	Ensure handle is fully closed. If dripping persists, the ceramic cartridge may need inspection or replacement (contact support).
Sprayer Not Retracting	Counterweight misplaced or obstructed; hose kinked.	Check counterweight position and ensure it moves freely. Straighten any kinks in the hose.

SPECIFICATIONS

- Product Style:** Kitchen Faucet and Pot Filler Set
- Kitchen Faucet Material:** SUS304 Stainless Steel
- Pot Filler Material:** Solid Brass
- Finish:** Matte Black Nanotechnology
- Flow Rate:** 1.8 GPM (Gallons Per Minute) for both units
- Cartridge Type (Kitchen Faucet):** Ceramic Disc
- Valve Type (Pot Filler):** Brass Valves
- Pot Filler Max Reach:** 24 inches
- Connections:** NPT 1/2" fittings (standard)
- ASIN:** B0F4R2PZRG
- Date First Available:** April 14, 2025

WARRANTY AND SUPPORT

FORIOUS stands behind the quality of its products. While specific warranty details are not provided in this manual, please retain your proof of purchase. For any questions regarding installation, operation, maintenance, or warranty claims, please contact FORIOUS customer support through the retailer where the product was purchased or visit the official FORIOUS website.

The product is designed for durability, with ceramic cartridges and brass valves rigorously tested for long-term, drip-resistant performance.