

[Manuals.plus](#) /

› [WOODBIDGE](#) /

› WOODBRIDGE 72" x 35-3/8" Whirlpool Water Jetted and Air Bubble Freestanding Heated Soaking Combination Bathtub Instruction Manual

WOODBIDGE BJ400+F0041CH

WOODBIDGE 72" x 35-3/8" Whirlpool Water Jetted and Air Bubble Freestanding Heated Soaking Combination Bathtub Instruction Manual

Model: BJ400+F0041CH

1. PRODUCT OVERVIEW

The WOODBRIDGE BJ400+F0041CH is a 72" x 35-3/8" freestanding combination bathtub featuring both whirlpool water jets and air bubble jets, along with an inline heater and an LED control panel. This model includes a pre-installed tub filler with a hand shower and a chrome drain and overflow. It is designed for a comprehensive and relaxing bathing experience.

Key Features:

- **Dimensions:** 72" L x 35-3/8" W x 32-5/8" H. Effective Tub Capacity: 65 Gallons.
- **Combination Jets:** Features 6 adjustable body massage jets (whirlpool) and 10 air bubble bath jets.
- **Heated Soaking:** Inline heater maintains water temperature for extended soaking.
- **LED Control Panel:** Allows control of water temperature, jet functions, and chromotherapy lighting.
- **Pre-installed Faucet:** Tub filler with hand shower is pre-installed for easier setup.
- **Premium Construction:** Made from 100% high gloss white LUCITE acrylic, reinforced with ASHLAND resin & fiberglass.
- **Certifications:** Certified to UL1795, complies with ASME A112.19.7/CSA B45.10, CSA B45.5/IAPMO Z124, CSA C22.2 No.218. IPC and NPC compliant.



Image 1.1: The WOODBRIDGE BJ400+F0041CH freestanding bathtub, showcasing its elegant design and chrome faucet.

2. SETUP AND INSTALLATION

Proper installation is crucial for the safe and efficient operation of your WOODBRIDGE bathtub. It is recommended that installation be performed by a certified professional to ensure compliance with local codes and to maintain warranty validity.

2.1 Pre-Installation Requirements:

- **Power:** Requires 1 dedicated 120V 30AMP breaker.
- **Water Supply:** Hot and cold water lines must be available for connection to the pre-installed tub filler.
- **Drainage:** Ensure proper floor drainage is prepared for the pre-assembled chrome drain and overflow.
- **Space:** Verify the installation area accommodates the bathtub's dimensions (72" L x 35-3/8" W x 32-5/8" H).

2.2 Installation Steps (Summary):

1. Unpack the bathtub carefully, retaining all packaging materials until installation is complete.
2. Position the bathtub in the desired location, ensuring it is level.
3. Connect the hot and cold water supply lines to the pre-installed tub filler.
4. Connect the pre-assembled drain and overflow to your floor drainage system.
5. Connect the electrical wiring to the dedicated 120V 30AMP breaker. This step must be performed by a qualified electrician.
6. Test all connections for leaks and ensure all functions (jets, heater, lights) operate correctly.



Image 2.1: Technical diagram showing the dimensions and internal components of the BJ400+F0041CH bathtub, including the heater, hydromassage pump, air blower, and control box.

3. OPERATING INSTRUCTIONS

Your WOODBRIDGE combination bathtub is equipped with an intuitive LED control panel for easy operation of its various features.

3.1 LED Control Panel Functions:

- **Power ON/OFF:** Activates or deactivates the bathtub's main power.
- **Temperature Control (Thermostat):** Adjusts and maintains the desired water temperature using the inline heater.
- **Wave Massage ON/OFF:** Controls the whirlpool water jets for a concentrated massage.
- **Air Blower ON/OFF:** Activates the air bubble jets for a gentle, effervescent massage. Press repeatedly to cycle through high, medium, and low speeds.
- **Bottom Light ON/OFF:** Controls the underwater chromotherapy LED lighting. Press repeatedly to change colors.
- **Display Screen:** Shows the current water temperature.




Image 3.1: The LED control panel, illustrating the various buttons for power, temperature, jets, and lighting.

3.2 Using the Jets and Heater:

- Fill the tub with water to above the jet level.
- Press the Power button on the LED panel.
- Use the Temperature control to set your desired water temperature. The inline heater will maintain this temperature.
- Activate the Wave Massage (whirlpool jets) for targeted hydro-massage. The 6 body massage jets are adjustable 360 degrees.
- Activate the Air Blower (air bubble jets) for a full-body effervescent massage. Cycle through speeds as desired.
- Press the Bottom Light button to activate and change the chromotherapy lighting colors.




Image 3.2: A close-up view of the bathtub's jets and the vibrant chromotherapy lighting in action.

4. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your WOODBRIDGE bathtub. Always disconnect power before performing any maintenance.

4.1 Cleaning the Bathtub:

- Clean the acrylic surface with a soft cloth and a non-abrasive, mild bathroom cleaner.
- Avoid using harsh chemicals, abrasive pads, or solvents, as these can damage the acrylic finish.
- For the jets and internal plumbing, periodically run the jets with a specialized jetted tub cleaner or a solution of white vinegar and water. Follow the cleaner's instructions.

4.2 Drain and Faucet Care:

- Regularly clean the chrome drain and faucet with a soft cloth and a non-abrasive cleaner designed for chrome

finishes.

- Check for any debris in the drain and remove it to prevent blockages.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your bathtub. For problems not listed here or if solutions do not resolve the issue, please contact WOODBRIDGE customer support.

Problem	Possible Cause	Solution
Bathtub does not power on.	No power supply; tripped breaker; loose connection.	Check the dedicated 30AMP breaker. Ensure all electrical connections are secure.
Jets are not working.	Water level too low; pump issue; air lock.	Ensure water level is above the jets. Check for any obstructions. Consult a professional if pump issues are suspected.
Heater not maintaining temperature.	Heater malfunction; incorrect temperature setting.	Verify the temperature setting on the LED panel. If the issue persists, professional inspection may be required.
Water leakage.	Loose drain connection; damaged seal.	Inspect drain and overflow connections for tightness. Check seals for damage. Contact support for replacement parts if needed.

6. SPECIFICATIONS

Feature	Detail
Model Number	BJ400+F0041CH
Exterior Dimensions (L x W x H)	72" x 35-3/8" x 32-5/8"
Effective Tub Capacity	65 Gallons
Seating Dimension (L x W)	41-3/4" x 22-7/8"
Water Depth to Overflow	14-1/2"
Material	LUCITE Acrylic, ASHLAND Resin & Fiberglass
Jet Quantity	6 adjustable body massage jets, 10 air bubble bath jets
Heater	Inline Heater (1.6KW)
Hydromassage Pump	0.75KW
Air Blower	0.3KW
Power Requirements	1 Dedicated 120V 30AMP Breaker
Installation Type	Freestanding
Finish Type	Chrome (Drain & Faucet)
Certifications	UL1795, ASME A112.19.7/CSA B45.10, CSA B45.5/IAPMO Z124, CSA C22.2 No.218, IPC, NPC

7. WARRANTY AND SUPPORT

WOODBIDGE offers a standard warranty for this product. You can extend your warranty by one additional year by registering your product on the official WOODBRIDGE website.

For customer support, technical assistance, or warranty claims, please visit the [WOODBIDGE Store on Amazon](#) or their official website.

© 2026 WOODBRIDGE. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question