Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR K2E01007

VEVOR K2E01007 50-inch Stainless Steel Dog Washing Station Instruction Manual

Model: K2E01007 | Brand: VEVOR

1. Introduction

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your VEVOR K2E01007 50-inch Stainless Steel Dog Washing Station. Please read this manual thoroughly before installation and use to ensure safe and efficient operation. Keep this manual for future reference.



Image 1.1: Overview of the VEVOR 50-inch Stainless Steel Dog Washing Station, showing the main unit, ramp, and integrated features.

2. Safety Instructions

- Always ensure the washing station is placed on a stable, level surface to prevent tipping.
- Do not exceed the maximum weight capacity of 330 lbs (150 kg).

- Supervise pets at all times during bathing to prevent injury or escape.
- Ensure all water connections are secure and leak-free before use.
- Use appropriate water temperature for pet bathing to avoid scalding or chilling.
- Keep electrical appliances away from water to prevent electric shock.
- Regularly inspect the unit for any damage or wear, especially the ramp and door latch.

Image 2.1: Safety features including the non-slip ramp, sealed door latch, fully sealed unit, and anti-sharp edge design.

3. Product Components

The VEVOR K2E01007 Dog Washing Station comes with the following components:

- Stainless Steel Bathtub Unit
- Adjustable Legs/Support Frame
- Non-Slip Ramp
- PE Water Filter Boards (2 pcs)
- Hot/Cold Faucet
- Showerhead with Hose (3 spray patterns)
- Aluminum Alloy Soap Holder
- Drainage Kit (Downcomer)
- Lifting Ropes (2 pcs)
- Adjustable Angle Pads (6 pcs)
- Water Filter Bench Legs (1 pair)
- Cleaning Tools: Scouring Pad, Wiper/Squeegee
- Pet Accessories: Play Balls (2 pcs), Comb, Nylon Gloves, Plastic Gloves




Image 3.1: All included accessories for the pet washing station.




Image 3.2: Detailed view of the stainless steel faucet, showerhead, and soap holder.

4. Setup Instructions

Follow these steps to assemble your VEVOR Dog Washing Station:

Step 1: Install Adjustable Support and Bathtub

1. Install the adjustable feet onto the support frame.
2. Adjust the bracket height to lower the water outlet by 1-2 degrees for proper drainage.



Image 4.1: Assembly of the adjustable support frame.

Step 2: Install Water Filter Kit

3. Install the O-ring and rubber feet onto the water filter board.
4. Secure the bathtub to the base with screws.



Image 4.2: Installation of the water filter board and securing the tub.

Step 3: Install Shower Kit and Drainage Kit

5. Install the shower kit and soap holder, then connect the hot/cold water pipes.
6. Install the drainage kit on the bathtub drain hole, ensuring a tight seal.



Image 4.3: Connecting the shower and drainage systems.

Step 4: Install Bathtub Splash Guard and Accessories

7. Attach the left, right, and rear bathtub splash guards and the telescoping bracket.
8. Place the water filter board and lifting ropes inside the tub.



Image 4.4: Final assembly of splash guards and internal components.

5. Operating Instructions

5.1 Preparing for Bathing

- Ensure the drainage system is properly connected and the drain stopper is in place.
- Place the PE water filter boards inside the tub to provide a non-slip surface for your pet.
- Open the door latch and guide your pet onto the non-slip ramp and into the tub. Secure the door latch.



Image 5.1: Pet entering the tub via the non-slip ramp.

5.2 Using the Faucet and Showerhead

- Use the hot and cold dual-control faucets to adjust the water temperature to a comfortable level for your pet.
- Select one of the three spray patterns on the showerhead for optimal washing.
- Utilize the soap holder to keep grooming products within easy reach.



Image 5.2: Demonstrating pet bathing with the showerhead and non-slip filter board.

5.3 After Bathing

- Once bathing is complete, open the drain stopper to allow water to flow out.
- Guide your pet out of the tub using the ramp.
- Clean the tub and accessories as described in the Maintenance section.

6. Maintenance

Regular cleaning and maintenance will extend the life of your pet washing station.

6.1 Cleaning the Tub

- After each use, rinse the tub thoroughly with clean water.
- Use the provided wiper/squeegee to remove excess water from the surfaces.
- Wipe off water spots with a dry cloth to prevent mineral buildup.
- For stains, use the scouring pad with a mild, non-abrasive cleaner suitable for stainless steel.
- Clean the PE water filter boards and the drainage kit regularly to prevent clogs and odors.



Image 6.1: Recommended cleaning steps using the provided tools.

6.2 Drainage System Maintenance

- Periodically check the drainage kit for hair and debris accumulation. Clear any blockages to ensure smooth and fast drainage.
- Inspect rubber gaskets and seals for wear and tear. Replace if necessary to prevent leaks.



Image 6.2: Components of the drainage system for effective waste removal.

7. Troubleshooting

If you encounter issues with your VEVOR Dog Washing Station, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Water leakage from connections	Loose connections, worn gaskets.	Tighten all water pipe connections. Inspect and replace any damaged gaskets.
Slow drainage	Drainage kit clogged with hair/debris.	Remove and clean the drainage kit, including the strainer basket.
Unstable tub	Uneven floor, loose adjustable feet.	Adjust the leveling feet to ensure the tub is stable and level on all sides.
Door latch not securing	Misalignment, debris in latch mechanism.	Check for any obstructions. Ensure the door is properly aligned with the latch mechanism.

8. Specifications

Feature	Detail
Model Number	K2E01007
Main Material	304 Stainless Steel
Color	Silver
Weight Capacity	330 lbs (150 kg)
Net Weight	107.59 lbs (51.15 kg)
Product Dimensions (L x W x H)	50 x 22.8 x 58.7 inches (1270 x 580 x 1495 mm)
Installation Type	Freestanding
Style	Left RAMP



Item Model Number: K2E01007

Color: Silver

Main Material: 304 Stainless Steel

Weight Capacity: 330 lbs / 150 kg

Net Weight: 112.8 lbs / 51.15 kg

Item Dimensions: 50 × 22.8 × 58.7 in / 1270 × 580 × 1495 mm

Image 8.1: Product dimensions and key specifications.

9. Warranty and Support

For warranty information, technical support, or any questions regarding your VEVOR K2E01007 Dog Washing Station, please contact VEVOR customer service. Refer to the product packaging or the official VEVOR website for contact details.

You can also visit the VEVOR store online for additional product information and support resources:VEVOR Store

© 2026 VEVOR. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F4XCZLJF

More documents and user manuals: **https://manuals.plus/**