

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [AIR2GO](#) /

› [AIR2GO Activated Carbon Filter User Manual](#)

AIR2GO A2G-MEP-CF05

AIR2GO Activated Carbon Filter User Manual

Model: A2G-MEP-CF05

Brand: AIR2GO

1. PRODUCT OVERVIEW

The AIR2GO Activated Carbon Filters are designed to effectively capture grease, cooking odors, and fish smells during cooking. Regular replacement of these filters significantly reduces grease deposits in the kitchen, leading to a more pleasant and tolerable ambient air quality and potentially reducing allergy risks.

1.1 Package Contents

- 2 x Activated Carbon Filters (Replacement Filters)

1.2 Storage

Each filter is individually sealed, allowing for storage for up to 80 months (approximately 6.5 years) before installation. Store in a cool, dry place away from direct sunlight.

2. INSTALLATION (SETUP)

These activated carbon filters are designed for use with various range hood models, including specific Mepamsa models such as ALIA 70 INOX, ALIA PLUS 90 INOXBARI 60 INOX, CUBIA PRO series, GAVIA series, IBRA, IRUN, MAGNUM PLUS, MATRIX PRO, MAXIMA series, MIRROR PRO, MISTRAL, MOSAICO, PERLA series, RONDA PLUS, SMART PLUS, Strip, Synthésis, and TENDER series. Refer to your range hood's specific manual for detailed filter replacement instructions.

2.1 General Installation Steps

1. **Safety First:** Before beginning installation, ensure your range hood is turned off and unplugged from the power outlet to prevent electrical hazards.
2. **Locate Filter Compartment:** Identify the filter compartment within your range hood. This is typically located behind the metallic grease filters.
3. **Remove Old Filters:** Carefully remove any old or used activated carbon filters. Note their orientation for correct installation of the new filters.
4. **Insert New Filters:** Place the new AIR2GO activated carbon filters into the designated slots. Ensure they are securely fitted and properly aligned.

5. **Secure Compartment:** Close and secure the filter compartment cover or reattach any components removed during the process.
6. **Restore Power:** Plug the range hood back into the power outlet.



Figure 1: Top view of two AIR2GO activated carbon filters, illustrating their design and circular form.



Figure 2: Side view of one AIR2GO activated carbon filter, highlighting its compact profile.

3. OPERATION

Once installed, the activated carbon filters operate automatically whenever the range hood is in use, filtering the air to remove odors and grease particles. No manual operation is required for the filters themselves.

4. MAINTENANCE

Proper maintenance ensures optimal performance and longevity of your range hood system.

4.1 Filter Replacement Schedule

The activated carbon filters should be replaced regularly to maintain effective odor absorption. Depending on cooking frequency and habits, it is recommended to replace these filters every **6 months**.

4.2 Metallic Filter Cleaning

In addition to replacing the carbon filters, the metallic grease filters in your range hood should be cleaned at least **once a month**. Refer to your range hood's manual for specific cleaning instructions for metallic filters.



Figure 3: Detailed top view of one AIR2GO activated carbon filter, showing its structure and mounting tabs.

5. TROUBLESHOOTING

If you experience reduced odor absorption or increased grease buildup in your kitchen, consider the following:

- **Poor Odor Absorption:** This is a primary indicator that the activated carbon filters are saturated and need replacement. Replace them as per the recommended schedule (every 6 months).
- **Increased Grease Deposits:** While carbon filters help with grease, the metallic grease filters are the primary defense. Ensure these are cleaned monthly. If grease still builds up, it might indicate an issue with the range hood's ventilation or that the carbon filters are heavily saturated.

- **Filter Not Fitting:** Double-check the compatibility with your specific range hood model. The AIR2GO A2G-MEP-CF05 filters are designed for Mepamsa 112.0492.115 SPASS and other listed compatible models.

For issues not resolved by filter replacement or cleaning, consult your range hood's user manual or contact the range hood manufacturer's support.

6. SPECIFICATIONS

Attribute	Detail
Brand	AIR2GO
Model Number	A2G-MEP-CF05
Material	Activated Carbon
Dimensions (Diameter x Height)	200 mm (Diameter) x 29 mm (Height)
Weight	430 Grams (for the set of 2)
Recommended Replacement	Every 6 months
Compatible Appliances	Mepamsa 112.0492.115 SPASS, and various Bauknecht and Mepamsa range hood models including ALIA, BARI, CUBIA PRO, GAVIA, IBRA, IRUN, MAGNUM PLUS, MATRIX PRO, MAXIMA, MIRROR PRO, MISTRAL, MOSAICO, PERLA, RONDA PLUS, SMART PLUS, Strip, Synthésis, TENDER series. Also compatible with part numbers: EFF62, FAC529, Type F196, 4812811281, 71855.2, 50290659007, 9029793578, 1120016755, 5403004, MCEF02, 9029800464, 902980046, E3CFF62.
UPC	640813581589

7. WARRANTY AND SUPPORT

Information regarding specific product warranty or direct support for AIR2GO activated carbon filters is not available in the provided product details. For any issues related to the fit or performance of these filters, please refer to the retailer's return policy or contact the seller directly.

© 2025 AIR2GO. All rights reserved.

This manual is for informational purposes only. Always refer to your appliance's original manual for specific instructions.