

Katalic APF001

Katalic Automatic Cat Feeder User Manual

INTRODUCTION

This user manual provides comprehensive instructions for the setup, operation, maintenance, and troubleshooting of your Katalic Automatic Cat Feeder. Designed for convenience and reliability, this feeder ensures your pets receive their meals on schedule, even when you're away. Please read this manual thoroughly before using the product to ensure proper function and longevity.

PRODUCT OVERVIEW

The Katalic Automatic Cat Feeder is designed to simplify pet feeding for multi-cat households. Key features include:

- **Dual Feeding System:** Equipped with a unique meal divider and two stainless steel bowls, ensuring even food distribution for two pets.
- **Large Capacity:** A 6L (20 cups) transparent food storage container reduces the frequency of refills and allows for real-time monitoring of food levels.
- **Voice Recording:** Record a 10-second personalized message to call your pets at mealtime.
- **Dual Power Supply:** Operates via wall power or 3 D-size batteries (not included) for reliable backup during power outages.
- **Secure Storage:** Features a sliding lock lid and includes a desiccant to keep food fresh and prevent tampering.
- **Clog-Free Design:** Engineered to prevent food jams, ensuring consistent dispensing.



Figure 1: The Katalic Automatic Cat Feeder, showcasing its design with two stainless steel bowls.

Feed Two Cats at Once

Both cats are well-fed without the need for separate feeders



Figure 2: The feeder is designed to feed two cats simultaneously, preventing mealtime conflicts.

Large Capacity Up to 20 Cups:

Fewer Refills, Consistent Food Supply Holds up to 20 cups of dry cat food, equivalent to about a 6.3-pound bag.



Figure 3: The large capacity transparent tank holds up to 20 cups of dry food, reducing refill frequency.



Figure 4: The feeder is compatible with various dry food sizes and types, including freeze-dried and mixed food.

SETUP

1. **Unpack and Assemble:** Carefully remove all components from the packaging. Ensure the stainless steel bowls are properly seated in their designated slots.
2. **Power Connection:** Connect the feeder to a wall outlet using the provided power adapter. For backup power, insert 3 D-size batteries (not included) into the battery compartment located at the bottom of the unit. This ensures continuous operation during power outages.
3. **Fill the Food Tank:** Open the top lid and pour dry pet food into the transparent storage tank. Ensure the lid is securely closed and locked after filling to maintain food freshness and prevent spills.




Figure 5: The feeder supports both battery and plug-in power options for reliable operation.



Up to 6 Months Battery Backup for Power Outages

Figure 6: The feeder offers up to 6 months of battery backup for uninterrupted feeding during power outages.

OPERATING INSTRUCTIONS

Setting the Time and Meal Schedule

The feeder allows you to program up to 6 meals per day with adjustable portion sizes (1-20 portions per meal).

1. **Set Current Time:** Press the 'Set' button to enter time setting mode. Use the '+' and '-' buttons to adjust the hour and minute. Press 'Set' again to confirm.
2. **Program Meal Times:** Press the 'Meal' button to cycle through meal settings (M1-M6). For each meal, set the desired feeding time using the '+' and '-' buttons.
3. **Adjust Portions:** After setting the meal time, press the 'Portion' button and use '+' and '-' to select the number of portions (1-20) for that meal. One portion is approximately 1/12 cup.
4. **Save Settings:** The settings will automatically save after a few seconds of inactivity or by pressing the 'Set' button.




Figure 7: Example of a scheduled feeding plan, showing multiple meals per day with varying portion sizes.

Voice Recording

You can record a 10-second voice message that will play at each scheduled mealtime.

- 1. **Record:** Press and hold the 'Record' button (microphone icon) until you hear a beep. Speak your message clearly into the microphone. Release the button when finished.
- 2. **Playback:** Press the 'Play' button (speaker icon) to listen to your recorded message.



Figure 8: The voice recording feature allows you to comfort your pets with a personalized message at mealtime.

Manual Feeding

To dispense food manually, press the 'Feed' button. Each press will dispense one portion.

Recommended Daily Feeding

The following table provides a general guideline for daily feeding based on portion sizes:

Recommended Daily Feeding						
Cup	1/12 Cup	1/6 Cup	1/4 Cup	1/2 Cup	3/4 Cup	1 Cup
						
Portion	1	2	3	6	9	12

Figure 9: Recommended daily feeding guide, correlating portions to cup measurements.

MAINTENANCE

Regular cleaning and maintenance will ensure the optimal performance and longevity of your feeder.

- **Cleaning:** The food tank and stainless steel bowls are easily detachable for cleaning. Wash them with mild soap and water, then rinse thoroughly and dry completely before reassembling. *Note: Do not wash the base unit, as it contains electronic components.*

- **Desiccant Replacement:** The feeder includes a desiccant packet to absorb moisture and keep food fresh. Replace the desiccant every few months or as needed to maintain effectiveness.



Spill-Proof Design:
No Mess Even if Tipped Over



Moisture-Proof Bag:
Keeps Food Fresh for Up to 7 Days



Easy to Disassemble for Hassle-Free Cleaning
Note: Do not wash base unit

Figure 10: The feeder features a spill-proof design, a moisture-proof bag for food freshness, and is easy to disassemble for cleaning (excluding the base unit).

TROUBLESHOOTING

If you encounter issues with your Katalic Automatic Cat Feeder, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Feeder not dispensing food.	Food tank empty; food jammed; power issue.	Refill food tank. Check for food blockages in the dispenser mechanism. Ensure power adapter is securely connected or batteries are installed correctly and have charge.
Display not turning on.	No power; loose connection.	Verify power adapter is plugged in and outlet is functional. Check battery installation and charge.
Voice recording not playing.	No message recorded; low battery.	Record a new message. Ensure sufficient power supply.
Food not evenly distributed.	Feeder not level; obstruction in divider.	Place feeder on a flat, stable surface. Check and clear any debris in the food divider.

SPECIFICATIONS

Feature	Detail
Model Name	APF001
Capacity	6L / 20 Cups
Dimensions (LxWxH)	7 x 7 x 10 inches

Feature	Detail
Item Weight	3.21 pounds
Power Supply	Wall-powered / 3 x D-size batteries (not included)
Meals Per Day	Up to 6
Portions Per Meal	1-20
Voice Recording	10 seconds
Color	Black
Target Species	Cat



Figure 11: Detailed dimensions and design features of the Katalic Automatic Cat Feeder.

WARRANTY AND SUPPORT

Katalic provides a **One-Year Warranty** for this product. If your product is found to be defective within the first year of purchase, a brand-new replacement will be provided. Please contact Katalic customer support for assistance. For further support or inquiries, please visit the official Katalic store or contact their customer service department.




Figure 12: Information regarding the one-year replacement warranty.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question

Answered questions about this manual

My Katalic PF03 Automatic Cat Feeder is not dispensing food even when I try to feed manually; is it possibly clogged and how do I unclog it?

If your Katalic Automatic Cat Feeder is not dispensing food even during manual feeding, it is likely due to a food jam or a mechanical obstruction. Follow these steps to troubleshoot and unclog the...

[Read full answer](#)