

[Manuals.plus](#) /

› [Aoxun](#) /

› Aoxun 12'x12' Hardtop Gazebo User Manual

Aoxun SG401BR08+GF401BK01A-AK-ax

Aoxun 12'x12' Hardtop Gazebo User Manual

Model: SG401BR08+GF401BK01A-AK-ax

Introduction	Safety	Product	Setup	Operating	Maintenance	Troubleshooting
Specifications	Instructions	Overview				
	Warranty & Support					

1. INTRODUCTION

Thank you for choosing the Aoxun 12'x12' Hardtop Gazebo. This manual provides essential information for the safe assembly, operation, and maintenance of your new outdoor pavilion. Please read these instructions thoroughly before beginning assembly and retain them for future reference.



Figure 1.1: The Aoxun 12'x12' Hardtop Gazebo providing a comfortable outdoor living space at night.

2. SAFETY INSTRUCTIONS

Your safety and the safety of others are very important. Please read and follow all safety instructions carefully. Failure to do so may result in serious injury or property damage.

- **Assembly:** Requires 2-3 people for safe and efficient assembly. Ensure all parts are accounted for before beginning.
- **Anchoring:** The gazebo must be securely anchored to the ground to prevent wind damage. Use appropriate anchoring methods for your specific surface (e.g., concrete, soil).
- **Weather Conditions:** While designed for all-weather use, extreme weather conditions such as heavy snow accumulation or strong winds may require additional precautions or temporary disassembly. Clear heavy snow from the roof promptly.
- **Ceiling Fan Installation:** The included ceiling fan is designed for single-roof gazebos with a minimum height of 2.5m. Do not install on double-roof structures. Ensure proper electrical installation by a qualified professional if

connecting to a power source.

- **Maintenance:** Regularly inspect all connections and components for tightness and wear. Address any issues promptly to maintain structural integrity.

3. PRODUCT OVERVIEW

The Aoxun Hardtop Gazebo is a robust and stylish outdoor pavilion designed to enhance your garden, lawn, or patio. It features a durable aluminum frame and a polycarbonate double roof, offering protection and comfort.

3.1 Key Features

- **Water Gutter Design:** Professional drainage system directs water from the roof edge into the poles and to the ground, preventing accumulation.
- **Double-Layer Polycarbonate Roof:** Provides excellent airflow, prevents harmful UV rays, and resists fading or aging. Includes a hook for hanging fans, lights, or decorations.
- **Durable Aluminum Frame:** Coated with premium powder coating for resistance against scratches, peeling, corrosion, and rust. Features a triangular structure for enhanced stability.
- **Removable Curtains and Netting:** Outer curtains offer protection from rain and privacy. Inner netting with zippers prevents mosquitoes while ensuring ventilation.
- **Integrated Ceiling Fan with LED Light:** Low-profile design with adjustable brightness via remote control or Bluetooth app. Features 6-speed airflow, a 2-hour auto-off timer, and night light mode. Waterproof for outdoor environments.



Figure 3.1: The Aoxun Gazebo in a daytime setting, showcasing its design and functionality.

Multifunctional Top Design

The roof has a hook to meet the needs of hanging lights, fans or decorations



Figure 3.2: The multifunctional top design includes a central hook for hanging lights, fans, or decorative items.



Figure 3.3: The gazebo is designed for all-weather use, offering UV protection, waterproof capabilities, and snow resistance.


PRODUCT DETAILS



Classic
Appearance



Heavy-duty
Frame



01

Triangular Structure

More Sturdy



02

Extra Velcro Straps

More Cleaner



03

Anchored Frame

More Stable

Figure 3.4: Key structural details include a triangular frame for enhanced sturdiness, extra Velcro straps for neat curtain management, and an anchored base for stability.

Polycarbonate Board



- Lightweight
- Waterproof
- Anti-aging
- Light transmission
- 99%UV-resistant
- Does not fade





Figure 3.5: The polycarbonate roof panels are lightweight, waterproof, anti-aging, and 99% UV-resistant, allowing diffused light while providing protection.

Double Roof & Water Gutter Design



Air Ventilated



Anti-UV



Reduce the Heat



Anti-Corrosion



Waterproof



Smooth Drainage




Figure 3.6: The double roof design promotes air ventilation and reduces heat, while the integrated water gutter system ensures smooth drainage and anti-corrosion properties.

4. SETUP

Assembly of the Aoxun Hardtop Gazebo typically requires 2-3 people and takes approximately 2-3 hours. All parts are clearly numbered for easy identification. Follow the detailed, illustrated instructions provided in the separate assembly manual.

4.1 Before You Begin

- **Site Selection:** Choose a level, stable surface for installation. Ensure adequate clearance around the gazebo.
- **Unpacking:** Carefully unpack all components and verify against the parts list in your assembly manual.
- **Tools Required:** Basic tools are sufficient for assembly. A screw gun can expedite the process.

4.2 Assembly Steps (Summary)

1. Assemble the main frame structure according to the numbered parts.

2. Attach the polycarbonate roof panels, ensuring proper alignment and secure fastening.
3. Install the double roof ventilation system.
4. Hang the outer curtains and inner netting.
5. Securely anchor the gazebo to the ground using appropriate hardware (not included, depending on surface).
6. Install the ceiling fan and connect its power cord as per the fan's specific instructions.

Product Size

acxun

 2 packages

12FTX12FT




Figure 4.1: Dimensions of the 12'x12' gazebo and the 42-inch ceiling fan, important for planning your setup space.

5. OPERATING THE GAZEBO FEATURES

5.1 Curtains and Netting

The gazebo includes both outer curtains and inner netting. The outer curtains can be drawn for privacy or protection from elements, and secured with the provided Velcro straps. The inner netting features zippers to enclose the space, providing insect protection while maintaining airflow.

5.2 Ceiling Fan with LED Light

The integrated ceiling fan offers customizable comfort:

- **Light Control:** The built-in LED light's brightness can be adjusted using the remote control or a dedicated Bluetooth app.
- **Airflow Control:** Select from six wind speeds via the remote or Bluetooth app to achieve your desired airflow.
- **Smart Features:** The fan includes a 2-hour auto-off timer and a night light mode for convenience and energy efficiency.

6. MAINTENANCE

Regular maintenance will prolong the life and appearance of your Aoxun Gazebo.

- **Cleaning:** Clean the aluminum frame and polycarbonate roof panels with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the finishes.
- **Fabric Care:** The curtains and netting can be spot cleaned with mild detergent. For deeper cleaning, refer to the fabric care labels. Ensure they are completely dry before storing to prevent mildew.
- **Fastener Check:** Periodically check all bolts, screws, and connections to ensure they remain tight. Re-tighten as necessary.
- **Winterization:** In areas with heavy snow or extreme winter conditions, consider disassembling and storing the fabric components indoors. While the hardtop is snow-resistant, clearing heavy snow accumulation is recommended.
- **Fan Care:** The ceiling fan is waterproof to withstand outdoor environments. Wipe down the fan blades and housing with a damp cloth as needed.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Gazebo feels unstable or wobbly.	Loose fasteners; improper anchoring; uneven ground.	Check and tighten all bolts and screws. Ensure the gazebo is properly anchored to a level surface.
Water accumulation on roof.	Drainage system clogged; extreme rainfall.	Clear any debris from the water gutter system. Ensure proper installation of roof panels to allow water flow.
Curtains/Netting not closing properly.	Zippers stuck; fabric caught; misaligned tracks.	Inspect zippers for obstructions. Ensure fabric is not caught in tracks. Check curtain hanging points for proper alignment.
Ceiling fan not operating.	No power; remote battery low; incorrect fan installation.	Verify power connection. Replace remote batteries. Ensure fan is correctly installed and wired according to its manual.

8. SPECIFICATIONS

Attribute	Detail
Brand	Aoxun
Model Number	SG401BR08+GF401BK01A-AK-ax

Attribute	Detail
Product Dimensions	145.67"L x 145.67"W x 112.2"H (12'x12' footprint)
Frame Material	Aluminum
Roof Material	Polycarbonate (Double Layer)
Water Resistance Level	Waterproof
UV Protection	Yes
Color	Brown/ 42" Fan
Assembly Required	Yes
Country of Origin	China

9. WARRANTY & SUPPORT

For warranty information and customer support, please refer to the documentation included with your product packaging or contact Aoxun customer service directly. Keep your purchase receipt for warranty claims.

Aoxun Customer Service:

- Visit the [Aoxun Store on Amazon](#) for more information.
- Refer to your product packaging for specific contact details.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question