

BreezZ 6X4FT

Breezz 6x4FT Outdoor Steel Storage Shed Instruction Manual

Brand: BreezZ | Model: 6X4FT

1. ABOUT THE PRODUCT

The Breezz 6x4FT Outdoor Steel Storage Shed is designed for efficient and secure outdoor storage. Its compact size makes it suitable for various outdoor spaces, including gardens, backyards, patios, and utility areas. The shed features lockable doors for enhanced security and a durable steel construction for longevity.

Key Features:

- **Steel Construction & Compact Size:** Ideal for storing garden tools, bicycles, pool supplies, and seasonal equipment in limited outdoor spaces.
- **Transparent Window for Natural Light:** Includes a clear window to allow natural light into the shed, making it easier to locate items without the need for additional lighting.
- **Weather-Resistant Steel Construction:** Made of high-quality galvanized steel, this shed is rust-proof, waterproof, and built to withstand various weather conditions for long-term durability.
- **Lockable Doors for Security:** Equipped with lockable double doors to safeguard your belongings and provide easy access when needed.
- **Versatile Design:** Offers functionality for tool storage, garbage bin enclosure, or even a pet house.



Figure 1: Multiple Storage Modes

2. SAFETY INFORMATION

- Always wear protective gloves during assembly to prevent cuts.
- Ensure the installation surface is level and secure to prevent shifting or instability.
- Two people are required for safe and efficient assembly.
- Do not lean heavy objects against the shed walls, as this may cause bending.
- Secure the shed to the ground using appropriate anchors (included) to prevent movement due to wind or other forces.
- This product does not include flooring. Plan for a suitable base (e.g., concrete pavers, wood) if desired.

QUALITY IN EVERY DETAIL

 Protection ❤️



Anti-Collision Protection

 Bright ❤️



Clear Window Include

 Stable ❤️



Stable Base Security

 Safer ❤️



Stainless Steel Bolt Lock

Figure 2: Important Assembly Tips

3. SETUP / ASSEMBLY INSTRUCTIONS

Follow these steps carefully for proper assembly. Refer to the detailed assembly video for visual guidance. Note: The video demonstrates assembly for a 5x3FT model, but the steps are generally applicable to the 6x4FT model.

Your browser does not support the video tag.

Video 1: 5x3FT Metal Storage Shed Assembly Instruction (Seller)

1. **Base Frame Assembly:** Assemble the base frame components (A1, A2, A3, A4). Ensure the assembly is square before tightening bolts. Use H1 screws and T1 washers.
2. **Side Panel Installation:** Attach the corner panels (E3) to the base frame. Secure them using H1 screws and T1 washers.
3. **Frame Reinforcement:** Install the horizontal frame supports (F1, F2) between the side panels. Secure with H1 screws and T1 washers.
4. **Wall Panel Completion:** Install the remaining wall panels (E2) to complete the shed walls. Secure them to the base frame.
5. **Triangular Panel Assembly:** Assemble the triangular panels (B1, B2) for the roof ends, including the vents. Use H2 screws and H3 nuts.
6. **Roof Frame Installation:** Attach the roof frame components (S1, S2, S3, S4) to the top of the walls. Secure with H1 screws and T1 washers.
7. **Roof Panel Installation:** Place the roof panels (Q1, Q2) onto the roof frame. Secure them using H1 screws and T1 washers.
8. **Roof Edge Trim:** Install the roof edge trims (M1, M2, M3) and corner caps (G1) for a finished look and weather protection. Secure with H1 screws and T1 washers.
9. **Door Assembly:** Assemble the door panels (D1, D2, D3, D4) and attach the door frame supports (D5, D6). Do not fully tighten bolts at this step.
10. **Door Latch and Hinges:** Install the door latch (R2, R3) and hinges (R1) onto the doors. Use H6 nuts and H7 screws for the latch, and H4 screws for the hinges.
11. **Final Door Installation:** Attach the assembled doors to the shed frame. Ensure smooth operation before fully tightening all door-related bolts.
12. **Floor Support (Optional):** If using a separate floor, install the floor supports (J1, J2, J3) to provide a stable base for your chosen flooring material. Secure with H1 screws and T1 washers.



Figure 3: Easy Installation Steps Overview

4. OPERATING INSTRUCTIONS

The Breezz storage shed is designed for straightforward operation.

- **Opening/Closing Doors:** The shed features double doors. Use the integrated latches to secure the doors when closed.
- **Security:** The doors are designed to be lockable. You can add a padlock (not included) to the latch for additional security.
- **Ventilation:** The shed includes four louver vents (two at the front, two at the back) to promote air circulation and help keep stored items dry. These vents are fixed and do not require manual adjustment.
- **Natural Light:** The transparent window allows natural light inside, improving visibility without external lighting.



Tool Storage Shed



Garbage Bin



Pet House

Figure 4: Four Louver Vents for Air Circulation

5. MAINTENANCE

- **Cleaning:** Regularly clean the shed exterior with mild soap and water. Avoid abrasive cleaners that could damage the galvanized steel finish.
- **Rust Prevention:** The shed is made of galvanized steel for rust resistance. However, inspect for any scratches or damage to the coating and touch up with appropriate rust-inhibiting paint if necessary to maintain protection.
- **Drainage:** The sloped roof design facilitates rapid drainage of rainwater. Ensure the area around the shed base is clear of debris to allow for proper water runoff.
- **Ventilation:** Keep the louver vents clear of obstructions to ensure continuous air circulation.

SLOPED ROOF DESIGN

Aids In Achieving Rapid Drainage




Figure 5: All-Season Weather Versatility

6. TROUBLESHOOTING

- **Misaligned Holes During Assembly:** If holes do not align perfectly, slightly loosen surrounding bolts to allow for minor adjustments. Ensure the base is perfectly level before proceeding with wall assembly.
- **Flimsy Panels During Assembly:** The metal panels may seem flimsy individually. They gain significant stability once fully assembled and all bolts are tightened. Ensure two people are assisting to hold panels steady.
- **Gaps After Assembly:** Small gaps may occur. Ensure all bolts are fully tightened. For persistent gaps, consider applying weather stripping or sealant (not included) to critical areas.
- **Door Not Closing Properly:** Check that the shed is on a level surface. Adjust hinges or latches if necessary. Ensure no debris is obstructing the door's path.

7. SPECIFICATIONS

Attribute	Detail
Brand	BreezZ
Model	6X4FT
Color	Brown
Material	Metal (Galvanized Steel)
Style	Compact
Storage Capacity	125 CU.FT
Roof Weight Capacity	440 LBS
Water Resistance Level	Water Resistant
Door Style	Outward-opening doors

Assembly Required

Yes

LOAD-BEARING STRUCTURE

Superior Structural Performance To Withstand Higher Pressure Weights



Figure 6: Product Dimensions

8. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your product or contact BreezZ customer support directly. If you encounter any issues during assembly or use, please reach out to the manufacturer for assistance.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question