Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Higoom CLB-6010

Higoom CLB-6010 Corded/Cordless Digital Tire Inflator User Manual

Your guide to safe and efficient operation of your portable air compressor.

Overview Setup Operation Introduction Maintenance Product Troubleshooting Specifications Support

1. Introduction

Thank you for choosing the Higoom CLB-6010 Corded/Cordless Digital Tire Inflator. This portable air compressor is designed for convenient and efficient inflation of car tires, motorcycle tires, bicycle tires, balls, and other inflatable devices. Featuring a digital display, automatic shutoff, and integrated LED lighting, it provides a reliable solution for your inflation needs on the go or at home.



Image: Overview of the Higoom Portable Tyre Inflator highlighting key features like automatic shutdown, emergency lighting, multi-mode inflation, USB-C port, LED screen, and quick inflate capability.

2. Product Overview

2.1. Package Contents

Please ensure all items are present in your package:

- Air compressor x1
- Hose x1
- Presta/Schrader/Dunlop valve adapter x1
- Swim ring nozzle x1
- Ball needle x1
- Storage bag x1
- User manual x1
- USB-C charging cable x1
- Car charging cable (cigarette lighter adapter) x1



Image: The Higoom CLB-6010 digital tire inflator displayed with its full set of accessories, including various nozzles, charging cables, and a storage bag.

2.2. Key Features

- **Corded/Cordless Operation:** Use with the internal 6000mAh battery or powered by your car's 12V cigarette lighter.
- **Digital LED Display:** High-precision screen shows real-time and preset pressure values.
- **Automatic Shutoff:** Stops inflation automatically once the preset pressure is reached, preventing over-inflation.
- **Multiple Inflation Modes:** Pre-set modes for car, motorcycle, bicycle, and ball, plus a custom mode up to 150 PSI.
- **Integrated LED Light:** Features white light (always on), red light full flash, and red light fast flash for visibility and emergencies.
- **Portable and Compact:** Designed for easy storage and transport in your car, bike rack, or backpack.



Image: A detailed view of the inflator's side, highlighting the USB-A and Type-C charging ports, the inflation connection port, and the outdoor lighting feature with an SOS blink light.

3. Setup

3.1. Charging the Device

Before first use, fully charge the inflator. The device can be charged via the included USB-C cable using a standard USB power adapter (not included) or a car's USB port. The battery level is displayed on the LED screen.

- Connect the USB-C cable to the inflator's Type-C port and a power source.
- The battery indicator on the screen will show charging status.
- A full charge ensures maximum cordless operation time.

3.2. Attaching the Air Hose and Adapters

The inflator comes with a flexible air hose and various adapters for different inflation needs.

1. Screw the air hose securely onto the inflation port at the top of the device.
2. Select the appropriate adapter for the item you wish to inflate (e.g., Presta/Schrader/Dunlop valve adapter for bicycle tires, ball needle for sports balls, swim ring nozzle for inflatables).
3. Attach the chosen adapter to the free end of the air hose.



Image: The Higoom CLB-6010 inflator displayed alongside its five different inflatable accessories, including adapters for cars, motorcycles, balloons, swimming rings/kayaks, balls, and bicycles.

4. Operating Instructions

4.1. Powering On/Off

- To power on, press and hold the power button (usually the center button with a power icon) for a few seconds.
- To power off, press and hold the power button again. The device will also automatically power off after a period of inactivity.

4.2. Setting Pressure Units

With the device powered on, short press the 'M' button (Mode button) to cycle through available pressure units: PSI, BAR, KPA, and kg/cm².



Image: A close-up of the digital screen on the Higoom CLB-6010, clearly displaying real-time pressure readings and the ability to preset desired pressure in various units like PSI, BAR, KPA, and kg/cm².

4.3. Selecting Inflation Modes

Press the 'M' button repeatedly to cycle through the pre-set inflation modes:

- **Car Mode:** Indicated by a car icon.
- **Motorcycle Mode:** Indicated by a motorcycle icon.
- **Bicycle Mode:** Indicated by a bicycle icon.
- **Ball Mode:** Indicated by a ball icon.
- **Custom Mode:** Indicated by a human frame icon, allowing manual pressure setting up to 150 PSI.

4.4. Setting Target Pressure

Once a mode is selected, use the '+' and '-' buttons to adjust the desired target pressure. The preset value will flash while being adjusted.

4.5. Starting and Stopping Inflation

1. Connect the air hose with the appropriate adapter to the item you wish to inflate.
2. Ensure the connection is secure to prevent air leakage.
3. Press the power button (center button) to start inflation. The real-time pressure will be displayed.
4. The inflator will automatically stop once the preset pressure is reached.
5. To manually stop inflation, press the power button again.



Image: The Higoom CLB-6010 demonstrating its dual inflation methods: cordless operation powered by its internal 6000mAh battery and corded operation using a DC 12V car power adapter.

4.6. Using the LED Light

The inflator features an integrated LED light for use in low-light conditions or emergencies.

- Press the light button (usually indicated by a lightbulb icon) to cycle through the light modes:
- **Mode 1:** White light (always on)
- **Mode 2:** Red light full flash (SOS signal)

- **Mode 3:** Red light fast flash (warning signal)
- Press the button again to turn off the light.




Image: The Higoom CLB-6010 portable tire inflator depicted in various usage scenarios, including inflating tires for cars, motorcycles, bicycles, and sports balls, emphasizing its versatility.

5. Maintenance

5.1. Cleaning

Wipe the device with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners. Ensure the device is dry before storage.

5.2. Battery Care

- For optimal battery life, avoid leaving the device in extremely hot or cold environments for extended periods.
- Charge the battery regularly, even if not in frequent use, to maintain its capacity.

5.3. Storage

Store the inflator and its accessories in the provided storage bag in a cool, dry place, away from direct sunlight and moisture.

6. Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Device does not power on.	Low battery or no power.	Charge the device using the USB-C cable or connect to a 12V car power source.
Inflator runs but no air comes out or inflates slowly.	Hose or adapter not securely attached; hose kinked; incorrect mode selected.	Ensure all connections are tight. Check the hose for kinks. Verify the correct inflation mode and pressure unit are selected.
Device stops before reaching preset pressure.	Battery is low.	Recharge the device or use the corded mode with the car charging cable.
Inaccurate pressure reading.	Incorrect pressure unit selected.	Cycle through pressure units using the 'M' button to select the desired unit.

If you encounter issues not listed here, please refer to the full user manual or contact customer support.

7. Specifications

- **Model Name:** CLB-6010
- **Brand:** Higoom
- **Voltage:** 12 Volts
- **Power Source:** Battery Powered (6000mAh Lithium Ion) / 12V DC Car Power
- **Maximum Operating Pressure:** 150 PSI
- **Noise Level:** 75 dB
- **Item Weight:** 1.87 pounds
- **Package Dimensions:** 7.99 x 4.21 x 3.98 inches
- **Special Features:** Automatic Shut-Off, Cordless, Digital Display, LED Light, Portable, Quick Inflation
- **Included Components:** Hose, Presta/Schrader/Dunlop valve adapter, Swim ring nozzle, Ball needle, Storage bag

8. Warranty and Support

For warranty information, technical support, or any questions regarding your Higoom CLB-6010 Digital Tire Inflator, please contact the manufacturer directly through their official website or the contact information provided with your purchase. Please retain your proof of purchase for warranty claims.

© 2025 Higoom. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F5B2LHWF

More documents and user manuals: **https://manuals.plus/**