

## ET2 ETMSC04-WT

# ET2 Lighting ETMSC04-WT Continuum Track Direct Wire Driver User Manual

Model: ETMSC04-WT

## 1. INTRODUCTION AND OVERVIEW

This manual provides essential instructions for the installation, operation, and maintenance of the ET2 Lighting ETMSC04-WT Continuum Track Direct Wire Driver. This component is an integral part of the ET2 Continuum ultra-slim track lighting system, designed to provide power to low voltage light sources.

The ETMSC04-WT driver facilitates direct wiring for the Continuum track, allowing for a clean and integrated power solution. It is constructed from durable polycarbonate and features a white finish, designed to blend seamlessly with various interior aesthetics.



**Figure 1:** ET2 Lighting ETMSC04-WT Continuum Track Direct Wire Driver. This image shows the compact, white polycarbonate housing of the direct wire driver, designed for integration into the Continuum track lighting system.

## 2. SAFETY INFORMATION

**WARNING:** To reduce the risk of fire, electric shock, or injury to persons, please read and follow all instructions

carefully.

- Installation should be performed by a qualified electrician in accordance with all applicable national and local electrical codes.
- Ensure power is turned OFF at the circuit breaker before installation, maintenance, or cleaning.
- Do not modify or alter the product in any way.
- Do not install near heat sources or in wet locations.
- This product is designed for indoor use only.

### 3. PACKAGE CONTENTS


Verify that all components are present before beginning installation:

- ET2 Lighting ETMSC04-WT Continuum Track Direct Wire Driver (1 unit)
- Instruction Manual (this document)

### 4. SETUP AND INSTALLATION

The ETMSC04-WT is a direct wire driver designed to integrate with the ET2 Continuum track lighting system. It provides the necessary power conversion for low voltage light sources used with the track.

1. **Preparation:** Ensure the main power supply to the installation area is turned OFF at the circuit breaker.
2. **Mounting:** This direct wire driver is intended for ceiling mount applications. Refer to the comprehensive installation guide for the ET2 Continuum track system for detailed instructions on how to properly integrate this driver into your track layout. The driver connects directly to the main power supply and then feeds the track.
3. **Wiring:** All wiring connections must be made by a qualified electrician, adhering to local electrical codes. Ensure all connections are secure and properly insulated.
4. **Integration:** Once the driver is securely mounted and wired, it will provide power to the connected Continuum track.



**Figure 2:** Dimensional drawing of the ETMSC04-WT driver. The driver measures 3.5 inches in length, 1.5 inches in width, and 0.75 inches in height, providing precise measurements for installation planning.

## 5. OPERATING INSTRUCTIONS

The ETMSC04-WT Direct Wire Driver functions as a power supply for the ET2 Continuum track lighting system. Once properly installed and connected to the main power supply, its operation is automatic.

- **Power On/Off:** The track lighting system, powered by this driver, is typically controlled by a wall switch connected to the main power supply circuit.
- **Dimming:** If an integrated dimmable driver option was selected for your Continuum system, the lighting can be dimmed using a compatible dimmer switch (sold separately and installed by a qualified electrician).
- **Light Source Placement:** Low voltage light sources can be quickly snapped into place on the Continuum track, allowing for flexible lighting arrangements.

## 6. MAINTENANCE

The ETMSC04-WT Direct Wire Driver requires minimal maintenance.

- **Cleaning:** Ensure power is OFF at the circuit breaker before cleaning. Wipe the exterior surface with a soft, dry, or slightly damp cloth. Do not use abrasive cleaners or solvents.
- **No User-Serviceable Parts:** This unit contains no user-serviceable parts. Do not attempt to open or repair the driver.

## 7. TROUBLESHOOTING

If the track lighting system is not functioning as expected, perform the following basic checks:

- **No Power:**
  - Verify that the circuit breaker supplying power to the track system is ON.
  - Check that the wall switch controlling the system is in the ON position.
  - Ensure all electrical connections to the driver and track are secure.
- **Lights Flickering or Dim:**
  - Confirm that the light sources are properly seated in the track.
  - If using a dimmer, ensure it is compatible with low voltage LED lighting and the driver.

If issues persist after performing these checks, contact a qualified electrician or ET2 customer support for assistance. Do not attempt to repair the unit yourself.

## 8. SPECIFICATIONS

Brand	ET2
Model Name	ETMSC04-WT
Material	Polycarbonate
Color	White
Product Dimensions (L x W x H)	3.5" x 1.5" x 0.75"
Item Weight	1.28 ounces
Power Source	Corded Electric

Mounting Type	Ceiling Mount
UPC	783209339057

## 9. WARRANTY INFORMATION





This ET2 Lighting product comes with a Limited Warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the warranty documentation provided with your purchase or visit the official ET2 Lighting website. Keep your proof of purchase for warranty claims.

## 10. SUPPORT

For technical assistance, replacement parts, or further inquiries, please contact ET2 Lighting customer support. You can find contact information and additional resources on the official ET2 Lighting website:

[Visit the ET2 Store on Amazon](#)

### Related Documents - ETMSC04-WT

	<p><a href="#">ET2 Contemporary Lighting Product Catalog</a></p> <p>Explore the extensive ET2 Contemporary Lighting product catalog, featuring innovative and sculptural lighting designs. Discover a wide range of high-quality fixtures for modern residential and commercial spaces, including pendants, sconces, flush mounts, and more.</p>
	<p><a href="#">ET2 Alumilux Dish LED Outdoor Wall Sconce E41501 Installation &amp; Wiring Guide</a></p> <p>Detailed installation, wiring, and dimmer compatibility guide for the ET2 Alumilux Dish LED Outdoor Wall Sconce (Model E41501). Includes safety instructions, parts list, and maintenance tips.</p>
	<p><a href="#">ET2 Smart Life User Manual: Guide to Smart Lighting Setup and Control</a></p> <p>Comprehensive user manual for ET2 Smart Life lighting products. Learn how to download the Smart Life app, register, add Bluetooth smart lights via manual or auto scan, connect to Wi-Fi, control devices, and manage your smart home.</p>
	<p><a href="#">ET2 Charm 5-Light LED Pendant Light (E30567-20PC) - Installation and Wiring Guide</a></p> <p>Detailed installation and wiring guide for the ET2 Charm 5-Light LED Pendant Light (Model E30567-20PC). Includes safety precautions, assembly steps, component list, and dimming compatibility information.</p>



[ET2 Braque E21492-BK LED Picture Light - Specifications](#)

Detailed specifications for the ET2 Braque E21492-BK LED picture light, featuring dimensions, lamping details, finishes, material, ratings, and operating information.



[ET2 Rinkle E24878-133FG Pendant Light - Modern Acrylic & Stainless Steel Fixture](#)

Discover the ET2 Rinkle E24878-133FG pendant light, a modern fixture featuring abstract transparent acrylic and stainless steel elements. This energy-efficient LED lighting solution offers adjustable configurations and is available in Polished Chrome, French Gold, and Brushed Gunmetal finishes.