

Lyromix Lyromix 25 series outdoor dog kennel

Lyromix 10 x 10FT Large Outdoor Dog Kennel with Roof

INSTRUCTION MANUAL - MODEL: LYROMIX 25 SERIES OUTDOOR DOG KENNEL

1. Introduction

Thank you for choosing the Lyromix 10 x 10FT Large Outdoor Dog Kennel with Roof. This manual provides essential information for the safe assembly, operation, and maintenance of your new dog kennel. Please read these instructions thoroughly before beginning assembly and retain them for future reference.

This outdoor kennel is designed to provide a secure and spacious environment for your dogs to play and rest. Its robust construction and weather-resistant features ensure durability and comfort for your pets.

2. Safety Information

- **Adult Assembly Required:** This product requires adult assembly. Ensure all steps are followed carefully.
- **Inspect Components:** Before assembly, inspect all parts for any damage. Do not proceed with assembly if any components are bent, broken, or missing. Contact customer support for replacements.
- **Secure Installation:** Ensure the kennel is assembled on a level surface and properly anchored to prevent tipping or movement, especially in adverse weather conditions.
- **Tighten Netting:** During installation, ensure the chain link netting is pulled as tight as possible to prevent gaps and enhance security.
- **Pet Supervision:** Always supervise your pets, especially during their initial use of the kennel.
- **Sharp Edges:** Exercise caution during assembly to avoid injury from sharp edges on metal components. Wear appropriate protective gloves if necessary.
- **Weather Conditions:** While the roof is weather-resistant, extreme weather conditions (heavy snow, strong winds) may require additional precautions or temporary disassembly to prevent damage.

3. Package Contents

The Lyromix 10 x 10FT Large Outdoor Dog Kennel is shipped as a complete unassembled DIY kit, typically in

two packages which may arrive at different times. Please verify all components against the detailed parts list provided within your product packaging before beginning assembly.

Key components generally include:

- Galvanized Iron Pipes (Frame components)
- Chain Link Mesh
- Waterproof and UV-resistant PVC Cover (Roof)
- Reinforced Net Rods
- Gate Assembly with Secure Lock
- Hardware (bolts, nuts, cable ties, etc.)
- Detailed Installation Instructions

4. Setup and Assembly Instructions

Assembly of the Lyromix Outdoor Dog Kennel requires careful attention to the provided instructions. It is recommended that two adults perform the assembly.

1. **Unpack and Verify:** Carefully unpack all components and lay them out. Compare them against the parts list in your instruction manual to ensure everything is present and undamaged.
2. **Frame Assembly:** Begin by assembling the main frame structure using the galvanized iron pipes. Follow the lettered or numbered diagrams in your manual to connect the upright supports and horizontal bars. Pay close attention to the orientation of parts, especially those designed to be crooked or for specific bolt placements.
3. **Gate Installation:** Install the gate assembly into the designated frame section. Ensure the hinges are properly aligned and the secure lock mechanism functions smoothly. If the locking rod does not align, re-check the gate frame assembly.
4. **Chain Link Installation:** Attach the chain link mesh to the assembled frame. It is crucial to pull the net as tight as possible during this step to prevent sagging and ensure pet security. Use the provided cable ties or tension rods to secure the chain link firmly to the frame. You may need to adjust or remove excess chain link sections to achieve optimal tension.
5. **Roof Frame Assembly:** Assemble the roof support structure according to the instructions.
6. **Cover Installation:** Drape the waterproof PVC cover over the roof frame. Ensure it is centered and securely fastened to provide maximum protection from sun, rain, wind, and snow. The full wrap design cover should be properly secured for year-round outdoor activities.
7. **Final Inspection:** Once assembled, perform a thorough inspection. Check all connections, ensure the gate latches securely, and confirm the chain link is taut.

Product Size



Figure 1: Product Size Diagram. Note the dimensions: 9.84FT L x 9.84FT W x 4.25FT H, with a roof peak of 2.0FT and door height of 5.9FT. The diagram also includes a reminder to pull the net tight enough during installation.



Figure 2: Construction Details. This image highlights the compact layout of the chain link, the presence of an additional support rod for stability, and the secure, firmly nailed base connections of the kennel frame.

5. Operating Instructions

The Lyromix Outdoor Dog Kennel provides a safe and spacious area for your dogs.

- **Access:** Use the securely locking gate for easy entry and exit of your pets. Always ensure the gate is properly latched when your pets are inside.
- **Spacious Area:** The 10x10FT dimensions offer ample room for dogs to play, run, and exercise. You can place a dog house, toys, and water bowls inside.
- **Weather Protection:** The upgraded weather-resistant roof provides shade from the sun and protection from rain, dust, and UV rays, making it suitable for year-round outdoor use.



Figure 3: Lyromix Outdoor Dog Kennel. This image shows the fully assembled kennel with its roof, situated on a grassy area, ready for use.



Figure 4: Weatherproof Kennel. This composite image illustrates the kennel's ability to provide shelter in diverse weather conditions, including rain, sun, wind, and snow, ensuring a protected environment for pets.

6. Maintenance

Regular maintenance will extend the life and ensure the safety of your Lyromix dog kennel.

- **Cleaning:** Periodically clean the kennel frame and chain link mesh with mild soap and water. Rinse thoroughly and allow to air dry.
- **Roof Cover:** Clean the PVC roof cover as needed to remove dirt, leaves, or debris. Ensure it remains free of standing water, especially after rain or snow, to prevent damage or collapse.
- **Hardware Check:** Regularly inspect all bolts, nuts, and connections to ensure they remain tight. Tighten any loose hardware.
- **Chain Link Tension:** Periodically check the tension of the chain link mesh. If it becomes loose, re-tension it as necessary to maintain security.
- **Damage Inspection:** Inspect the entire structure for any signs of wear, rust, or damage. Address any issues promptly to prevent further deterioration or safety hazards.

7. Troubleshooting

If you encounter issues with your Lyromix Outdoor Dog Kennel, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Missing or damaged parts upon arrival	Shipping damage or packaging error.	Do not proceed with assembly. Contact Lyromix customer support immediately for replacement parts.
Gate locking mechanism does not align or function properly	Incorrect gate frame assembly or misalignment during installation.	Review the assembly instructions for the gate section. Disassemble and reassemble, ensuring all parts are correctly oriented and aligned before tightening.
Chain link mesh is loose or sagging	Insufficient tension applied during installation.	Re-tension the chain link mesh. Ensure it is pulled as tight as possible and secured firmly with all provided cable ties or tension rods. Adjust or remove excess sections if necessary.
Roof cover collapses or sags	Improper roof frame assembly, insufficient anchoring, or heavy accumulation of snow/debris.	Ensure the roof frame is correctly assembled and all support poles are securely in place. Clear any heavy snow or debris from the roof promptly. In areas with heavy snowfall, consider temporary disassembly or additional reinforcement.
Kennel feels unstable or wobbly	Not assembled on a level surface, loose connections, or inadequate anchoring.	Verify the kennel is on a flat, stable surface. Tighten all bolts and connections. Ensure the base is properly anchored to the ground.

8. Specifications

Feature	Detail
Model Name	Lyromix 25 series outdoor dog kennel
Product Dimensions (L x W x H)	120.0"L x 120.0"W x 51.2"H (10FT x 10FT x 4.25FT)
Item Weight	136.2 pounds
Material	Galvanized Metal (Frame), PVC (Cover)
Color	Silver (Frame), Beige/Gray (Cover)
Gap Size (Chain Link)	1.2 Inches
Target Audience	Dogs (Breed Recommendation: Large)
Specific Uses	Outdoor enclosure for pets
Included Components	Kennel Frame, Chain Link Mesh, Waterproof Cover, Hardware



Figure 5: Sturdy Tube Construction. This image highlights the 1.2-inch diameter of the galvanized metal tubes used in the kennel's construction, emphasizing their thickness for enhanced strength and protection.










Figure 6: Fully Enclosed Edges. This image provides a detailed view of the kennel's base, illustrating the fully enclosed wire edges designed to prevent pets from prying open the netting and ensuring a secure enclosure.

9. Warranty and Support

For detailed warranty information, please refer to the documentation included with your product packaging. Lyromix stands behind the quality of its products.

If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact Lyromix customer support through the retailer's platform or the official Lyromix website. Please have your model number (Lyromix 25 series outdoor dog kennel) and purchase information ready when contacting support.

 <p>Trampoline with Safety Enclosure USER MANUAL</p> <p>Select size: 12'x18' (48" x 144")</p> <p> <input type="checkbox"/> 12'x18' (48" x 144") Trampoline <input type="checkbox"/> 12'x18' (48" x 144") Trampoline <input type="checkbox"/> 12'x18' (48" x 144") Trampoline <input type="checkbox"/> 12'x18' (48" x 144") Trampoline <input type="checkbox"/> 12'x18' (48" x 144") Trampoline </p> <p> Springs: <input type="checkbox"/> 36 <input type="checkbox"/> 48 <input type="checkbox"/> 60 <input type="checkbox"/> 72 <input type="checkbox"/> 84 <input type="checkbox"/> 96 <input type="checkbox"/> 108 </p> <p> Options: <input type="checkbox"/> Enclosed top <input type="checkbox"/> Enclosed top <input type="checkbox"/> 2-step ladder <input type="checkbox"/> 2-step ladder <input type="checkbox"/> 3-step ladder <input type="checkbox"/> 3-step ladder </p>	<p>Trampoline with Safety Enclosure User Manual</p> <p>Comprehensive user manual for Lyromix trampolines with safety enclosures, covering assembly, usage, safety guidelines, and maintenance for various sizes. Includes instructions for optional basketball hoop attachment and ladders.</p>
 <p>12FT Trampoline with SWING USER MANUAL</p> <p>Caution</p> <p> • Do not use the trampoline if you are injured, dizzy, or have a headache. • Do not use the trampoline if you are under the influence of alcohol or drugs. • Do not use the trampoline if you are pregnant or have a medical condition. • Do not use the trampoline if you are overweight or have a weight over 150 lbs. • Do not use the trampoline if you are wearing shoes or jewelry. • Do not use the trampoline if you are using it in a way that is not intended. • Do not use the trampoline if you are using it in a way that is not intended. • Do not use the trampoline if you are using it in a way that is not intended. • Do not use the trampoline if you are using it in a way that is not intended. </p>	<p>12FT Trampoline with SWING User Manual</p> <p>This user manual provides comprehensive assembly instructions, safety precautions, and maintenance guidelines for the 12FT Trampoline with SWING. Learn how to safely assemble, use, and care for your trampoline to ensure years of enjoyment.</p>
 <p>TRAMPOLINE</p> <p> <input type="checkbox"/> 4'x8' (48" x 96") Trampoline <input type="checkbox"/> 6'x10' (72" x 120") Trampoline <input type="checkbox"/> 8'x12' (96" x 144") Trampoline <input type="checkbox"/> 10'x14' (120" x 168") Trampoline <input type="checkbox"/> 12'x18' (144" x 216") Trampoline <input type="checkbox"/> 14'x20' (168" x 240") Trampoline <input type="checkbox"/> 16'x24' (192" x 288") Trampoline <input type="checkbox"/> 18'x30' (216" x 360") Trampoline </p> <p> Springs: <input type="checkbox"/> 36 <input type="checkbox"/> 48 <input type="checkbox"/> 60 <input type="checkbox"/> 72 <input type="checkbox"/> 84 <input type="checkbox"/> 96 <input type="checkbox"/> 108 <input type="checkbox"/> 120 <input type="checkbox"/> 132 <input type="checkbox"/> 144 <input type="checkbox"/> 156 <input type="checkbox"/> 168 <input type="checkbox"/> 180 <input type="checkbox"/> 192 <input type="checkbox"/> 204 </p>	<p>Trampoline User Manual and Safety Guide</p> <p>Comprehensive guide to the safe assembly, use, and maintenance of your trampoline. Learn about basic and advanced bouncing techniques, safety precautions, and troubleshooting.</p>
 <p>PawHut D02-153V01</p> <p>Assembly Instructions</p> <p> 1. Unpack the playpen and lay out the parts. 2. Assemble the frame and legs. 3. Attach the mesh panels. 4. Attach the canopy. 5. Attach the door. 6. Attach the accessories. 7. Check the playpen for stability. 8. Place the playpen on a flat surface. 9. Do not use the playpen on uneven ground. 10. Do not use the playpen in the rain. 11. Do not use the playpen with sharp objects. 12. Do not use the playpen with pets that are aggressive. 13. Do not use the playpen with pets that are too large. 14. Do not use the playpen with pets that are too old. 15. Do not use the playpen with pets that are too young. 16. Do not use the playpen with pets that are too small. 17. Do not use the playpen with pets that are too fat. 18. Do not use the playpen with pets that are too thin. 19. Do not use the playpen with pets that are too old. 20. Do not use the playpen with pets that are too young. </p>	<p>PawHut D02-153V01 Dog Playpen Assembly Instructions</p> <p>Step-by-step assembly guide for the PawHut D02-153V01 Dog Playpen, including a detailed parts list and instructions for setting up the outdoor dog kennel with canopy. Features clear diagrams explained in text.</p>
 <p>Large outdoor Dog Kennel Instruction Manual</p> <p> 1. Unpack the kennel and lay out the parts. 2. Assemble the frame and legs. 3. Attach the mesh panels. 4. Attach the canopy. 5. Attach the door. 6. Attach the accessories. 7. Check the kennel for stability. 8. Place the kennel on a flat surface. 9. Do not use the kennel on uneven ground. 10. Do not use the kennel in the rain. 11. Do not use the kennel with sharp objects. 12. Do not use the kennel with pets that are aggressive. 13. Do not use the kennel with pets that are too large. 14. Do not use the kennel with pets that are too old. 15. Do not use the kennel with pets that are too young. 16. Do not use the kennel with pets that are too small. 17. Do not use the kennel with pets that are too fat. 18. Do not use the kennel with pets that are too thin. 19. Do not use the kennel with pets that are too old. 20. Do not use the kennel with pets that are too young. </p>	<p>Large Outdoor Dog Kennel - Assembly and Instruction Manual</p> <p>Detailed instruction manual for assembling a large outdoor dog kennel by HomLux, including parts list, step-by-step assembly guides, and after-sales service information.</p>
 <p>STOP</p> <p>DO NOT ASSEMBLE WITHOUT READING AND FULLY UNDERSTANDING THE INSTRUCTIONS</p> <p> TO PREVENT INJURY, THE CHAIN LINK FENCING ON ALL PLAY SURFACES AND HOME OFFICIALS MUST BE PROPERLY ADJUSTED AND MAINTAINED. VIDEO TUTORIALS CAN BE FOUND HERE: www.homlux.com/chain-link-fencing-tutorials </p> <p>WARNING INCORRECT OR INCOMPLETE ASSEMBLY WILL BEAT ALL WARRANTY. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. </p> <p>CAUTION SHARP EDGES - PREVENT INJURY TO EYES, HANDS, FEET, AND OTHER BODY PARTS. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. • DO NOT USE THE CHAIN LINK FENCING FOR ANY OTHER PURPOSE. </p> <p>TOOLS REQUIRED • 1/2" DRIVE SOCKET SET (1/2", 3/4", 1", 1 1/4", 1 3/4", 2") • 1/2" DRIVE SOCKET SET (1/2", 3/4", 1", 1 1/4", 1 3/4", 2") • 1/2" DRIVE SOCKET SET (1/2", 3/4", 1", 1 1/4", 1 3/4", 2") • 1/2" DRIVE SOCKET SET (1/2", 3/4", 1", 1 1/4", 1 3/4", 2") </p> <p>FOR DETAIL, HELP OR CUSTOMER SERVICE, VISIT: www.homlux.com 800-888-8888</p>	<p>Chain Link Kennel Fabric Preparation and Adjustment Guide</p> <p>Detailed instructions for preparing and adjusting chain link kennel fabric, including terminology, unrolling techniques, and picket adjustments to ensure proper assembly and warranty. Learn how to identify and fix common issues like nested knuckles, missed weaves, and uneven pickets.</p>