onerbl AK24WG-1200200DP

onerbl AC-DC Adapter Instruction Manual

For MOYU Mini Portable Bucket Washers (Models MINI01-M, MINI01-S, MINI01-E, MINI06-MA, MINI06-EA, MINI06-SA)

1. Introduction

This manual provides essential information for the safe and effective use of your onerbl AC-DC Adapter. This adapter is designed to provide reliable power to compatible MOYU Mini Portable Bucket Washers, converting standard AC electrical power into the DC power required by your device. Please read this manual thoroughly before use and retain it for future reference.

2. Important Safety Information

- **Electrical Safety:** Always ensure the adapter is connected to a properly grounded electrical outlet. Do not use the adapter if the cord is damaged or frayed.
- **Indoor Use Only:** This adapter is designed for indoor use in dry conditions. Do not expose it to water, rain, or excessive humidity.
- **Ventilation:** Ensure adequate ventilation around the adapter during use. Do not cover it or place it in an enclosed space that could restrict airflow.
- **Compatibility:** Use this adapter only with devices that match its voltage and current specifications (DC12V 2A). Using it with incompatible devices may cause damage.
- **Handling:** Avoid dropping or subjecting the adapter to strong impacts. Disconnect from the power outlet by pulling the plug, not the cord.
- **Children:** Keep the adapter out of reach of children.

3. Package Contents

- 1 x onerbl AC-DC Adapter (Model: AK24WG-1200200DP)

4. Setup

Follow these steps to set up your onerbl AC-DC Adapter:

1. **Inspect the Adapter:** Before connecting, visually inspect the adapter and its cable for any signs of damage. Do not use if damaged.
2. **Connect to Device:** Locate the DC input port on your MOYU Mini Portable Bucket Washer. Insert the barrel connector of the onerbl adapter firmly into this port.
3. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard 110V AC electrical wall outlet. Ensure the connection is secure.



Figure 1: Front and side view of the onerbl AC-DC adapter, showing the AC prongs and DC barrel connector.




Figure 2: The onerbl AC-DC adapter with indicated dimensions: 1.6 inches width, 1.2 inches height, 2.6 inches length, and a cable length of 76 inches.



Figure 3: The onerbl AC-DC adapter plugged into a power strip, demonstrating a typical connection scenario.

5. Operating Instructions

Once the onerbl AC-DC Adapter is correctly connected to your MOYU Mini Portable Bucket Washer and a power outlet, the washer should receive power. Refer to your MOYU washer's instruction manual for specific operating procedures. The adapter provides continuous DC 12V 2A power for the washer's operation or battery charging, if applicable.

6. Maintenance

The onerbl AC-DC Adapter requires minimal maintenance:

- **Cleaning:** Disconnect the adapter from the power outlet before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly winding the cable to prevent damage.
- **Inspection:** Periodically inspect the adapter and its cable for any signs of wear, cuts, or damage. Replace the adapter if any damage is observed.

7. Troubleshooting

If you encounter issues with your onerbl AC-DC Adapter, consider the following:

- **No Power to Device:**
  - Ensure the adapter is securely plugged into both the wall outlet and the MOYU washer.
  - Check if the wall outlet is functional by plugging in another device.
  - Verify that the MOYU washer is turned on and functioning correctly according to its own manual.
  - Inspect the adapter cable for any visible damage. If damaged, discontinue use.
- **Adapter Overheating:**
  - Ensure the adapter has adequate ventilation and is not covered.
  - Confirm that the connected device is compatible with the adapter's specifications (DC12V 2A).
  - If overheating persists, disconnect the adapter and contact support.

8. Specifications

Feature	Specification
Model	AK24WG-1200200DP
Input Voltage	100-240V AC, 50/60Hz
Output Voltage	12V DC
Output Current	2A (2000mA)
Output Power	24W
Connector Type	Barrel Connector
Special Feature	Short Circuit Protection
Compatible Devices	MOYU MINI01-M, MINI01-S, MINI01-E, MINI06-MA, MINI06-EA, MINI06-SA Mini Portable Bucket Washer

9. Warranty and Support

This onerbl AC-DC Adapter is manufactured with quality materials and tested for performance. For warranty information or technical support, please refer to the documentation provided with your purchase or contact the seller directly. Please have your product model number (AK24WG-1200200DP) and purchase details ready when contacting support.

© 2025 onerbl. All rights reserved.