

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [COWSAR](#) /

› [COWSAR 2.65 Cu.ft Wine Fridge Instruction Manual](#)

COWSAR COWSAR Wine Cooler

COWSAR 2.65 Cu.ft Wine Fridge Instruction Manual

MODEL: COWSAR WINE COOLER

Brand: COWSAR

1. Product Overview

The COWSAR 2.65 Cu.ft Wine Fridge is an ETL approved beverage refrigerator designed for quiet operation and precise temperature control. It features a clear front glass door and adjustable shelves, making it suitable for various beverage storage needs in home bars or other settings.



Image: Front view of the COWSAR 2.65 Cu.ft Wine Fridge, showcasing its sleek design and internal blue LED lighting with various beverages stored inside.

Key Features:

- **Spacious Storage:** 2.65 Cu.Ft capacity, capable of storing up to 95 cans.
- **Flexible Storage Design:** Adjustable shelves accommodate various bottle and can sizes.
- **Whisper-Quiet Operation:** Advanced cooling system ensures minimal noise disruption.
- **Customizable Temperature Control:** Adjustable settings from 40°F to 61°F with an LED display.
- **Tinted Double Pane Glass Door:** Provides superior insulation, UV protection, and clear visibility.

2.6 Cu.Ft Capacity



ETL Listed for
Safety & Reliability



Image: Diagram illustrating the dimensions (19"W x 17.5"D x 25.1"H) and capacity (22 bottles or 95 cans) of the 2.6 Cu.Ft COWSAR Beverage Refrigerator.



Image: The COWSAR 2.6 Cu.Ft Beverage Refrigerator integrated into a modern kitchen, highlighting its aesthetic appeal and function as a cooling home for beverages.

Your browser does not support the video tag.

Video: An official seller video showcasing the COWSAR Wine Fridge's premium build, sleek look, and durable function, highlighting its features and design.

2. Setup Instructions

1. **Unpacking:** Carefully remove all packaging materials. Ensure no parts are left inside the unit.
2. **Placement:** Place the refrigerator on a flat, stable surface away from direct sunlight and heat sources. Allow at least 5 inches of space around the unit for proper ventilation. This is a freestanding unit and should not be built-in unless specified by the manufacturer.
3. **Leveling:** The unit is equipped with adjustable leveling legs. Rotate the legs to ensure the refrigerator is perfectly level. This is crucial for proper operation and door alignment.
4. **Initial Power-On:** After placement, wait at least 2-4 hours before plugging the unit into a power outlet. This allows the refrigerant to settle. Once plugged in, allow the unit to cool for several hours (e.g., 6 hours) before loading beverages.



Image: A close-up view of an adjustable leveling foot, demonstrating how to stabilize the refrigerator on uneven surfaces.

3. Operating Instructions

Control Panel:

The control panel is located at the top of the interior, featuring touch-sensitive buttons and an LED display.

Touch Screen Control Panel



Image: A detailed view of the touch screen control panel, showing buttons for LED light, temperature adjustment (+/-), and the digital temperature display.

- **Temperature Adjustment:** Use the + and - buttons to set your desired temperature between 40°F and 61°F. The LED display will show the current temperature.
- **Internal LED Light:** Press the light bulb icon button to turn the internal blue LED light on or off. This enhances visibility and presentation of your beverages.
- **Control Panel Lock:** Some models may feature a lock function to prevent accidental changes to settings. Refer to your specific model's manual for details.

Simple and Friendly Design



Removable Shelves



Temperature Control



LED Interior Lighting



Adjustable Leveling Legs



Image: The interior of the COWSAR Wine Fridge, highlighting its removable shelves, digital temperature control, blue LED interior lighting, and adjustable leveling legs for user convenience.

Shelving:

- The wire shelves are removable and adjustable to accommodate different sizes of bottles and cans. To adjust, simply lift the shelf and reposition it to the desired height.

Door:

- The tinted double-pane tempered glass door provides insulation and UV protection, helping to maintain a stable internal temperature.
- The door hinges are reversible, allowing you to change the door's opening direction to suit your space. Refer to the detailed installation guide for instructions on reversing the door.

Double Reinforced Glass Door



**Air
Tight Seal**



**Block
UV Rays**



**Keep
Beverages Cool**



Image: A diagram illustrating the features of the double reinforced glass door, including its airtight seal, UV ray blocking capability, and ability to keep beverages cool.

EACH WINE HAS ITS OWN TEMPERATURE



Image: A visual guide displaying optimal serving temperatures for different types of wine (Dry White, Semi-Dry White, Sweet, Dry Red, Semi-Dry Red, Semi-Sweet, Sparkling) and carbonated drinks.

4. Maintenance

Cleaning:

- **Interior:** Unplug the unit before cleaning. Wash the interior with a mild detergent and warm water. Rinse thoroughly and dry. Remove shelves for easier cleaning.
- **Exterior:** Clean the exterior with a soft cloth and mild detergent. Avoid abrasive cleaners or solvents.
- **Glass Door:** Use a glass cleaner to clean the door. Do not spray directly onto the control panel.

Defrosting:

- This unit features manual defrost. Frost buildup on the interior back wall is normal. When frost becomes excessive (about 1/4 inch thick), unplug the unit and allow the frost to melt naturally. Place a towel at the bottom to absorb water.

5. Troubleshooting

- **Unit Not Operating:** Ensure the power cord is securely plugged into a functional outlet. Check the circuit breaker.
- **Temperature Not Cold Enough:** Verify the temperature setting is appropriate. Ensure the door is closed properly and not opened frequently. Check for proper ventilation around the unit. Avoid placing hot items inside.
- **Excessive Noise:** Ensure the unit is level. Check if any objects are touching the back or sides of the refrigerator. Normal operating sounds include a gentle hum from the compressor and occasional gurgling from refrigerant flow.
- **Condensation/Frost Buildup:** This is normal for manual defrost units. Ensure the door seal is intact and the door is not left open for extended periods. Defrost the unit as needed.

6. Specifications

Feature	Specification
Brand Name	COWSAR
Model Info	COWSAR Wine Cooler
Item Weight	25.7 Pounds
Product Dimensions	19"D x 17.5"W x 25.1"H
Capacity	2.65 Cubic Feet (approx. 95 cans)
Annual Energy Consumption	549 Watts
Installation Type	Freestanding

Feature	Specification
Color	Black
Voltage	120 Volts
Defrost System	Manual Defrost
Number of Doors	1
Included Components	Shelves

7. Warranty and Support

For warranty information and customer support, please refer to the documentation included with your product or contact COWSAR customer service directly. Protection plans may be available for purchase separately.