



[Manuals.plus](#) /

> [SOLRIG](#) /

> SOLRIG Sliding Closet Door Instruction Manual - Full Lite Mirror Glass, 60"x80" Opening, Model B0F65712DP

SOLRIG B0F65712DP

SOLRIG Sliding Closet Door Instruction Manual

Model: B0F65712DP - Full Lite Mirror Glass, for 60"x80" Openings

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your SOLRIG Sliding Closet Door. Please read all instructions carefully before beginning installation to ensure proper function and safety. Keep this manual for future reference.

2. SAFETY INFORMATION

- Always wear appropriate safety gear, including gloves and eye protection, during installation.
- Ensure the installation area is clear of obstructions and well-lit.
- Handle glass panels with extreme care to prevent breakage and injury.
- Verify that the wall structure can support the weight of the door system.
- Keep children and pets away from the work area during installation.
- Do not attempt to modify the product in any way not described in this manual.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support.

- Sliding Door Panels (2x, Full Lite Mirror Glass)
- Sliding Track
- Handles (Finger Pulls)
- Pulleys/Rollers
- Fascia
- Floor Guide

- Mounting Hardware (screws, anchors, etc.)
- Instruction Manual (this document)

4. SPECIFICATIONS

Feature	Detail
Brand	SOLRIG
Model	B0F65712DP
Door Type	Sliding Closet Door
Glass Type	Full Lite Mirror Glass
Material	MDF with White PVC Surface
Fit Opening Size	60" (Width) x 80" (Height)
Each Panel Dimensions	30.98" (Width) x 78.58" (Height)
Item Weight	95 pounds
Style	Modern

5. SETUP AND INSTALLATION

5.1 Pre-Installation Checks

- **Measure Your Opening:** Accurately measure the width and height of your door opening. This door system is designed for standard 60"x80" openings. Refer to the dimension diagram below.

Standard Sliding Glass Door Dimensions




Figure 1: Standard Sliding Door Dimensions. This diagram illustrates the panel width and height, and the corresponding fit opening width and height for various door sizes, including the 60"x80" model.

- **Prepare the Area:** Clear the installation area. Ensure the floor and ceiling are level and free from debris.
- **Unpack Components:** Carefully unpack all parts and lay them out on a clean, protected surface.

5.2 Installation Steps

1. **Install the Top Track:** Securely mount the sliding track to the top of your door opening. Ensure it is level and properly aligned. Use appropriate fasteners for your wall material.
2. **Attach Rollers to Door Panels:** The door panels come pre-drilled. Attach the roller mechanisms to the top edge of each door panel. Ensure they are securely fastened.

SLIDING CLOSET DOOR ROLLER KIT



Figure 2: Sliding Closet Door Roller Kit. This image shows the roller assembly, emphasizing its concealed design for a smooth and quiet operation.

- 3. Hang the Door Panels:** Carefully lift each door panel and engage the rollers with the top track. Ensure the panels hang freely and can slide along the track.
- 4. Install the Bottom Floor Guide:** Position the floor guide on the floor directly below the door panels. This guide ensures the doors remain aligned and slide smoothly. Secure it to the floor using the provided hardware.



Sliding Closet Door Bottom Floor Guide

Ensure that your sliding doors panel remain aligned and operate smoothly for enhanced stability and security

Figure 3: Sliding Closet Door Bottom Floor Guide. This image details the floor guide, which is crucial for maintaining door alignment and smooth operation.

- 5. Attach Handles (Finger Pulls):** Install the finger pull handles onto the door panels. These provide a secure and comfortable grip for opening and closing.



Sliding Closet Door Finger Pull

It provides a secure and comfortable grip, making it easier to open and close the door smoothly

Figure 4: Sliding Closet Door Finger Pull. This image shows the recessed finger pull handle, designed for easy and smooth door operation.

- 6. Install Fascia (Optional):** If included, attach the fascia to cover the top track for a finished appearance.
- 7. Test Operation:** Gently slide both doors back and forth to ensure smooth and unobstructed movement. Adjust as necessary.

6. OPERATING INSTRUCTIONS

Your SOLRIG Sliding Closet Door is designed for simple and efficient operation.

- **Opening and Closing:** Use the integrated finger pull handles to gently slide the door panels along the track. The doors can be positioned to fully open the closet, partially open, or fully closed.

Flexible Opening & Closing,

Space Under Control



Figure 5: Flexible Opening and Closing. This diagram illustrates the various positions the sliding doors can take, offering versatile access to your closet space.

- **Mirror Care:** The full lite mirror glass provides both functionality and aesthetic appeal. Avoid harsh impacts to the mirror surface.

7. MAINTENANCE

Regular maintenance will ensure the longevity and smooth operation of your sliding closet door.

- **Cleaning Door Panels:** The MDF panels with white PVC surface are easy to clean. Use a soft, damp cloth and mild soap to wipe down the surfaces. Avoid abrasive cleaners.
- **Cleaning Mirror Glass:** Use a standard glass cleaner and a lint-free cloth for the mirror surfaces. Spray cleaner onto the cloth, not directly onto the mirror, to prevent liquid from seeping into edges.
- **Track Maintenance:** Periodically inspect and clean the top track and bottom floor guide. Remove any dust, dirt, or debris that may accumulate and hinder smooth sliding. A vacuum cleaner with a brush attachment can be effective.
- **Roller Inspection:** Check the rollers for any signs of wear or damage. If the doors become difficult to slide, the rollers may need cleaning or adjustment.
- **Hardware Check:** Periodically check all screws and fasteners to ensure they are tight. Retighten if necessary.

High Quality and Strong MDF Material



Scratch Resistant



Smooth Surface



Easy to Clean



P2 CARB



Figure 6: MDF Material Properties. This image highlights the durable MDF construction with a white PVC surface, emphasizing its scratch resistance and ease of cleaning.

8. TROUBLESHOOTING

Refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Doors do not slide smoothly	Debris in track, misaligned rollers, loose track.	Clean tracks, inspect and adjust rollers, tighten track fasteners.
Doors rub against each other or frame	Improperly adjusted rollers, uneven installation.	Adjust roller height, check track levelness and re-level if necessary.
Doors come off the track	Damaged rollers, incorrect installation of floor guide, severe impact.	Inspect rollers for damage and replace if needed. Ensure floor guide is correctly installed and secured.

Mirror appears cloudy or streaky	Improper cleaning agent or cloth.	Use a dedicated glass cleaner and a clean, lint-free microfiber cloth.
----------------------------------	-----------------------------------	--

9. CUSTOMER SUPPORT

For any questions, concerns, or assistance with your SOLRIG Sliding Closet Door, please contact our dedicated customer support team. We are committed to ensuring your satisfaction.

- **Contact Method:** Refer to your purchase documentation or the seller's platform for specific contact details.
- **When contacting support, please provide:**
 - Your order number
 - Product model (B0F65712DP)
 - A clear description of the issue




Figure 7: Customer Support Guidance. This image illustrates how to reach out for assistance, emphasizing the availability of support for any inquiries.