Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

FerdY Ferdy-02604-5533L-PP

FerdY Floridian 55" x 33" Walk-in Whirlpool Bathtub Instruction Manual

Model: Ferdy-02604-5533L-PP | Brand: FerdY

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your FerdY Floridian 55" x 33" Walk-in Whirlpool Bathtub. Please read this manual thoroughly before installation and use to ensure safe and efficient operation. Retain this manual for future reference.



Image: The FerdY Floridian 55" x 33" Walk-in Whirlpool Bathtub, showcasing its design and functionality within a modern bathroom environment.

Safety Information

Important Safety Instructions:

- Always ensure proper electrical grounding according to local codes.
- Do not operate the bathtub without water.
- Keep children supervised when near the bathtub.
- Consult a licensed plumber for installation to ensure proper water connections and drainage.
- Avoid using abrasive cleaners or sharp objects on the acrylic surface.
- Ensure the door is securely latched before filling the tub.

Product Features

- **Soothing Air Massage:** Equipped with 16 air jets for a multi-directional hydro massage experience, powered by a 110V/50Hz pump.
- **Chromatherapy Lighting:** Features 2 LED lights with 7 color options. Single tap for dynamic color show, double tap to lock a single color.
- **Extra-Wide Door & Low Step-In:** Designed for easy access with a left-side opening door, easy-to-turn handle, and watertight seal. Features a low 4" step-in threshold.
- **Quick Fill & Drain:** Fills within approximately 3 minutes (15 gallons per minute at 60 psi) and drains in less than 2 minutes.
- **Optimal Material:** Constructed from durable, glossy white Lucite Grade 100% Acrylic for insulation and longevity, resistant to yellowing for at least 10 years.



Image: Overview of key features of the FerdY Walk-in Whirlpool Bathtub, highlighting its hydro massage, quick drain, barrier-free design, chromatherapy, and insulation.

Installation Guide

The following steps outline the installation process for your FerdY Floridian Walk-in Whirlpool Bathtub. For best results and safety, professional installation is recommended.

Step 1: Unboxing and Preparation

Carefully cut the packing tape on the outer box. Grasp the handles on the sides and slowly lift the box upwards to remove the lid. It is recommended to have at least two people for this step as the box is heavy. Once the box is removed, the bathtub will be visible, wrapped in protective film. Carefully peel off the protective film and remove all foam strips. For secure transportation, the bathtub is firmly fastened to a wooden pallet. Unscrew the bolts on the four bottom feet of the bathtub to detach it from the pallet. Once the bolts are removed, the bathtub can be lifted off the tray.

Your browser does not support the video tag.

Video: This video demonstrates the initial unboxing process, removal of protective materials, and detachment from the pallet for the FerdY Floridian Walk-in Bathtub.

Step 2: Faucet Installation

First, cut open the cable ties securing the faucet package. Remove the plastic bag and take out the faucet. Remove any temporary fittings used for packaging. Carefully place the faucet onto the pre-drilled hole on the bathtub and tighten it securely from underneath. The adjusting handles are pre-installed and do not require additional assembly. Finally, connect the faucet's pipes and tighten them securely.

Your browser does not support the video tag.

Video: This video provides a detailed demonstration of the faucet installation process for the FerdY Floridian Walk-in Bathtub.



Image: A detailed diagram illustrating the various components and controls on the top surface of the FerdY Walk-in Whirlpool Bathtub, including faucet and jet controls.

Step 3: Extension Board Installation (Optional)

If your installation space requires it, an extension board is provided to fill larger gaps between the tub and the wall, creating a clean, finished look. Unpack the extension board and accessories. Secure the extension board as needed to fit your specific bathroom layout.



Image: The FerdY Walk-in Whirlpool Bathtub demonstrating the use of a removable wall extension panel to accommodate larger tub openings.

Operating Instructions

Filling the Bathtub

- Ensure the walk-in door is securely closed and latched.
- Turn on the faucet to begin filling the tub. The quick-fill system allows the tub to fill rapidly.
- Fill the tub to the desired level, ensuring the water covers the jets if you plan to use the massage functions.

Using the Air Massage Jets

- Once the tub is filled, locate the "Jets Switch Button" on the tub's control panel.
- Press the button to activate the 16 air jets for a hydro massage experience.
- Press again to turn off the jets.

Chromatherapy LED Lighting

- Locate the "Lights Switch Button" on the control panel.
- A single tap will initiate a dynamic show cycling through 7 colors.
- A double tap will lock the current color.
- Additional taps will cycle through colors or turn off the lights.



Image: Visual guide to the 7-color chromatherapy lighting system, showing how to activate dynamic color changes or select a specific color.

Draining the Bathtub

- To drain the tub, simply turn the easy-grip drain handle located beneath the showerhead.
- The FerdY Fast-Drain system will empty the tub in less than 2 minutes.

Maintenance and Care

Cleaning the Bathtub


- Use a soft cloth and non-abrasive, mild bathroom cleaner for regular cleaning.
- Avoid harsh chemicals, abrasive pads, or solvents, as these can damage the acrylic surface.
- Rinse thoroughly with water after cleaning.

Jet and Plumbing Maintenance

- Periodically run the jets with a tub cleaner specifically designed for jetted tubs to prevent buildup.
- Inspect plumbing connections for leaks regularly.

SPECIFICATIONS

Feature	Detail
Brand	FerdY
Model Number	Ferdy-02604-5533L-PP
Product Dimensions	55"L x 33"W x 41"H
Material	Acrylic
Color	White (Whirlpool Left Drain)
Item Weight	165.4 Pounds
Capacity	93.71 Gallons
Shape	Rectangular
Air Jets	16
LED Lights	2 (Chromatherapy with 7 colors)






Image: Technical drawing with precise dimensions and specifications for the FerdY Floridian Walk-in Whirlpool Bathtub.

Troubleshooting

If you encounter any issues with your FerdY Floridian Walk-in Whirlpool Bathtub, please refer to the following common troubleshooting tips:

- **No Power to Jets/Lights:** Check the circuit breaker (110V/50Hz) and ensure all electrical connections are secure.
- **Water Leakage from Door:** Verify that the door is fully closed and latched. Inspect the watertight seal for any debris or damage.
- **Slow Filling/Draining:** Ensure water supply valves are fully open. For drainage, check for any obstructions in the drain system. Consult a licensed plumber if issues persist.
- **Jets Not Functioning:** Ensure the water level is above the jets. Check electrical connections and the jet switch button.

Warranty and Support

FerdY is committed to providing defect-free materials and workmanship. For any questions or concerns regarding your product, please contact our U.S.-based pre-sales and after-sales service team. Refer to your purchase documentation for specific warranty details.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F65SQQ1C

More documents and user manuals: **https://manuals.plus/**