

[Manuals.plus](#) /

› [Wellspeed](#) /

› Wellspeed 52 Inch Brushed Nickel Flush Mount Ceiling Fan with Lights and Remote (Model DY1132X-5B/52) Instruction Manual

Wellspeed DY1132X-5B/52

Wellspeed 52 Inch Brushed Nickel Flush Mount Ceiling Fan with Lights and Remote

Model: DY1132X-5B/52 - Instruction Manual

IMPORTANT SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate, or install the product. Failure to follow these instructions could result in electric shock, fire, or serious personal injury.

- Ensure all electrical connections comply with local codes and ordinances, and the National Electrical Code (NEC).
- Consult a qualified electrician if you are unfamiliar with electrical wiring.
- Disconnect power at the main circuit breaker before installation or servicing.
- Mounting structure must be capable of supporting the fan's weight (refer to specifications).
- Do not operate the fan with damaged blades or housing.
- Keep hands, feet, and other objects away from rotating fan blades.
- This fan is designed for indoor use only. The brushed nickel finish is not suitable for outdoor environments.

PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, contact Wellspeed customer service.

- Ceiling Fan Motor Housing
- Fan Blades (5)
- LED Light Kit
- Remote Control with Batteries
- Mounting Bracket
- Hardware Pack (screws, wire nuts, etc.)
- Instruction Manual

SETUP AND INSTALLATION

Installation typically takes around 30 minutes. For detailed visual guidance, please refer to the official installation video provided by Wellspeed.



This image illustrates the ease of installation, highlighting that the fan comes with instructions and an installation video is available.

Installation Steps Overview:

1. **Power Disconnection:** Turn off power at the circuit breaker to avoid electrical shock.
2. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling junction box. Ensure the junction box is rated for ceiling fan support.
3. **Wiring:** Connect the fan's electrical wires to the household wiring according to the provided wiring diagram in the included manual.
4. **Fan Assembly:** Attach the fan blades to the motor housing.
5. **Light Kit Installation:** Connect and secure the LED light kit to the fan.
6. **Final Assembly:** Mount the fan assembly to the ceiling bracket and secure all covers.
7. **Power Restoration:** Restore power at the circuit breaker and test the fan.

Official Installation Video:

Your browser does not support the video tag.

This video provides a step-by-step guide for installing your Wellspeed Ceiling Fan with Lights.

OPERATING INSTRUCTIONS

Your Wellspeed ceiling fan is controlled by the included remote. Ensure batteries are installed correctly in the remote control.




The remote control allows full operation of the fan and light functions. Batteries are included.

Fan Functions:

- **Power On/Off:** Press the power button to turn the fan on or off.
- **Fan Speed:** Select from 6 fan speeds (1-6) to adjust airflow.

6 Fan Speeds Adjustable



Level 1-2
Low Comfortable wind



Level 3-4
Medium Natural wind



Level 5-6
High Cooling wind

The fan offers 6 adjustable speeds for customized comfort, from a gentle breeze to strong cooling.

- **Reverse Function:** Use the reverse button to change the direction of blade rotation.
 - **Summer Mode (Downward Airflow):** Creates a cooling breeze.
 - **Winter Mode (Upward Airflow):** Circulates warm air trapped near the ceiling, helping to maintain a comfortable temperature.

Reversible the Wind



Summer

Powerful wind, rapidly cooling

Winter

Maintain a comfortable temperature

The reversible motor function allows for optimal air circulation in both summer and winter seasons.

- **Timer Function:** Set the fan to turn off automatically after 1, 3, or 6 hours.

Light Functions:

- **Light On/Off:** Press the light button to turn the LED light on or off.
- **Color Temperature Adjustment (3CCT):** Cycle through 3 color temperatures:
 - 3000K (Warm White)
 - 4500K (Natural White)
 - 6500K (Daylight White)

Noiseless Experience

Only wind, no sound



Adjust the light's color temperature to suit your preference or activity.

- **Brightness Adjustment:** Adjust the light brightness from 10% to 100%.
- **Flicker-Free Lighting:** The integrated LED light is designed to be flicker-free, reducing eye strain.

No Screen Flicker

We Care About Your Eyes



The flicker-free LED light provides comfortable illumination, reducing eye fatigue.

Official Product Function Video:

Your browser does not support the video tag.

This video demonstrates the various functions of the Wellspeed ceiling fan with lights, including speed and light adjustments.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Periodically wipe the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure power is disconnected before cleaning.
- **Blade Inspection:** Check fan blades for any cracks or damage. Replace damaged blades immediately.
- **Tightness Check:** Periodically check all screws and connections for tightness.
- **LED Light Kit:** The integrated LED light kit is replaceable. If the light fails, contact Wellspeed customer service for replacement options.

Higher Brightness

Brighter, more even lighting experience



Lens lamp bead



Ours

2300 Lumens

Other

1800 Lumens

The LED light kit is designed to be replaceable, ensuring long-term usability.

TROUBLESHOOTING


Before attempting any repairs, ensure power is disconnected at the circuit breaker.

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control issue.	Check circuit breaker; Verify all wire connections are secure; Replace remote batteries or re-pair remote.
Light does not work	Loose wire connections; Faulty LED light kit; Remote control issue.	Check light kit wiring; Contact customer service for a replacement LED kit; Replace remote batteries.
Fan wobbles	Loose blade screws; Unbalanced blades; Loose mounting bracket.	Tighten all blade screws; Use a balancing kit (not included) to balance blades; Ensure mounting bracket is securely fastened.
Noisy operation	Loose screws; Motor issue; Blades hitting an obstruction.	Check and tighten all screws; Ensure no obstructions are near blades; If noise persists, contact customer service.

SPECIFICATIONS

Detailed specifications for the Wellspeed 52 Inch Flush Mount Ceiling Fan (Model DY1132X-5B/52).

Product Size



Operating diameter: 52 inch

52 inch refers to the maximum diameter of the fan blades plus motor when the fan is running, not the size of the blades themselves.



Room Size

12 x 12FT - 18 x 18FT

Product dimensions and recommended room size for optimal performance.

Feature	Detail
Brand	Wellspeed
Model Name	DY1132X-5B/52
Color	Nickel

Feature	Detail
Electric Fan Design	Ceiling Fan
Power Source	DC
Style	Modern
Product Dimensions (D x W x H)	52"D x 52"W x 10.1"H
Recommended Room Size	12 x 12 FT - 18 x 18 FT
Special Features	LED Light, Quiet Operation, Safety Certified, Reversible DC Motor, 6-Speed, 3CCT Dimmable
Mounting Type	Ceiling Mount (Flush Mount)
Number of Speeds	6
Noise Level	30 Decibels

Feature	Detail
	2 Colors Available Choose the right color according to the style of your home 
Wattage	60 watts
Indoor Outdoor Usage	Indoor (Note: Brushed nickel fans are not suitable for outdoor use.)
Control Method	Remote The fan operates at a quiet 30 decibels, ensuring a peaceful environment.
Motor Type	DC (Energy-efficient)
Material	Acrylonitrile Butadiene Styrene (Blades), Metal (Construction)
Included Components	Cord, Light Kit, Remote

