

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Rsqqact](#) /
- › [Rsqqact AC Power Cord User Manual for Epson PowerLite Projectors](#)

## **Rsqqact Universal C13 Power Cord (Compatible with Epson PowerLite 420, 425W, 430, 435W, D6150, D6155W)**

# **Rsqqact AC Power Cord User Manual**

For Epson PowerLite Projectors (Models 420, 425W, 430, 435W, D6150, D6155W)

## **1. INTRODUCTION**

---

This user manual provides essential information for the safe and effective use of your Rsqqact AC Power Cord. This power cord is designed to provide reliable power to compatible electronic devices, specifically Epson PowerLite projectors. Please read this manual thoroughly before use and retain it for future reference.



*Image 1: Rsqqact AC Power Cord with C13 connector and NEMA 5-15P plug.*

## 2. SAFETY INFORMATION

---

To ensure safe operation and prevent damage, please observe the following safety precautions:

- Ensure the power cord is compatible with your device's power requirements (voltage and current).
- Do not use the power cord if it is damaged, frayed, or has exposed wires.
- Avoid placing heavy objects on the power cord or bending it sharply.
- Keep the power cord away from water, heat sources, and sharp edges.
- Always grasp the plug, not the cord, when disconnecting from an outlet or device.
- Do not attempt to modify or repair the power cord yourself.
- For indoor use only.

## 3. PRODUCT FEATURES

---

- **Premium Replacement Cable:** Designed to meet high-quality standards for reliable performance.
- **Durable 5ft AWG18 Wiring:** Constructed for longevity with a flame-retardant PVC jacket, offering over 3000 bend lifespan.
- **Universal Compatibility:** Features standard C13 connectors, suitable for various devices including laptops, monitors, printers, and projectors.

- **100-125V Safety Assurance:** Built-in surge protection and copper-clad aluminum conductors for safe operation within specified voltage ranges.




Image 2: Internal construction of the Rsqqact AC Power Cord.

#### 4. COMPATIBILITY

The Rsqqact AC Power Cord is designed for devices requiring a C13 power inlet and operating within 100-125V. It is specifically compatible with the following Epson PowerLite projector models:

- Epson PowerLite 420
- Epson PowerLite 425W
- Epson PowerLite 430
- Epson PowerLite 435W
- Epson PowerLite D6150
- Epson PowerLite D6155W

*Always verify your device's power inlet type before connecting.*

#### 5. SETUP

Follow these steps to properly connect your Rsqqact AC Power Cord:

1. **Inspect the Power Cord:** Before connecting, visually inspect the power cord for any signs of damage, such as cuts, fraying, or bent pins. Do not use a damaged cord.
2. **Connect to Device:** Align the C13 connector of the power cord with the power inlet on your Epson PowerLite projector or other compatible device. Gently push the connector firmly into the inlet until it is fully seated.
3. **Connect to Power Outlet:** Insert the 3-prong NEMA 5-15P plug into a standard 100-125V AC wall outlet. Ensure the outlet is easily accessible.
4. **Verify Connection:** Confirm that both ends of the power cord are securely connected before powering on your device.




Image 3: Rsqqact AC Power Cord connected to a device and power outlet.

## 6. OPERATION

Once the Rsqqact AC Power Cord is securely connected to your device and a compatible power outlet, your device is ready to receive power. Turn on your device using its power button. The power cord functions as a direct power supply and does not require any additional operational steps.

## 7. MAINTENANCE

Proper care and maintenance will extend the life of your power cord:

- **Cleaning:** Disconnect the power cord from both the device and the wall outlet before cleaning.

Wipe the cord and plugs with a dry, soft cloth. Do not use liquid cleaners or solvents.

- **Storage:** When not in use, coil the power cord loosely. Avoid tight coiling or kinking, which can damage the internal wires. Store in a cool, dry place away from direct sunlight and extreme temperatures.
- **Regular Inspection:** Periodically inspect the power cord for any signs of wear or damage. Replace the cord immediately if any damage is observed.

## 8. TROUBLESHOOTING

If you encounter issues with your power cord, refer to the table below for common problems and solutions:

Problem	Possible Cause	Solution
Device does not power on.	Power cord not fully connected.	Ensure both ends of the power cord are securely plugged in.
	Wall outlet is not active.	Test the wall outlet with another device or check the circuit breaker.
	Power cord is damaged.	Inspect the power cord for visible damage. Replace if damaged.
Intermittent power.	Device power switch is off.	Ensure the device's power switch is in the 'On' position.
	Loose connection.	Re-seat both ends of the power cord firmly.
	Damaged cord.	Replace the power cord if it shows signs of damage.

## 9. SPECIFICATIONS

Key technical specifications for the Rsqqact AC Power Cord:

Feature	Detail
Brand	Rsqqact
Connector Type	C13 to NEMA 5-15P
Voltage Rating	100-125V AC
Cable Length	5 feet (approx. 1.5 meters)
Wire Gauge	AWG18
Jacket Material	Flame-retardant PVC
Safety Features	Built-in surge protection, copper-clad aluminum conductors
Color	Black

## 10. WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the Rsqqact official website or contact their customer service directly. Keep your purchase receipt as proof of purchase.