

[Manuals.plus](#) /

› [Loniko](#) /

› Loniko ST945B●Auto Smart Toilet User Manual

Loniko ST945B●Auto

Loniko ST945B●Auto Smart Toilet User Manual

Model: ST945B●Auto

Brand: Loniko

1. INTRODUCTION

Welcome to the Loniko Smart Toilet experience. This advanced toilet system integrates a built-in bidet, heated seat, dual auto-flush, warm water and dry functions, and smart sensors for unparalleled hygiene and comfort. Designed with a tankless system and modern aesthetics, it offers a luxurious and convenient solution for your bathroom. This manual provides detailed instructions for installation, operation, maintenance, and troubleshooting to ensure optimal performance and longevity of your smart toilet.



Figure 1: Loniko ST945B●Auto Smart Toilet. This image displays the sleek, modern design of the smart toilet with its integrated LED display and remote control.

2. SETUP AND INSTALLATION

The Loniko Smart Toilet is designed for straightforward DIY installation, fitting standard 12-inch rough-in distances. Please ensure you have all necessary components before beginning. For detailed visual guidance, refer to the included video tutorials and step-by-step instructions.

2.1 Included Components

- Smart Toilet Unit
- Installation Accessories (including flange kit)
- User Manual (this document)

2.2 Installation Steps Overview

1. Prepare the installation area, ensuring water supply and electrical outlets are accessible.

2. Install the flange kit according to local plumbing codes and provided instructions.
3. Carefully position the toilet unit over the flange.
4. Secure the toilet to the floor using the provided screws and mounting hardware.
5. Connect the water supply line to the toilet.
6. Plug the toilet into a grounded electrical outlet.
7. Perform initial flush and check for leaks.



Figure 2: Easy Installation Diagram. This image illustrates the dimensions of the smart toilet and highlights its compatibility with standard 12-inch rough-in distances, along with a visual of included installation components.

3. OPERATING INSTRUCTIONS

Your Loniko Smart Toilet offers a range of intelligent features designed for convenience and hygiene. Familiarize yourself with the various functions and controls.

3.1 Flushing System

The tankless siphonic flushing technology provides a powerful yet quiet flush with a 1000g MAP flush score and

1.28GPF water-saving efficiency.

POWERFUL AND EFFICIENT FLUSH

One-time Flushing, Low-carbon Life



Figure 3: Powerful and Efficient Flush. This diagram illustrates the siphonic flushing mechanism, showing how the main jet cleans dirt and the siphoning action removes ceramic wall dirt for a thorough clean.

3.2 Smart Sensors & Automatic Functions

The toilet features intelligent sensors for a touch-free experience:

- **Automatic Lid Opening/Closing:** The lid automatically opens as you approach and closes when you leave.
- **Auto-Flush:** Flushes automatically upon exit.
- **Foot Sensor Activation:** A foot sensor allows for hands-free flushing.
- **Remote Control Operation:** All functions can be controlled via the wireless remote.

AUTO OPEN/CLOSE | FLUSH



Figure 4: Auto Open/Close and Flush. This image demonstrates the various automatic functions, including auto-open on approach, auto-close and flush upon leaving, foot sensor flush, and off-seat auto flushing.

3.3 Personalized Cleaning (Bidet)

The built-in bidet provides a refreshing, paperless experience with filtered warm water and a warm air dryer. Customize your cleaning with multiple wash modes:

- **Posterior Wash:** Standard cleansing for rear.
- **Feminine Wash:** Gentle cleansing for women.
- **Massage Wash:** Pulsating water stream for a soothing effect.
- **Adjustable Water Temperature:** Select from Normal, 93°F, 96°F, and 99°F.
- **Warm Air Dryer:** Follows washing for a complete dry.

MUTIPLE WASH MODES

Comprehensive protection of private health



Figure 5: Multiple Wash Modes. This image illustrates the various bidet functions, including self-cleaning, hip washing, female washing, and mobile washing, along with adjustable water temperature settings.

3.4 Comfort Features

- **Heated Seat:** Customizable seat temperature with four options (Normal, 93°F, 96°F, 99°F) for year-round comfort.
- **LED Night Light:** Soft illumination for safe navigation in the dark.
- **Real-time LCD Display:** Shows current seat, water, and dryer temperatures.

REGARDLESS OF NORTH OR SOUTH OR SEASONS

The Seat Temperature is Always Comfortable




Figure 6: Tailored Comfort Features. This image highlights the heated seat and night light functions, ensuring comfort regardless of the season, with adjustable temperature settings for the seat and warm air drying.

3.5 Remote Control and One-Touch Knob

Control all functions conveniently with the wireless remote or the intuitive one-touch knob.




Figure 7: Wireless Remote Control. This image displays the layout of the wireless remote control, showing various buttons for functions like flush, bidet modes, dryer, light, ECO mode, self-cleaning, and temperature adjustments.

MULTIPLE FUNCTIONS | ONE-TOUCH CONTROL



Figure 8: One-Touch Knob. This image illustrates the one-touch knob, which allows for easy rotation to select functions like women's wash, bottom wash, flush, dry, and stop, simplifying operation.

3.6 Product Overview Video

For a dynamic demonstration of the Loniko Smart Toilet's features, including its automatic lid, flushing mechanism, and overall design, please watch the official product video below.

Video 1: Loniko 945B Luxury Comfort Smart Toilet. This video provides a visual overview of the smart toilet's design, automatic lid opening, flushing action, and other key functionalities.

4. MAINTENANCE AND CARE

Regular cleaning and proper maintenance will ensure the longevity and hygienic performance of your Loniko Smart Toilet.

4.1 Cleaning the Toilet

- Use a soft cloth and mild, non-abrasive cleaner for the exterior surfaces.

- For the bowl, use standard toilet bowl cleaner and a brush. Avoid harsh chemicals that may damage the ceramic or internal components.
- The bidet nozzles feature a self-cleaning function. Activate this function regularly as per the operating instructions.
- Do not spray water directly onto the electrical components or control panel.

4.2 Filter Maintenance

If your model includes a water filter for the bidet, refer to the specific instructions for filter replacement to maintain water purity for personal cleansing.

5. TROUBLESHOOTING

If you encounter any issues with your Loniko Smart Toilet, refer to the following common troubleshooting steps. If the problem persists, contact customer service.

Problem	Possible Cause	Solution
No Power/Display Off	Power cord unplugged, circuit breaker tripped, power outage.	Check power connection, reset circuit breaker, verify power supply.
Flushing Issues	Low water pressure, sensor obstruction, remote battery low.	Check water supply valve, clean sensors, replace remote batteries.
Bidet Not Working	Nozzle clogged, water supply off, temperature setting incorrect.	Run self-cleaning cycle, ensure water supply is on, adjust temperature settings.
Heated Seat Not Warming	Seat heating function off, temperature set too low.	Activate seat heating via remote, increase seat temperature setting.

6. SPECIFICATIONS

Detailed technical specifications for the Loniko ST945B●Auto Smart Toilet.

Feature	Detail
Manufacturer	shenzhenshizhanlanzhijumaoyiyouxiangongsi
Part Number	smart toilet
Item Weight	86 pounds
Product Dimensions	26.77 x 15.95 x 20.08 inches
Item Model Number	U5-1-WK
Color	ST945B●Auto
Material	Ceramic, Polypropylene (PP)
Shape	U-Shape
Installation Method	Floor Mounted

Feature	Detail
Item Package Quantity	1
Included Components	Installation accessories, User Manual, Toilet
Date First Available	April 27, 2025

6.1 Safety Protection Features

The Loniko Smart Toilet incorporates 8 layers of safety protection to ensure maximum safety and stable use:

- Power-on self-check
- Leakage protection
- Seat temperature protection
- Water temperature protection
- Wind temperature protection
- Water and electricity separation
- IPX4 waterproof rating
- Dry-burn protection

8 LAYER SAFETY PROTECTION

Maximum protection for safe and stable use,
allowing you to use it with peace of mind without any worries



Power-on
self-check



Leakage
protection



Seat temp
protection



Water temp
protection



Wind temp
protection



Water and
electricity separation



IPX4
waterproof



Dry burn
protection

Figure 9: 8 Layer Safety Protection. This graphic visually represents the comprehensive safety features built into the smart toilet, including protections against power issues, leaks, and temperature fluctuations.

7. WARRANTY AND SUPPORT

Loniko is committed to providing high-quality products and excellent customer service.

7.1 Warranty Information

Your Loniko Smart Toilet is backed by a **24-month replacement warranty**, ensuring peace of mind for your purchase.

7.2 Customer Support

For any questions, technical assistance, or warranty claims, our dedicated customer service team is available **24/7** to provide support.

Please refer to the contact information provided on your purchase receipt or the product packaging for direct support channels.

