

- Manuals.plus /
- > [Yoidesu](#) /
 - > Yoidesu 4K Portable Monitor (Model Yoidesuoibvdspwu1) User Manual

Yoidesu Yoidesuoibvdspwu1

Yoidesu 4K Portable Monitor User Manual

Model: Yoidesuoibvdspwu1

1. INTRODUCTION

Thank you for choosing the Yoidesu 4K Portable Monitor. This 15.6-inch display is designed to enhance your productivity and entertainment experience with its 4K resolution, wide viewing angles, and versatile connectivity. This manual provides essential information for setting up, operating, and maintaining your device.



Figure 1.1: The Yoidesu 4K Portable Monitor, showcasing its display quality with a scenic image. The monitor is presented with its smart cover acting as a stand.

2. SAFETY INFORMATION

- Do not expose the monitor to rain or moisture to prevent fire or electric shock.
- Avoid placing the monitor in direct sunlight or near heat sources.
- Use only the power adapter and cables provided by the manufacturer.
- Do not attempt to disassemble or repair the monitor yourself. Refer all servicing to qualified personnel.
- Keep the monitor away from strong magnetic fields.

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- 1 x 15.6 Inch Portable Display
- 1 x Protective Case (Smart Cover)
- 1 x USB Cable
- 1 x Type C Cable
- 1 x HD Multimedia Interface Cable
- 1 x Adapter
- 1 x User Manual



Figure 3.1: All components included in the Yoidesu 4K Portable Monitor package. This includes the monitor, its protective smart cover, a USB cable, a Type-C

cable, an HDMI cable, and a power adapter.

4. PRODUCT OVERVIEW

The Yoidesu 4K Portable Monitor features a 15.6-inch display with a 178-degree viewing angle, delivering accurate and vibrant colors. It incorporates eye care technology to reduce blue light radiation and flickering, promoting comfortable long-term viewing. The semi-reflective and semi-transparent LCD technology helps alleviate eye discomfort, providing clear images even in bright environments.

4.1. Monitor Features

- **4K Resolution:** Provides sharp and detailed visuals.
- **178-Degree Viewing Angle:** Ensures consistent image quality from various perspectives.
- **Eye Care Technology:** Reduces blue light and flicker for reduced eye strain.
- **Semi-Reflective/Semi-Transparent LCD:** Enhances visibility in bright conditions and reduces glare.
- **Universal Compatibility:** Connects via HDMI and Type-C to various devices.
- **Portable Design:** Lightweight and slim, ideal for travel and flexible workspaces.

4.2. Ports and Controls




Figure 4.1: Detailed view of the monitor's input/output ports and control buttons. This image highlights the High Definition Multimedia Interface (HDMI), two Type-C ports, the 3.5mm headphone jack, the 3-in-1 Key for menu navigation, and the Back button/Confirm button.

- **High Definition Multimedia Interface (HDMI):** For video and audio input from compatible devices.
- **Type-C Ports (x2):** One for power delivery and video/audio input (full-featured Type-C), another for power or data.
- **3.5mm Headphone Jack:** For connecting external audio devices.

- **3-in-1 Key:** Multi-functional button for navigating the On-Screen Display (OSD) menu.
- **Back Button / Confirm Button:** Used for OSD menu navigation and selection.

5. SETUP

Follow these steps to set up your Yoidesu Portable Monitor:

5.1. Power Connection

1. Connect the provided power adapter to a power outlet.
2. Connect the other end of the power adapter to one of the Type-C ports on the monitor. Ensure it is the port designated for power input if specified.

5.2. Device Connection

Choose the appropriate connection method based on your source device:

5.2.1. Using Type-C (Full-Featured)

- If your laptop or smartphone supports full-featured USB-C (DisplayPort Alternate Mode and Power Delivery), connect the provided Type-C cable from your device to the monitor's full-featured Type-C port. This single cable can transmit video, audio, and power.

5.2.2. Using HDMI

- Connect the provided HD Multimedia Interface (HDMI) cable from your device's HDMI output to the monitor's HDMI input.
- Ensure the monitor is also connected to power via the Type-C power input.

5.3. Initial Power On

Once connected to power and a source device, the monitor should automatically power on. If not, press the power button (often integrated with the 3-in-1 key) to turn it on.



Figure 5.1: The Yoidesu Portable Monitor positioned on a desk, serving as an extended display for a laptop. This illustrates a typical setup for productivity or entertainment.

6. OPERATING

This section details the basic operation and settings adjustment for your monitor.

6.1. Power On/Off

- **To Power On:** Press the 3-in-1 Key briefly.
- **To Power Off:** Press and hold the 3-in-1 Key for a few seconds until the screen turns off.

6.2. On-Screen Display (OSD) Menu

The OSD menu allows you to adjust various display settings.

1. **Access OSD:** Briefly press the 3-in-1 Key to bring up the OSD menu.
2. **Navigate:** Use the 3-in-1 Key to scroll through menu options (up/down).
3. **Select/Confirm:** Press the Back/Confirm button to select an option or confirm a setting.
4. **Exit:** Use the Back/Confirm button to go back to the previous menu or exit the OSD.

6.3. Common OSD Settings

- **Brightness/Contrast:** Adjust the display's luminance and contrast levels.
- **Color Settings:** Modify color temperature, hue, and saturation.
- **Input Source:** Manually select between HDMI and Type-C inputs if auto-detection fails.
- **Aspect Ratio:** Adjust the screen's aspect ratio (e.g., 16:9, 4:3).
- **Volume:** Control the audio output level.

6.4. Eye Care Features

The monitor is designed with features to reduce eye strain:

- **Blue Light Reduction:** Access the OSD menu to enable or adjust blue light filter settings. This helps minimize eye fatigue during prolonged use.
- **Flicker-Free Technology:** The display is engineered to reduce screen flickering, providing a more comfortable viewing experience.




Figure 6.1: The Yoidesu Portable Monitor showcasing its semi-reflective and semi-transparent LCD technology, which helps in reducing glare and eye discomfort, especially in bright environments.

6.5. Smart Cover Usage

The included smart cover can be folded to serve as a stand for the monitor, allowing for various viewing angles. It also protects the screen when not in use.

7. MAINTENANCE

7.1. Cleaning the Monitor

- Always power off the monitor and disconnect it from the power source before cleaning.
- Use a soft, lint-free cloth slightly dampened with water or a non-abrasive screen cleaner.
- Do not spray cleaner directly onto the screen. Apply it to the cloth first.
- Avoid using alcohol, ammonia, or abrasive cleaners, as they can damage the screen surface.

7.2. Storage

- When not in use, store the monitor in its protective case to prevent scratches and damage.
- Store in a cool, dry place away from extreme temperatures and humidity.

8. TROUBLESHOOTING

If you encounter issues with your monitor, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No image on screen	No power; Incorrect input source; Loose cable connection.	Ensure power adapter is connected and working. Check if the correct input source (HDMI/Type-C) is selected. Reconnect video cables securely.
Image is distorted or flickering	Faulty cable; Resolution mismatch; Interference.	Try a different video cable. Adjust the display resolution on your source device. Move away from other electronic devices that may cause interference.
No sound	Volume too low; Incorrect audio output; Faulty cable.	Increase monitor volume via OSD. Ensure your source device is sending audio to the monitor. Check headphone connection if using external audio.
Monitor not detected by device	Cable issue; Device driver issue; Device output not enabled.	Ensure cables are fully inserted. Update graphics drivers on your source device. On Windows, press Windows Key + P to extend/duplicate display.

9. SPECIFICATIONS

Feature	Specification
Item Type	15.6 Inch Portable Display
Material	Aluminum Alloy
Output	5V 3A 15W
Resolution	4K (3840x2160)
Viewing Angle	178 Degree
Contrast Ratio	1000:1
Input Interface	High Definition Multimedia Interface, Type C
Screen Size	15.6 Inch

Feature	Specification
Item Model Number	Yoidesuoibvdspwu1
Item Weight	4 pounds (1.82 Kilograms)
Package Dimensions	18.11 x 10.63 x 1.97 inches

10. WARRANTY AND SUPPORT

10.1. Warranty Information

Yoidesu products are manufactured to high quality standards. For specific warranty terms and conditions, please refer to the warranty card included with your product or contact Yoidesu customer support. The warranty typically covers defects in materials and workmanship under normal use.

10.2. Customer Support

If you have any questions, require technical assistance, or need to report an issue, please contact Yoidesu customer support. Refer to the contact information provided on the product packaging or the official Yoidesu website for the most up-to-date support channels.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0F6N1CL9J>

More documents and user manuals: <https://manuals.plus/>