

## ECEVT E-SW280D

# ECEVT 11 Cu.Ft Commercial Beverage Refrigerator (Model E-SW280D) User Manual

## 1. INTRODUCTION

---

Welcome to your new ECEVT 11 Cu.Ft Commercial Beverage Refrigerator. This manual provides essential information for the safe and efficient operation of your appliance. Please read it thoroughly before use and retain it for future reference. This refrigerator is designed for commercial use, offering ample storage and display capabilities for various beverages and food items.

# DISPLAY GLASS DOOR FRIDGE LARGE CAPACITY



## Dimensions:

22.83"D\*22.05"W\*75.98"H

## Large capacity :

175 standard bottles or 300 standard cans.

## Watts:

165w Compressor Rated Power

Noise:<50db

Volts:115V



**175 bottles** capacity (473ml)



**300 Cans** capacity(355ml)

Image: ECEVT 11 Cu.Ft Commercial Beverage Refrigerator, showcasing its capacity and design.

## 2. IMPORTANT SAFETY INFORMATION

To reduce the risk of fire, electric shock, or injury when using your refrigerator, follow these basic precautions:

- Read all instructions before using the appliance.
- Do not touch cold surfaces, especially when the appliance is operating.
- Ensure proper grounding. Connect only to properly grounded outlets.
- Do not use extension cords or ungrounded adapters.
- Unplug the refrigerator before cleaning or making any repairs.
- Keep ventilation openings clear of obstruction.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

### 3. PRODUCT FEATURES

The ECEVT 11 Cu.Ft Commercial Beverage Refrigerator is equipped with several features designed for convenience and efficiency:

- **Spacious Interior:** 11 cubic feet capacity with 5 adjustable shelves for customized storage.
- **Digital Temperature Control:** User-friendly digital display and controls for temperature adjustment between 34°F to 46°F.
- **Secure Locking Door:** Features a secure locking door with a set of keys to protect contents.
- **Dual-Layer Glass Door:** Prevents condensation and maintains stable internal temperatures, enhancing product visibility.
- **LED Lighting:** Internal LED lighting ensures optimal visibility of displayed products.
- **Mobility:** Equipped with castor wheels for easy movement and stability.
- **Efficient Cooling:** Utilizes a compressor cooling method with R290 refrigerant for consistent performance.
- **Automatic Defrost:** Features an automatic defrost system for hassle-free maintenance.



Image: Overview of key features including digital control, lock, and casters.

# DOUBLE-LAYER TEMPERED GLASS



Low-E  
Coating



Heat  
Insulation



Reduce  
Condensation



Energy  
Efficient



Image: Explanation of the double-layer tempered glass door technology.

## 4. SETUP AND INSTALLATION

### 4.1. Unpacking

Carefully remove all packaging materials. It is recommended to tear off the plastic protective film from the refrigerator. After unpacking, allow the refrigerator to stand upright for at least 24 hours before connecting it to power. This allows the refrigerant to settle, preventing potential damage to the cooling system.

### 4.2. Placement

Place the refrigerator on a firm, level surface. Ensure there is adequate space around the unit for proper ventilation (at least 4 inches on the sides and back). Avoid placing the unit in direct sunlight or near heat sources, as this can affect cooling efficiency.

### 4.3. Shelf Installation and Adjustment

The refrigerator comes with 5 adjustable shelves. To install or adjust a shelf:

1. Locate the shelf support clips on the interior side walls.
2. Insert the clips into the desired slots at the same height on both sides.
3. Slide the shelf onto the installed clips, ensuring it is level and secure.

The adjustable design allows you to customize the interior layout to accommodate various heights of cans or bottles.



Image: Refrigerator dimensions and capacity details.

## 5. OPERATING INSTRUCTIONS

### 5.1. Powering On

After allowing the refrigerator to stand for 24 hours, plug the power cord into a grounded electrical outlet. The unit will begin cooling automatically.

### 5.2. Temperature Control

The refrigerator features a digital temperature display and controls. You can adjust the internal temperature within the range of 34°F to 46°F (approximately 1°C to 8°C). Refer to the control panel for specific adjustment

methods, typically involving up/down arrows or a dial to set the desired temperature.

### 5.3. Internal Lighting

The internal LED lighting can be controlled via a switch, usually located near the temperature controls. Flip the switch to turn the lights on or off, enhancing the visibility of your products.

### 5.4. Door Lock

Use the provided keys to lock and unlock the refrigerator door. This feature helps secure your products, especially in commercial or shared environments.

## 6. MAINTENANCE AND CARE

---

### 6.1. Cleaning

Regular cleaning helps maintain the performance and appearance of your refrigerator. Always unplug the unit before cleaning.

- **Interior:** Clean the interior with a solution of mild detergent and warm water. Wipe dry with a soft cloth.
- **Exterior:** Wipe the exterior surfaces with a soft cloth dampened with water and a mild detergent.
- **Glass Door:** Use a glass cleaner for the dual-layer glass door to ensure maximum visibility.
- **Shelves:** Remove and wash shelves with warm, soapy water. Rinse thoroughly and dry before returning them to the unit.

### 6.2. Defrosting

This refrigerator is equipped with an automatic defrost system. This means that frost buildup on the evaporator coils is periodically melted and drained, eliminating the need for manual defrosting under normal operating conditions.

## 7. TROUBLESHOOTING

---

Before contacting customer service, please refer to the following table for common issues and their potential solutions:

Problem	Possible Cause	Solution
Refrigerator does not operate	Not plugged in; Circuit breaker tripped/fuse blown; Power outage.	Ensure plug is secure; Reset circuit breaker/replace fuse; Check power supply.
Temperature is not cold enough	Temperature setting too high; Door not closed properly; Excessive door openings; Poor ventilation; Warm items placed inside.	Adjust temperature to a lower setting; Ensure door is sealed; Reduce frequency of door openings; Clear obstructions around unit; Allow warm items to cool before placing inside.
Excessive noise	Unit not level; Items vibrating inside; Compressor noise (normal).	Adjust leveling feet; Rearrange items; Compressor noise is normal during operation.

Problem	Possible Cause	Solution
Condensation on glass door	High humidity; Frequent door openings.	This is normal in high humidity; Reduce door openings.

## 8. PRODUCT SPECIFICATIONS

---

Below are the detailed specifications for the ECEVT 11 Cu.Ft Commercial Beverage Refrigerator (Model E-SW280D):

Feature	Detail
Brand Name	ECEVT
Model Number	E-SW280D
Capacity	11 Cubic Feet
Item Weight	179.6 pounds
Product Dimensions	21"D x 22"W x 75"H (53.34 cm D x 55.88 cm W x 190.5 cm H)
Installation Type	Freestanding
Form Factor	Stand Alone
Special Features	Adjustable Shelves
Color	White
Voltage	115 Volts
Defrost System	Automatic
Door Hinges	Right
Door Material Type	Glass
Number of Shelves	5
Number Of Doors	1

## 9. WARRANTY AND SUPPORT

---

For warranty information and customer support, please refer to the documentation included with your product or contact ECEVT customer service directly. Keep your purchase receipt and model number (E-SW280D) handy when seeking support.

For further assistance, please visit the [ECEVT Store on Amazon](#).

