

## woom Explore 6

# woom Explore 6 Bicycle User Manual

Model: Explore 6 | Brand: woom

[Introduction](#)

[Safety Information](#)

[Setup](#)

[Operating](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Support](#)

## 1. INTRODUCTION

---

This manual provides essential information for the assembly, operation, maintenance, and safety of your woom Explore 6 Bicycle. The woom Explore 6 is a lightweight, 26-inch, 8-gear all-terrain bicycle designed for children and teens aged 10 to 14 years, with a recommended height range of 55" to 65". It features an aluminum frame, hydraulic disc brakes, and an 8-speed microSHIFT Acolyte trigger shifter, making it suitable for various riding conditions.



Image 1.1: The woom Explore 6 Bicycle, showcasing its red frame and overall design.

## 2. SAFETY INFORMATION

---

Always prioritize safety when riding the woom Explore 6 Bicycle. Adhere to the following guidelines:

- **Helmet Use:** Always wear a properly fitted helmet that meets safety standards.
- **Pre-Ride Check:** Before each ride, inspect brakes, tires, steering, and chain for proper function and condition.
- **Visibility:** Use lights and reflective gear, especially when riding in low-light conditions.
- **Traffic Laws:** Obey all local traffic laws and regulations.
- **Rider Limits:** Ensure the rider's weight does not exceed 175 lbs.
- **Adult Supervision:** Younger riders should always be supervised by an adult.
- **Brake Familiarization:** Practice using both front and rear brakes to understand their stopping power and avoid sudden stops.

## 3. SETUP AND INITIAL ASSEMBLY

---

The woom Explore 6 Bicycle arrives mostly pre-assembled. Final assembly typically involves attaching the handlebars, seat, and pedals.

### **3.1 Unboxing and Inspection**

1. Carefully remove the bicycle and all components from the packaging.
2. Remove all protective materials such as foam and zip ties.
3. Inspect the frame, wheels, and components for any signs of damage during shipping. Contact customer support immediately if damage is found.

### **3.2 Handlebar Installation**

- Insert the handlebar stem into the fork steerer tube.
- Align the handlebars straight with the front wheel.
- Tighten the stem bolts securely according to the torque specifications provided in the separate detailed assembly guide (if applicable).

### **3.3 Seat Post and Saddle Adjustment**

- Insert the seat post into the frame's seat tube.
- Adjust the saddle height so the rider can comfortably touch the ground with their toes while seated. The adjustable saddle height range is 29.9" to 38".
- Secure the quick-release seatpost clamp firmly.

### **3.4 Pedal Installation**

- Identify the left (L) and right (R) pedals. The right pedal tightens clockwise, and the left pedal tightens counter-clockwise.
- Apply a small amount of grease to the pedal threads.
- Thread each pedal into its corresponding crank arm by hand to avoid cross-threading.
- Tighten securely with a pedal wrench.

# woom EXPLORE 6

Wheel Size: 26"  
Bike Weight: 22.2 lbs.

(woom)<sup>®</sup>RED



Image 3.1: Diagram highlighting key components of the woom Explore 6, including the lightweight aluminum frame, 8-gear shifter, and ergonomically designed seat.

## 4. OPERATING THE BICYCLE

### 4.1 Shifting Gears

The woom Explore 6 is equipped with an 8-speed microSHIFT Acolyte trigger shifter.

- **Upshifting (Harder Gears):** Use the larger lever or button to shift to a higher gear (smaller cog on the rear wheel). This is for faster speeds or downhill riding.
- **Downshifting (Easier Gears):** Use the smaller lever or button to shift to a lower gear (larger cog on the rear wheel). This is for climbing hills or starting from a stop.
- Always pedal lightly while shifting to ensure smooth transitions and prevent damage to the drivetrain.



## Powerful Disc Brakes

Ensures safe, smooth stops in all conditions with child-specific, reach-adjustable brake levers for optimal performance



## Grippy All-Terrain Tires

Schwalbe Billy Bonkers tires offer smooth rolling and excellent traction on both pavement and trails



## Effortless 8-Gear Shifting

Smooth, 8-speed precise shifting with the easy-to-use, rubber-coated trigger shifter



## Enhanced Riding Comfort


Ergonomically designed saddle ensures lasting comfort for long-distance rides

Image 4.1: Detail of the microSHIFT Acolyte trigger shifter, designed for effortless 8-gear changes.

## 4.2 Braking

The bicycle features hydraulic flat mount disc brakes for reliable stopping power.

- The right brake lever typically controls the rear wheel brake, and the left lever controls the front wheel brake.
- Apply both brakes simultaneously and gradually for controlled stopping.
- Avoid sudden, hard application of the front brake, especially at high speeds, as this can cause loss of control.
- The brake levers are adjustable for reach, allowing for a comfortable grip for smaller hands.



## Enjoy the Ease

The lightweight aluminum frame makes our bikes easy to maneuver and easy to ride.

Image 4.2: View of the hydraulic flat mount disc brakes, providing superior stopping power.

### 4.3 Riding Position

The woom Explore 6 is designed with kid-optimized geometry for a natural and ergonomic riding position.

- Ensure the saddle height is appropriate for the rider's inseam (22.1" - 27.9") and height (55" - 65").
- The wide, lightweight aluminum riser bars are designed for comfortable handling.

## 5. MAINTENANCE

---

Regular maintenance ensures the longevity and safe operation of your woom Explore 6 Bicycle.

### 5.1 Cleaning

- Clean the bicycle regularly with mild soap and water. Avoid high-pressure washers.
- Dry thoroughly after washing to prevent rust.

## 5.2 Tire Care

- Check tire pressure before each ride. Refer to the tire sidewall for recommended pressure.
- Inspect tires for wear, cuts, or embedded objects.

## 5.3 Brake Inspection

- Regularly check brake pads for wear and replace them when necessary.
- Ensure brake levers are responsive and return to their original position.
- If brakes feel spongy or lose power, they may need bleeding or professional service.

## 5.4 Chain Lubrication

- Keep the chain clean and lubricated with appropriate bicycle chain lubricant.
- Wipe off excess lubricant to prevent dirt accumulation.

## 5.5 Bolt and Fastener Checks

- Periodically check all bolts and fasteners, especially on the handlebars, stem, seat post, and wheels, to ensure they are securely tightened.

## 6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Difficulty Shifting Gears	<ul style="list-style-type: none"><li>◦ Derailleur cable tension incorrect</li><li>◦ Dirty or dry chain</li><li>◦ Bent derailleur hanger</li></ul>	<ul style="list-style-type: none"><li>◦ Adjust derailleur cable tension.</li><li>◦ Clean and lubricate chain.</li><li>◦ Inspect and straighten/replace derailleur hanger (professional service recommended).</li></ul>
Brakes Feel Spongy or Weak	<ul style="list-style-type: none"><li>◦ Air in hydraulic lines</li><li>◦ Worn brake pads</li><li>◦ Contaminated rotors/pads</li></ul>	<ul style="list-style-type: none"><li>◦ Bleed hydraulic brakes (professional service recommended).</li><li>◦ Replace brake pads.</li><li>◦ Clean rotors and pads with disc brake cleaner.</li></ul>
Tires Lose Air Quickly	<ul style="list-style-type: none"><li>◦ Puncture in inner tube</li><li>◦ Loose valve stem</li></ul>	<ul style="list-style-type: none"><li>◦ Repair or replace inner tube.</li><li>◦ Tighten valve stem.</li></ul>
Creaking Noises	<ul style="list-style-type: none"><li>◦ Loose bolts (seatpost, stem, pedals)</li><li>◦ Dry bottom bracket or pedals</li></ul>	<ul style="list-style-type: none"><li>◦ Check and tighten all bolts.</li><li>◦ Lubricate bottom bracket or pedal threads (professional service may be needed).</li></ul>

## 7. SPECIFICATIONS

Feature	Detail
Model	woom Explore 6
Brand	woom
Recommended Age	10 to 14 years

<b>Feature</b>	<b>Detail</b>
Recommended Rider Height	55" - 65"
Recommended Rider Inseam	22.1" - 27.9"
Wheel Size	26 Inches
Bike Weight	22.2 lbs
Rider Weight Limit	175 lbs
Frame Material	Lightweight Aluminum
Gears	8-speed microSHIFT Acolyte trigger shifter
Brakes	Hydraulic Flat Mount Disc Brakes (160mm/140mm Rotors front/back)
Tires	Grippy All-Terrain Tires (Schwalbe Billy Bonkers mentioned in A+ content)
Saddle Height (Adjustable)	29.9" - 38"
Color	Red

# woom EXPLORE 6

Rider's Age:  
10 - 14 years

Rider's Height:  
55 - 65"



Image 7.1: Visual guide for rider age (10-14 years) and height (55-65 inches) for the woom Explore 6.

## 8. WARRANTY AND SUPPORT

For detailed warranty information, please refer to the official woom website or the documentation included with your purchase.

If you encounter any issues not covered in this manual or require further assistance, please contact woom customer support.

- **Online Support:** Visit the official woom website for FAQs, support articles, and contact forms.
- **Contact Seller:** For purchase-related inquiries, you may contact the seller directly through your Amazon order history.

© 2025 woom. All rights reserved.

## Related Documents

 <p>Electrolux Explore 6 High Power Blender User Manual</p>	<p><a href="#">Electrolux Explore 6 High Power Blender User Manual</a></p> <p>User manual for the Electrolux Explore 6 High Power Blender (models E6TB1-6ST, E6TB1-8ST), providing instructions on operation, cleaning, safety, and troubleshooting.</p>
 <p>Cisco Nexus Dashboard Insights User Guide, Release 6.0.1 - For Cisco DCNM</p>	<p><a href="#">Cisco Nexus Dashboard Insights User Guide, Release 6.0.1</a></p> <p>This user guide provides comprehensive information on Cisco Nexus Dashboard Insights, Release 6.0.1, designed for Cisco DCNM. It covers setup, features like Assurance Analysis, Bug Scan, Explore, and Netflow, along with troubleshooting and best practices for network monitoring and analytics.</p>
 <p>OPERATING INSTRUCTIONS AIRSPY - GARMIN</p>	<p><a href="#">SKS AIRSPY - GARMIN Operating Instructions and Setup Guide</a></p> <p>Comprehensive guide for setting up and operating the SKS AIRSPY tire pressure sensors with Garmin devices, including firmware updates for iOS and Android, and detailed pairing instructions for Garmin units.</p>
 <p>Dimension Guide Air Fryer</p>	<p><a href="#">Electrolux E6AF1-220K Air Fryer Dimensions   Product Size Guide</a></p> <p>Find precise dimensions for the Electrolux E6AF1-220K 3L Air Fryer. This guide provides width, height, and depth measurements essential for installation and space planning.</p>
 <p>HOW TO USE THIS LIST</p>	<p><a href="#">AT&amp;T Network Approved Devices List</a></p> <p>A comprehensive list of phones, tablets, smartwatches, and wireless internet devices tested and approved for use on the AT&amp;T network, including instructions on how to find your device's model number and notes on software updates for advanced features.</p>

## AT&T Network Compatibility List: Devices Approved for Post-3G Network

Comprehensive list of mobile phones, tablets, smartwatches, and wireless internet devices approved for continued use on the AT&T network after the February 2022 3G phase-out. Includes instructions on how to find your device's model number and notes on software update requirements for advanced services.



## Documents - woom – Explore 6

### Korrekt mätning av beninnerlängden

Gör så här för att mäta beninnerlängden på barnet så korrekt som möjligt:

- Låt barnet stå på en jämn yta och se till att foten på boken är i rät vinkel mot väggen.
- Stäm av boken så att den ligger mot barnets höfter och lårets baksida. Boken ska vara i rät vinkel mot väggen.
- Placera boken mot barnets höfter och lårets baksida. Boken ska vara i rät vinkel mot väggen.
- Ändra boken så att den ligger mot barnets höfter och lårets baksida. Boken ska vara i rät vinkel mot väggen.
- Ändra boken så att den ligger mot barnets höfter och lårets baksida. Boken ska vara i rät vinkel mot väggen.

Modell	Minimivärdet	Maximivärdet
woom OO 1	82-100 cm	82-100 cm
woom OO 1 PLUS	35,5 cm	95-100 cm
woom OO 2	37,5 cm	95-100 cm
woom OO 3	43,5 cm	95-100 cm
woom OO 3 AUTOMAGIC	43,5 cm	95-100 cm
woom OO 4	51,5 cm	105-110 cm
woom EXPLORE 4	54,5 cm	105-110 cm
woom EXPLORE 5	60 cm	125-145 cm
woom EXPLORE 6	70 cm	140-165 cm
woom OFF 4	50,5 cm	105-110 cm
woom OFF 5	62,5 cm	125-145 cm
woom OFF 6	68,5 cm	140-165 cm
woom OFF AIR 4	50,5 cm	105-110 cm
woom OFF AIR 5	62,5 cm	125-145 cm
woom OFF AIR 6	68,5 cm	140-165 cm
woom NOW 4	55,5 cm	105-110 cm
woom NOW 5	57 cm	125-145 cm
woom NOW 6	65,5 cm	140-165 cm
woom LP 5	65,5 cm	125-145 cm
woom LP 6	68,5 cm	140-165 cm

[pdf]

Korrekt mätning av beninnerlängden woom Innenbeinlänge Tabelle DIN A4 SCREEN 300 DPI SRGB SVwoom SVmediahub woom m 6dd321e1f865ca0d original Innenbeinlänge SV |||

Korrekt mätning av beninnerlängden Gr s hr fr att mta beninnerlängden p barnet s korrekt som möjligt: 1 ... woom GO 1 PLUS woom GO 2 woom GO 3 woom GO 3 AUTOMAGIC woom GO 4 woom EXPLORE 4 woom EXPLORE 5 woom **EXPLORE 6** woom OFF 4 woom OFF 5 woom OFF 6 woom OFF AIR 4 woom OFF AIR 5 woom OFF AIR 6 woom NOW 4 w...

lang:da score:20 filesize: 44.57 K page\_count: 1 document date: 2025-04-15

### Mesurer la longueur d'entrejambe

Pour mesurer la longueur d'entrejambe de votre enfant le plus précisément possible, procédez comme suit:

- Positionnez votre enfant droit contre un mur avec les chaussures et le pantalon qu'il porterait à vélo.
- Prenez un livre avec une couverture rigide et placez-le dans le creux de la hanche de votre enfant en appliquant la même pression légère qu'une main sur le genou.
- Sur le mur, faites un repère avec un crayon à la hauteur du creux de la hanche.
- Mesurez ensuite la plus verticalement possible la distance du sol au repère à l'aide d'un mètre. Le résultat en centimètres correspond à la longueur d'entrejambe de votre enfant.
- Vous pouvez ensuite comparer le votre résultat avec nos spécifications de longueur d'entrejambe ci-dessous.

Modèle	Longueur minimale	Taille de l'enfant
woom OO 1	82-100 cm	82-100 cm
woom OO 1 PLUS	35,5 cm	95-100 cm
woom OO 2	37,5 cm	95-100 cm
woom OO 3	43,5 cm	95-100 cm
woom OO 3 AUTOMAGIC	43,5 cm	95-100 cm
woom OO 4	51,5 cm	105-110 cm
woom EXPLORE 4	54,5 cm	105-110 cm
woom EXPLORE 5	60 cm	125-145 cm
woom EXPLORE 6	70 cm	140-165 cm
woom OFF 4	50,5 cm	105-110 cm
woom OFF 5	62,5 cm	125-145 cm
woom OFF 6	68,5 cm	140-165 cm
woom OFF AIR 4	50,5 cm	105-110 cm
woom OFF AIR 5	62,5 cm	125-145 cm
woom OFF AIR 6	68,5 cm	140-165 cm
woom NOW 4	55,5 cm	105-110 cm
woom NOW 5	57 cm	125-145 cm
woom NOW 6	65,5 cm	140-165 cm
woom LP 5	65,5 cm	125-145 cm
woom LP 6	68,5 cm	140-165 cm

[pdf]

Mesurer la longueur d'entrejambe Apr 16 2025 — 1 Positionnez votre enfant droit contre un mur avec les chaussettes et le pantalon qu'il porterait à vélo 2 Prenez livre une couverture rigide et woom

Innenbeinlänge Tabelle DIN A4 SCREEN 300 DPI SRGB FRmediahub woom m 15b8448535484938 original Innenbeinlänge FR |||

Mesurer la longueur d'entrejambe Pour mesurer la longueur de l'entrejambe de votre enfant le plus pr ... woom GO 1 PLUS woom GO 2 woom GO 3 woom GO 3 AUTOMAGIC woom GO 4 woom EXPLORE 4 woom EXPLORE 5 woom **EXPLORE 6** woom OFF 4 woom OFF 5 woom OFF 6 woom OFF AIR 4 woom OFF AIR 5 woom OFF AIR 6 woom NOW 4 w...

lang:fr score:18 filesize: 43.78 K page\_count: 1 document date: 2025-04-15

### De binnenbeenlengte goed meten

Om de juiste waarde van de binnenbeenlengte van je kind zo nauwkeurig mogelijk te meten:

- Laat je kind recht tegen een muur staan met sokken en een boek dat de knieën steunt.
- Plaats een boek met een harde kaft en steun de rug van het boek omhoog tegen de knieën van je kind. Druk de knieën tegen de rug van het boek op het onderste gedeelte van de knie.
- Maak de rug van de rug van het boek met een penmerk op de muur.
- Maat nu de verticale afstand van de vloer tot de penmerk met een meetlat of liniaal. Deze meting is de binnenbeenlengte van je kind.
- Je kunt de gemeten waarde nu vergelijken met de minimale binnenbeenlengtes in onze tabel.

Model	Minimale lengte	Lengte
woom OO 1	82-100 cm	82-100 cm
woom OO 1 PLUS	35,5 cm	95-100 cm
woom OO 2	37,5 cm	95-100 cm
woom OO 3	43,5 cm	95-100 cm
woom OO 3 AUTOMAGIC	43,5 cm	95-100 cm
woom OO 4	51,5 cm	105-110 cm
woom EXPLORE 4	54,5 cm	105-110 cm
woom EXPLORE 5	60 cm	125-145 cm
woom EXPLORE 6	70 cm	140-165 cm
woom OFF 4	50,5 cm	105-110 cm
woom OFF 5	62,5 cm	125-145 cm
woom OFF 6	68,5 cm	140-165 cm
woom OFF AIR 4	50,5 cm	105-110 cm
woom OFF AIR 5	62,5 cm	125-145 cm
woom OFF AIR 6	68,5 cm	140-165 cm
woom NOW 4	55,5 cm	105-110 cm
woom NOW 5	57 cm	125-145 cm
woom NOW 6	65,5 cm	140-165 cm
woom LP 5	65,5 cm	125-145 cm
woom LP 6	68,5 cm	140-165 cm

[pdf]


De binnenbeenlengte goed meten Apr 18 2025 — 1 Laat je kind recht tegen een muur staan met sokken aan en een boek dat de knieën steunt 2 Pak boek harde kaft plaats de woom Innenbeinlänge

Tabelle DIN A4 SCREEN 300 DPI SRGB NLmediahub woom m 4582c40c58531d5b original Innenbeinlänge NL |||

De binnenbeenlengte goed meten Ga als volgt te werk om de binnenbeenlengte van je kind zo nauwkeurig ... woom GO 1 PLUS woom GO 2 woom GO 3 woom GO 3 AUTOMAGIC woom GO 4 woom EXPLORE 4 woom EXPLORE 5 woom **EXPLORE 6** woom OFF 4 woom OFF 5 woom OFF 6 woom OFF AIR 4 woom OFF AIR 5 woom OFF AIR 6 woom NOW 4 w...

lang:nl score:18 filesize: 42.68 K page\_count: 1 document date: 2025-04-15

### Taking an inside leg measurement



- Here's how to measure your child's inseam as accurately as possible:
- 1 Have your child stand up straight against a wall in socks and wearing trousers likely to be worn while riding a bike.
  - 2 Take a hardback book and place the spine of the book facing forward at your child's crotch with the same slight pressure that you'd get on the saddle while riding.
  - 3 Mark the edge of the book's spine on the wall in pencil.
  - 4 Now measure the distance from the floor to the marking as vertically as possible with a measuring stick or tape measure. This measurement is appropriate for your child's inseam.
  - 5 Now you can compare the measurement with the minimum inseam lengths in our table.

Model	Minimum length	Height
woom GO 1	84cm	87-100 cm
woom GO 1 PLUS	85.5 cm	95-100 cm
woom GO 2	87.5 cm	95-100 cm
woom GO 3	89.5 cm	95-100 cm
woom GO 3 AUTOMAGIC	91.5 cm	95-100 cm
woom GO 4	93.5 cm	95-100 cm
woom EXPLORE 4	94 cm	95-100 cm
woom EXPLORE 5	95 cm	95-100 cm
woom EXPLORE 6	96 cm	95-100 cm
woom OFF 4	90 cm	88-100 cm
woom OFF 5	90.5 cm	88-100 cm
woom OFF 6	91 cm	88-100 cm
woom OFF AIR 4	91.5 cm	88-100 cm
woom OFF AIR 5	92 cm	88-100 cm
woom OFF AIR 6	92.5 cm	88-100 cm
woom NOW 4	93 cm	88-100 cm
woom NOW 5	93.5 cm	88-100 cm
woom NOW 6	94 cm	88-100 cm
woom UP 5	94.5 cm	88-100 cm
woom UP 6	95 cm	88-100 cm




[pdf]

Taking an inside leg measurement woom Mediahub1 Have your child stand up straight against a wall in socks and wearing trousers likely to be worn while riding bike 2 Take hardback book place the Apr 17 2025 — at crotch mark spine measure from floor This is the inseamwoom Innenbeinlänge Tabelle DIN A4 SCREEN 300 DPI SRGB ENwoom ENmediahub m 2cf6e45a2adff814 original Innenbeinlange EN ||| Taking an inside leg measurement Here s how to measure your child s inseam as accurately as possible ... woom GO 1 PLUS woom GO 2 woom GO 3 woom GO 3 AUTOMAGIC woom GO 4 woom EXPLORE 4 woom EXPLORE 5 woom **EXPLORE 6** woom OFF 4 woom OFF 5 woom OFF 6 woom OFF AIR 4 woom OFF AIR 5 woom OFF AIR 6 woom NOW 4 w...

lang:en score:18 filesize: 42.58 K page\_count: 1 document date: 2025-04-15

### Sådan måles den indvendige benlængde korrekt



- For at kunne måle dit barns indvendige benlængde så præcist som muligt, skal du gøre følgende:
- 1 Bør du barn. Bør strømpor samt de bukser som det ville bruge på cykelturene, op ad en væg.
  - 2 Tag en bog med et fast omslag og placer den med bogryggen opå barnets ankter med et let tryk, som en sadel ville udøve på cykelture.
  - 3 Marker bogryggens kant med en blyant på væggen.
  - 4 Mål derefter afstanden fra gulvet til mærket på bogen som muligt med en målebånd. Resultatet (centimeter) svarer så til barnets indvendige benlængde.
  - 5 Bemærk venst om du også sammenligne med vores oplysninger om den minimale, indvendige benlængde.

Model	Minimumslængde	Højde
woom GO 1	84 cm	87-100 cm
woom GO 1 PLUS	85,5 cm	95-100 cm
woom GO 2	87,5 cm	95-100 cm
woom GO 3	89,5 cm	95-100 cm
woom GO 3 AUTOMAGIC	91,5 cm	95-100 cm
woom GO 4	93,5 cm	95-100 cm
woom EXPLORE 4	94 cm	95-100 cm
woom EXPLORE 5	95 cm	95-100 cm
woom EXPLORE 6	96 cm	95-100 cm
woom OFF 4	90 cm	88-100 cm
woom OFF 5	90,5 cm	88-100 cm
woom OFF 6	91 cm	88-100 cm
woom OFF AIR 4	91,5 cm	88-100 cm
woom OFF AIR 5	92 cm	88-100 cm
woom OFF AIR 6	92,5 cm	88-100 cm
woom NOW 4	93 cm	88-100 cm
woom NOW 5	93,5 cm	88-100 cm
woom NOW 6	94 cm	88-100 cm
woom UP 5	94,5 cm	88-100 cm
woom UP 6	95 cm	88-100 cm



[pdf]

Sådan måles den indvendige benlængde korrektApr 19 2025 — 1 Stil dit barn iført strømpor samt de bukser som det ville bruge på cykelturene op ad en væg 2 Tag bog med et fast omslag og placer dennewoom Innenbeinlänge Tabelle DIN A4 SCREEN 300 DPI SRGB DAMediahub woom m 2bb796e3a705efb0 original Innenbeinlange DA ||| Sdan mles den indvendige benlngde korrekt For at kunne mle dit barns indvendige benlngde s prcist so ... woom GO 1 PLUS woom GO 2 woom GO 3 woom GO 3 AUTOMAGIC woom GO 4 woom EXPLORE 4 woom EXPLORE 5 woom **EXPLORE 6** woom OFF 4 woom OFF 5 woom OFF 6 woom OFF AIR 4 woom OFF AIR 5 woom OFF AIR 6 woom NOW 4 w...

lang:da score:18 filesize: 43.68 K page\_count: 1 document date: 2025-04-15