

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [KNKA](#) /

› [KNKA CS06 Dehumidifier User Manual](#)

KNKA CS06

KNKA Dehumidifier User Manual

MODEL: CS06

1. Introduction

Thank you for choosing the KNKA CS06 Dehumidifier. This compact and efficient appliance is designed to effectively remove excess moisture from the air, creating a more comfortable and healthier indoor environment. Ideal for basements, bathrooms, RVs, closets, and bedrooms, it features quiet operation, automatic shut-off, and customizable LED lighting. Please read this manual thoroughly before operation to ensure proper use and maintenance.

2. Safety Information

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when operating this appliance:

- Ensure the dehumidifier is placed on a stable, level surface.
- Do not block air inlets or outlets. Maintain at least 6 inches of clearance from walls or furniture.
- Do not operate the unit with a damaged cord or plug.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the unit before cleaning or performing any maintenance.
- Keep out of reach of children and pets.
- Operate within the recommended temperature and humidity ranges (above 59°F / 15°C and RH > 45%).

3. Product Overview & Features

The KNKA CS06 Dehumidifier is engineered for powerful and user-friendly performance. Key features include:

- **Powerful Performance:** Effectively absorbs up to 40oz (1100ml) of excess moisture per day, suitable for areas up to 1000 sq. ft.
- **Quiet Operation (Sleep Mode):** Advanced semiconductor technology ensures noise levels as low as 30 decibels, ideal for bedrooms and quiet spaces.
- **Overflow Auto Shut-Off Protection:** Automatically stops operation when the 95oz water tank is full or incorrectly positioned, preventing overflow.
- **User-Friendly Control Panel:** Simple touch controls for power, sleep mode, and lighting.

- **7-Color LED Night Light:** Adds ambiance and functions as a functional indicator (red light for full tank). The light can be set to a single color, cycle through colors, or be turned off.



Figure 1: Front view of the KNKA CS06 Dehumidifier, showcasing its sleek design and water level indicator.

Dual Semiconductors & Large Capacity Water Tank High-Efficiency Dehumidification




Figure 2: Diagram illustrating the dimensions (13.78x7.95x6.22 inches) and internal structure, including dual semiconductors and the 95oz water tank.

Disturbance-Free for Blissful Sleep



Day Mode

Fast dehumidification

30DB-40DB



Night Mode

Light off

~30DB



Figure 3: The dehumidifier operating in a bedroom setting, highlighting its quiet operation in Sleep Mode (approx. 30dB).

Auto Shut Off Protectionacity water tank

You can use the dehumidifier with confidence when going out or sleeping



Working Normally



Water Tank Full
Led light turn red,Indicated sound,Auto shut off

95oz Water Tank



Figure 4: Visual representation of the auto shut-off protection. A green checkmark indicates normal operation, while a red 'X' and light indicate a full or incorrectly positioned water tank.

7 Color Night Light

The soft lighting not only adds a touch of elegance to the device, but also acts as a functional indicator.



Figure 5: Display of the 7-color LED night light feature, showing various color options (Blue, Cyan, Green, Orange, Red, Yellow, Purple) and the ability to turn the light off.

4. Package Contents

Please check the box for the following items:

- KNKA CS06 Dehumidifier Unit
- User Manual (this document)

5. Setup

Setting up your KNKA CS06 Dehumidifier is quick and easy:

1. **Unpack:** Carefully remove the dehumidifier and all packaging materials from the box.
2. **Placement:** Place the unit on a firm, level surface in the desired location. Ensure there is at least 6 inches (15 cm) of space around all sides for proper airflow. Avoid placing near heat sources or in direct sunlight.
3. **Power Connection:** Plug the power adapter into the DC input port on the back of the dehumidifier, then plug

the other end into a standard electrical outlet (100-240V AC, 50/60Hz).

6. Operating Instructions

The KNKA CS06 Dehumidifier features a simple touch control panel on the top of the unit.

Easy Control Panel

Simplify Your Space with Our Intuitive Control Panel



Figure 6: Close-up of the intuitive control panel with touch-sensitive buttons for power, sleep mode, and light.

1. **Power On/Off:** Touch the **Power button** (💡) to turn the unit on or off. The power indicator light will illuminate when the unit is on.
2. **Sleep Mode:** Touch the **Sleep Mode button** (🌙) to activate or deactivate sleep mode. In sleep mode, the fan speed reduces for quieter operation (approx. 30dB), and the LED lights automatically turn off.
3. **LED Light Control:** Touch the **Light button** (💡) to cycle through the 7 different LED colors. Touch again to lock in your preferred color. Touch a third time to turn the lights off completely.

7. Maintenance

Regular maintenance ensures the longevity and efficiency of your dehumidifier.

- Emptying the Water Tank:** The unit will automatically shut off and a red light will turn on when the 95oz water tank is full. Carefully pull out the water tank from the back of the unit, empty the collected water, and then reinsert the tank firmly until it clicks into place.
- Cleaning the Unit:** Wipe the exterior of the dehumidifier with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Air Filter (if applicable):** While this model does not feature a removable air filter, ensure the air intake and exhaust vents are free from dust and debris. You may use a soft brush or vacuum cleaner to gently clean these areas.
- Rest Period:** To prolong the lifespan of the unit, it is recommended to cut off the power cord after 24 hours of continuous running and let it rest for at least 10 minutes.

8. Troubleshooting

If you encounter issues with your dehumidifier, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Dehumidifier not turning on.	Unit not plugged in; power outage; water tank full or incorrectly positioned.	Ensure power cord is securely plugged in. Check power outlet. Empty and correctly reinsert the water tank.
Unit collects very little water.	Low room humidity; low temperature; room too large; air inlets/outlets blocked.	Ensure the unit is running in a confined environment with high humidity (RH > 45%) and temperature above 59°F (15°C). Clear any obstructions from vents.
Unit stops working unexpectedly.	Water tank is full or improperly installed.	Empty the water tank and ensure it is securely reinserted. The unit has an auto shut-off feature for safety.
Dehumidification effect is weak at certain temperatures.	Operating temperature is too low (under 59°F / 15°C) or too high (over 104°F / 40°C).	The dehumidifier's efficiency is reduced outside its optimal operating temperature range. While it won't stop working, the effect will be weaker. Adjust room temperature if possible.

If the problem persists after trying these solutions, please contact KNKA customer support.

9. Specifications

Feature	Specification
Brand	KNKA
Model Name	CS06 dehumidifiers
Floor Area Coverage	1000 Square Feet
Color	White03
Capacity (Water Tank)	95 Fluid Ounces
Dehumidification Capacity	1.1 Liters per Day (40oz)
Product Dimensions (DxWxH)	6.22"D x 7.94"W x 13.78"H


Feature	Specification
Number of Speeds	2
Recommended Uses	Residential
Item Weight	5.9 Pounds
Material	Plastic
Wattage	80 watts
Operation Mode	Comfort
UPC	762849535890

10. Warranty and Support

Your KNKA CS06 Dehumidifier is designed for reliable performance. For specific warranty details and terms, please refer to the warranty card included with your product packaging. If you require technical assistance, have questions about operation, or need to claim warranty service, please contact KNKA customer support through the contact information provided in your product documentation or on the official KNKA website.

© 2025 KNKA. All rights reserved.

Related Documents - CS06

	<p><u>CS06 Sports Camera User Manual and Specifications</u></p> <p>Comprehensive guide to the CS06 Sports Camera, covering key functions, setup, operation, technical specifications, and FCC compliance.</p>
	<p><u>CS06 Wearable Camera User Manual</u></p> <p>Instruction manual for the CS06 wearable camera, detailing its features, operation, charging, troubleshooting, and specifications. Includes guidance on video recording, photography, sound recording, file management, and settings.</p>
	<p><u>Dehumidifier DH-CS06 User Manual</u></p> <p>User manual for the TABYIK DH-CS06 Dehumidifier, covering specifications, structure, user instructions, maintenance, and safety precautions.</p>
	<p><u>Marvel Technology Mobile Exhibition Screen User Manual</u></p> <p>User manual for the Marvel Technology Mobile Exhibition Screen (Model MWE-CS06), detailing its components, installation steps, usage instructions, and FCC compliance information.</p>



[AeronovaHome DH-CS06 Dehumidifier: Usage Tips & Support](#)

Learn how to best use your AeronovaHome DH-CS06 dehumidifier with essential tips on placement, operating conditions, and maintenance. Includes contact information and warranty details.