Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

LAUCO 33080

LAUCO Wax and Grease Remover (Model 33080) Instruction Manual

Brand: LAUCO | Model: 33080

Product Overview

The LAUCO Wax and Grease Remover is an industrial-strength solvent degreaser designed for professional paint preparation. It effectively removes wax, grease, oil, silicone, and other contaminants from various surfaces, ensuring optimal adhesion for paint, primer, basecoat, and clear coat applications.

This fast-drying, zero-residue formula is suitable for use on plastic, metal, fiberglass, and aluminum surfaces, making it ideal for automotive, marine, and general restoration projects.





Image: Front view of the LAUCO Wax and Grease Remover 1 Gallon container, highlighting the product name and brand.

Safety Information

WARNING: Flammable. May cause irritation to eyes, skin, or respiratory tract. Use in a well-ventilated area. Keep away from heat, sparks, and open flames. Avoid prolonged breathing of vapors. Wear appropriate personal protective equipment, including gloves and eye protection.

First Aid:

- **Inhalation:** Move to fresh air. If irritation persists, seek medical attention.
- **Skin Contact:** Wash thoroughly with soap and water. Remove contaminated clothing.
- **Eye Contact:** Rinse immediately with plenty of water for at least 15 minutes. Seek medical attention.
- **Ingestion:** Do not induce vomiting. Call a poison control center or doctor immediately.

Keep out of reach of children and pets. Store in a cool, dry place away from direct sunlight.



Image: Detailed view of the LAUCO Wax and Grease Remover product label, showing directions for use and safety warnings.

Setup and Preparation

1. Ensure the work area is well-ventilated.
2. Wear appropriate personal protective equipment, including chemical-resistant gloves and eye protection.
3. Gather necessary materials: LAUCO Wax and Grease Remover, clean, dry, lint-free cloths.
4. Prepare the surface by removing any loose dirt or debris.



Image: A four-panel illustration demonstrating the easy open and close system of the LAUCO Wax and Grease Remover container, showing how to access and pour the liquid.

Operating Instructions

Follow these steps for effective surface cleaning prior to painting:

1. **Saturate Cloth:** Saturate a clean, dry, lint-free cloth with LAUCO Wax and Grease Remover.
2. **Apply to Surface:** Degrease small areas of the surface to be painted, ensuring even coverage.
3. **Wipe Immediately:** Immediately wipe the treated areas with a separate clean, dry cloth of the same quality. Turn the cloth frequently to ensure a clean surface. This prevents contaminants from redepositing.
4. **Allow to Dry:** Allow the surface to dry completely before applying paint. The formula is fast-drying and leaves no residue.

Important Notes:

- Always test on an inconspicuous area first to ensure no damage will occur.
- Do not use on freshly painted surfaces.
- Do not apply in direct sunlight or extreme temperatures.



Image: A visual guide demonstrating the three-step process of using the wax and grease remover: saturating a cloth, applying to the surface, and wiping clean.

Your browser does not support the video tag.

Video: A demonstration of using LAUCO Wax and Grease Remover to clean an automotive surface before painting, showing the application and wiping process.

Multi-Surface Application

LAUCO Wax and Grease Remover is formulated for versatility across various materials and applications:

- **Automotive:** Ideal for car body panels, bumpers, and other vehicle components.
- **Marine:** Safe and effective on fiberglass boat surfaces.
- **Industrial:** Suitable for garage tools, metal parts, and other industrial applications.
- **Materials:** Works on plastic, metal, fiberglass, and aluminum.



Image: A graphic illustrating the multi-surface compatibility of the product, including plastic, metal, fiberglass, and for removing various residues.



Image: A collage showing the versatility of the product for use in a body shop, garage projects, and industrial applications.

Product Benefits and Features

- **Professional Paint Prep:** Industrial-strength formula for thorough cleaning before painting.
- **Fast-Drying, Zero-Residue:** Evaporates quickly without leaving oily films, ensuring a clean, paint-ready surface.
- **Enhances Adhesion:** Eliminates issues like fisheyes, flaking, and poor bonding caused by surface contamination, promoting a long-lasting finish.
- **Multi-Surface Compatibility:** Safe and effective on plastic, metal, fiberglass, and aluminum.
- **Trusted by Professionals:** Used by auto body shops and DIY enthusiasts for reliable pre-paint surface cleaning.





Image: A visual emphasizing the product's key benefits: "Use prior to painting" and "Zero-residue formula."



Image: A close-up of a gloved hand wiping a car surface, highlighting that the product "Instantly removes wax, grease, oil, silicone" and has a "Quick dry time."




Image: A comparison table showing LAUCO Wax and Grease Remover's superior performance in surface compatibility, dry time, and paint adhesion support compared to leading and generic cleaners.

Specifications

Brand	LAUCO
Model Number	33080
Item Volume	1 Gallon (3.785 Liters)
Item Form	Liquid
Scent	Unscented
Specific Uses	All Purpose, Removes wax, grease, oil, silicone, road film, tar, tree sap
Surface Recommendation	Plastic, Metal, Fiberglass, Aluminum
Product Dimensions	6.5 x 4 x 10 inches
Item Weight	6.94 pounds
Ingredients	Wax and Grease Remover

Troubleshooting

If you encounter issues while using the LAUCO Wax and Grease Remover, consider the following:

- **Residue Remaining:** Ensure you are using a clean, lint-free cloth and wiping immediately after application. Turn the cloth frequently to use a fresh surface.
- **Poor Adhesion After Painting:** Verify that all wax and grease remover has fully evaporated and the surface is completely dry before applying paint. Ensure the surface was thoroughly cleaned and free of contaminants.

- **Surface Damage:** Always perform a spot test on an inconspicuous area before full application, especially on sensitive plastics or painted surfaces.
- **Slow Drying:** Ensure adequate ventilation in the work area. Avoid applying in high humidity or cold temperatures.

Maintenance and Storage

- **Storage:** Store the container tightly closed in a cool, dry, well-ventilated area, away from direct sunlight, heat sources, and incompatible materials.
- **Disposal:** Dispose of used cloths and any remaining product in accordance with local regulations for hazardous waste. Do not pour down drains or into the environment.
- **Container Care:** Keep the container sealed when not in use to prevent evaporation and maintain product integrity.

Warranty and Support

For questions, technical support, or warranty information regarding your LAUCO Wax and Grease Remover, please contact the manufacturer or seller directly.
Manufacturer: LAUCO
Seller: NATIONAL SUPPLY CO
Please refer to your purchase documentation for specific contact details or visit theLAUCO Store on Amazon for more information.

© 2025 LAUCO. All rights reserved. Information subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0F7N44CYQ

More documents and user manuals: **https://manuals.plus/**