

Bracketron PwrUp Auto 15W Qi Fast Wireless Charging Car Mount (Model: 96a35c86-cbbe-4bf4-88ac-4fb8fa9a1442)

Bracketron PwrUp Auto 15W Qi Fast Wireless Charging Car Mount User Manual

MODEL: 96A35C86-CBBE-4BF4-88AC-4FB8FA9A1442

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Bracketron PwrUp Auto 15W Qi Fast Wireless Charging Car Mount. This device is designed to securely hold and wirelessly charge your Qi-enabled smartphone in your vehicle, offering versatile mounting options for the dashboard, windshield, or air vent.

2. Package Contents

Please verify that all items listed below are included in your package:

- 1 x Bracketron PwrUp Automatic Wireless Charging Car Mount
- 1 x Extendable Base with TemperBond Suction Cup
- 1 x Air Vent Clip
- 1 x 3M Adhesive Dashboard Pad
- 1 x Charger & Cable
- 1 x Instruction Manual

3-YEAR

Product Care

*with registration



Comes with:

- 1 * Bracketron PwrUp Automatic
- 1 * Extend Base with TemperBond Suction Cup
- 1 * Air Vent Clip
- 1 * 3M Adhesive Dashboard Pad
- 1 * Charger & Cable
- 1 * Instruction Manual

Image: All components included in the Bracketron PwrUp Auto package.

3. Setup and Installation

The Bracketron PwrUp Auto offers multiple installation options to suit your vehicle's interior. Ensure the car is powered ON for the mount's automatic functions to operate.

3.1. Dashboard/Windshield Mounting (Suction Cup)

1. **Clean the Surface:** Use water or alcohol and a lint-free cloth to thoroughly clean the desired mounting surface (windshield or dashboard). Ensure it is free of dust, oil, or protectants.
2. **Attach Suction Cup:** Press the TemperBond suction cup firmly onto the clean, flat surface. Avoid curved or uneven surfaces.
3. **Secure Lever:** Flip the lever on the suction cup base to lock it in place.
4. **Adjust Arm:** Utilize the tilt-and-telescope arm to achieve your optimal viewing angle. The arm is 270° adjustable, 6.5" extendable, and the phone holder is 360° rotatable.
5. **Optional 3M Dashboard Pad:** If mounting on a textured dashboard or real leather, use the included 3M adhesive pad. Apply the pad to the cleaned surface, press firmly, and wait 36-72 hours before attaching the suction cup to the pad. Mounting too soon may cause it to peel.


SUCTION CUP INSTRUCTIONS

For Difficult Dashboards, use Windshield

3 Layer
NanoGel

-42°F — 196°F
Extreme Temp Resist

If suction changes in extreme weather or moisture, don't worry—clean and re-press to restore grip.



Use water only and a lint-free cloth to remove all dust, oil, and grime before installation



Do not use dashboards with extreme curves



High UV May Reduce Hold



Do not use on surfaces with oils or protectants



Keep the protective film on until final placement to reduce dust on suction cup



If grip fades, wash with mild soap and warm water, rinse well, air dry — ready to reuse



Adhesive pad is a last resort, only use if your mount continues to fall

Image: Detailed instructions for preparing the surface and using the TemperBond suction cup.

3.2. Air Vent Mounting

1. **Attach Vent Clip:** Securely attach the air vent clip to a horizontal vent slat. Extend the hook by turning the barrel, then hook it into the back of the slat.
2. **Position Mount:** Ensure the mount is stable and does not obstruct your view or vehicle controls.

SECURE METAL VENT HOOK

Never Falls Off or Breaks.



Strong Metal Hook



3-Point Lock



Holds 25 LBS



Image: Illustration of the secure metal vent hook and compatible vent designs.




Image: Examples of the mount installed on a dashboard, air vent, and windshield.

4. Operating Instructions

The PwrUp Auto mount features smart sensing clamps and 15W Qi fast wireless charging.

4.1. Placing Your Phone

1. **Power On:** Ensure your car is powered ON. The mount requires power for automatic clamping and charging.
2. **Insert Phone:** Gently place your Qi-enabled smartphone into the mount. The infrared sensor will detect the phone, and the clamps will automatically close to secure it.
3. **Align for Charging:** For wireless charging, ensure your phone is properly aligned. Extend or retract the foot of the mount as needed to center your phone's wireless charging coils with the PwrUp Automatic's charging area.



Image: A smartphone actively charging in the Bracketron PwrUp Auto mount.

4.2. Removing Your Phone

To release your phone, press the release button located on the side of the mount. The clamps will open, allowing you to safely retrieve your device.




Image: Demonstrates the one-button release and automatic locking functions.

4.3. Important Notes

- The car must be powered ON for the phone to charge and for the grips to automatically close.
- If beeping occurs while the car is ON, verify that you are using the included cable and that it is properly connected to your car's DC supply (cigarette lighter receptacle).

- When you turn the car off, if the device detects a phone, it will beep to remind you to retrieve it. If the device does not release your phone, turn the car back on and push the release button.

5. Compatibility

The Bracketron PwrUp Auto is universally compatible with all wireless charging capable smartphones, typically ranging from 4 to 7 inches.

5.1. Case Compatibility

Wireless charging is generally not compatible with:

- Thick Phone Cases (exceeding 8mm)
- Battery Phone Cases
- Wallet Phone Cases

For optimal charging, ensure your phone case is not excessively thick or contains metal components that could interfere with wireless power transfer.

6. Troubleshooting

If you encounter issues with your PwrUp Auto mount, refer to the following common solutions:

Problem	Solution
Phone not charging wirelessly.	Ensure the car is ON. Verify phone alignment by adjusting the mount's foot to center the phone's charging coils. Check for thick, battery, or wallet cases. Ensure the included cable is properly connected.
Mount grips not closing automatically.	Confirm the car is ON and the mount is receiving power. Ensure no obstructions are blocking the infrared sensor.
Mount is beeping.	If the car is ON, check cable connections. If the car is OFF and a phone is detected, the beep is a reminder to retrieve your phone.
Suction cup not holding securely.	Clean the mounting surface thoroughly with water or alcohol. Rinse the suction cup with cold water and air dry to restore grip. If using the 3M pad, ensure sufficient curing time (36-72 hours).
Phone not releasing.	If the car is off, turn it back on and press the release button. Ensure no physical obstructions.

7. Maintenance

To maintain the performance and longevity of your Bracketron PwrUp Auto mount:

- **Cleaning the Suction Cup:** If the suction grip weakens, rinse the suction cup with cold water and allow it to air dry completely. This will help restore its adhesive properties.
- **General Cleaning:** Wipe the mount with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners.
- **Temperature Resistance:** The mount is designed to resist extreme temperatures from -42°F to 196°F.

8. Specifications

Feature	Detail
Wireless Charging Output	Up to 15W Qi Fast Charging
Mounting Type	Dashboard, Windshield (Suction Cup), Air Vent (Clip)
Special Features	Automatic Clamping, One-Hand Operation, Motion Sensor, Cold Resistant, Heat Resistant
Compatible Devices	Smartphones (4-7 inches) with Qi wireless charging capability
Dimensions (Package)	7.6 x 5.16 x 3.62 inches
Item Weight	12.6 ounces
Color	Black
Manufacturer	BRKT Holdings LLC.

9. Warranty and Support

Bracketron offers a 3-Year Product Care plan with registration for your PwrUp Auto Wireless Charging Car Mount. For detailed warranty information or technical support, please refer to the official Bracketron website or contact their customer service directly.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

